

NOTICE TO BIDDERS

BID OPENING OF June 07, 2013

North Dakota Department of Transportation
 Construction Services Division
 608 East Boulevard Avenue
 Bismarck, ND 58505-0700
 Telephone (701)328-2563
 Website <http://www.dot.nd.gov/>

The North Dakota Department of Transportation (NDDOT) will receive electronic bids for the project(s) listed in this notice until 09:30AM, June 7, 2013. Electronic bids will be received through the Bid Express online bid exchange service at www.bidx.com.

Bid documents such as the Bidder's Proposal, plans, Expedite files, cross-sections and other related bid documents are available for viewing and downloading on the NDDOT's website at the following web address; <http://www.dot.nd.gov/dotnet2/eplans/default.aspx>. The bid documents are also available for viewing at the Construction Services Division, Room 333 of the NDDOT building in Bismarck, ND.

Job No.	Project Number	Length	Type	Location	Time	Bid Range
1	Withdrawn					
2	SRU-8-984(146)149	0.0000	TRAFFIC SIGNAL IMPROVEMENTS AND INCIDENTALS	CASS CO; FARGO WALK-BIKE SAFE ROUTES TO SCHOOL, VARIOUS LOCATIONS CITY WIDE	May 01, 2014	\$100,001 to \$200,000
3	Withdrawn					
4	Withdrawn					
5	SOIA-7-085(078)146	6.6900	GRADING, BOX CULVERT EXT., CULVERTS, AGGREGATE BASE, HBP, SIGNING, PAVEMENT MARKING, & INCID	MCKENZIE CO; US 85 FROM WEST OF WATFORD CITY TO 0.5 MILES WEST OF COUNTY ROAD 27	October 31, 2013	\$24,000,001 to \$30,000,000
6	Withdrawn					
7	SOIA-7-085(089)152	7.6390	GRADING, BOX CULVERT EXT, CULVERTS, AGGREGATE BASE, HBP, SIGNING, PVMT MARKINGS & INCID	MCKENZIE CO; US 85 FROM 0.5 MILES WEST OF COUNTY ROAD 27 TO SOUTH OF ALEXANDER	October 31, 2013	\$30,000,001 to \$40,000,000

NOTICE TO BIDDERS (continued)

1. Prequalification is required for all bidders submitting a bidding proposal form. Prequalification is required annually. Prequalified contractors who wish to renew their prequalification must submit a complete "Contractor's Prequalification Statement" by July 1 of each calendar year. Bidders who are not currently prequalified must submit a complete "Contractor's Prequalification Statement" at least 7 days prior to the date of the bid opening. Information is available from the Construction Services Division of the North Dakota Department of Transportation.
2. Contractor's License--A contractor is not required to have a license from the state of North Dakota before bidding on any project, however, no contract will be awarded unless said contractor holds a current North Dakota license in the class within which the value of the contract falls.
3. A bid guarantee is required by Section 24-02-20, NDCC. The bid guarantee may be a bid bond equal to 10 percent of the full amount of the bid or a cashier's check of the bidder on a solvent bank equal to 5 percent of the bid. Bid bond shall be on the department form SFN 14196. Prior arrangements may be made with the department to file bid guarantees in advance.
4. Foreign corporation bidders are required, by Section 10-22-01, NDCC, to file, with the secretary of state, a notice of intention to do business in the state.
5. In-State Contractor Preference--Section 44-08-01 of the NDCC provides a preference for in-state bidders, which is equal to the preference given or required by the state of the nonresident bidder. This preference is given only on non-federal aid projects.
6. The Plan Holders List can be obtained from the NDDOT website at www.dot.nd.gov/.
7. The Department of Transportation and all bidders are obligated to affirmatively insure that in any contract entered into pursuant to this advertisement, minority or women's business enterprises will be afforded a full opportunity to participate and to submit bids in response to this invitation and will not be discriminated against on the grounds of race, religion, color, sex, age, or national origin in consideration for an award. Where applicable the contractor must fulfill all special provision requirements for utilization of Disadvantaged Business Enterprises.
8. Contractors are required to meet the provisions of the Contract Work Hours and Safety Standards Act on the federal aid projects, are required to meet the Fair Labor Standards Act on all projects, and are required to pay any minimum wage rates set forth in the proposal form.
9. The right is reserved to reject any and all proposals, to waive technicalities, or to accept such as may be determined to be for the best interests of the state.
10. Bidders are advised that signature on this Proposal Form or on a Request to Sublet Form certifies that the company or any person associated therewith is not currently under suspension, debarment, voluntary exclusion, or determination of ineligibility by any federal agency; has not been suspended, debarred, voluntarily excluded, or determined ineligible by any federal agency within the past three years; and has not been indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years.

NORTH DAKOTA
DEPARTMENT OF TRANSPORTATION



Grant Levi, P.E., Interim Director

05/10/13

North Dakota Department of Transportation
Notice To Bidders

001

WITHDRAWN

*** END OF PROJECT 1***

002 FEDERAL AID

PROJECT NUMBER SRU-8-984(146)149

PROPOSED WORK CONSISTS OF 0.0000 MILES OF TRAFFIC SIGNAL IMPROVEMENTS AND INCIDENTALS

LOCATED FARGO WALK-BIKE SAFE ROUTES TO SCHOOL, VARIOUS LOCATIONS CITY WIDE

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM MOBILIZATION; 1 L SUM TRAFFIC CONTROL; 11 EA CONCRETE FOUNDATION-TRAFFIC SIGNALS; 11 EA TYPE V SIGNAL STANDARD; 12 EA FL BEA SPEED QUEUE WARNING SYSTEM; 4 EA FIBEROPTIC SIGN; 1 EA REVISE CONTROLLER; 1 EA RELOCATE FLASHING BEACON-POST MOUNTED; 5 EA BIKE RACKS.

*** END OF PROJECT 2***

003

WITHDRAWN

*** END OF PROJECT 3***

004

WITHDRAWN

*** END OF PROJECT 4***

005 STATE AID

PROJECT NUMBER SOIA-7-085(078)146

PROPOSED WORK CONSISTS OF 6.6900 MILES OF GRADING, BOX CULVERT EXT., CULVERTS, AGGREGATE BASE, HBP, SIGNING, PAVEMENT MARKING, & INCID

LOCATED US 85 FROM WEST OF WATFORD CITY TO 0.5 MILES WEST OF COUNTY ROAD 27

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM ESCROW OF BID DOCUMENTATION; 1 L SUM CLEARING & GRUBBING; 1 L SUM REMOVAL OF STRUCTURE; 87118 TON REMOVE & SALVAGE BASE & SURFACING; 5 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 1852 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 339002 CY COMMON EXCAVATION-TYPE A; 118430 CY TOPSOIL; 11152 CY COMMON EXCAVATION-WASTE; 75 CY TOPSOIL-WETLAND; 1 EA CLASS 2 EXCAVATION-BOX CULVERT; 1 EA FOUNDATION PREPARATION; 228 CY FOUNDATION FILL; 11237 M GAL WATER; 353.2 STA SUBGRADE PREPARATION-TYPE A; 378770 TON SALVAGED BASE COURSE; 5000 TON TEMPORARY TRAFFIC SURFACE AGGREGATE; 230 CY SCORIA SURFACE COURSE; 46129 GAL MC70 OR 250 LIQUID ASPHALT; 63294 GAL SS1H OR CSS1H OR MS1 EMULSIFIED ASPHALT; 1730 TON BLOTTER MATERIAL CL 44; 16109 TON SUPERPAVE FAA 40; 108134 TON SUPERPAVE FAA 45; 4456 TON PG 58-28 ASPHALT CEMENT; 2999 TON PG 64-28 ASPHALT CEMENT; 436 EA CORED SAMPLE; 333 SY MILLING PAVEMENT SURFACE; 63 LF 15FT X 11FT PRECAST RCB CULVERT; 2 EA 15FT X 11FT PRECAST RCB END SECTION; 1 L SUM MOBILIZATION; 3300 MHR FLAGGING; 4857 UNIT TRAFFIC CONTROL SIGNS; 14 EA TYPE III BARRICADE; 170 EA DELINEATOR DRUMS; 440 EA TUBULAR MARKERS; 830 EA STACKABLE VERTICAL PANELS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA FIELD LABORATORY-TYPE B; 2 EA FIELD LABORATORY-TYPE C; 1 EA FIELD OFFICE; 649 CY RIPRAP-LOOSE ROCK; 250 LF SILT FENCE SUPPORTED; 250 LF REMOVAL SILT FENCE SUPPORTED; 30569 LF FIBER ROLLS 12IN; 12422 LF REMOVAL FIBER ROLLS 12IN; 5000 LF FIBER ROLLS 20IN; 187.8 ACRE SEEDING-TYPE B-CL II; 187.8 ACRE SEEDING-TYPE B-CL IV; 187.8 ACRE MULCHING; 10666 SY ECB TYPE 3; 137 SY TRM TYPE 2; 966 SY GEOTEXTILE FABRIC-TYPE RR; 300 LF PIPE CONC REINF 24IN CL III; 144 LF PIPE CONC REINF 30IN CL III; 38 LF PIPE CONC REINF 36IN CL III; 168 LF PIPE CONC REINF 48IN CL III; 66 LF PIPE CONC REINF 72IN CL III; 2 EA END SECT-TRAVERSABLE REINF. CONC.24IN; 2 EA END SECT-TRAVERSABLE REINF. CONC.30IN; 28 LF PIPE CONDUIT 18IN-APPROACH; 1466 LF PIPE CONDUIT 24IN-APPROACH; 154 LF PIPE CONDUIT 30IN; 244 LF PIPE CONDUIT 30IN-APPROACH; 66 LF PIPE CONDUIT 36IN; 308 LF PIPE CONDUIT

05/10/13

North Dakota Department of Transportation
Notice To Bidders

36IN-APPROACH; 86 LF PIPE CONDUIT 48IN; 382 LF PIPE CONDUIT 48IN-APPROACH; 176 LF PIPE CONDUIT 30IN-JACKED OR BORED; 28 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 3 EA MONUMENTS; 111 EA RIGHT OF WAY MARKERS; 1 EA MANHOLE 96IN; 7 LF MANHOLE RISER 96IN; 1000 LF TEMPORARY SAFETY FENCE; 1106.8 SF FLAT SHEET FOR SIGNS-TYPE 3A REFL SHEETING; 145 EA DELINEATORS-TYPE A; 28 EA DELINEATORS-TYPE D; 1813.7 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 116 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 130 SF PANEL FOR SIGNS-TYPE 3A REFLECTIVE SHEETING; 12 EA INTERSTATE MILE POSTS-TYPE C; 4 EA RESET SIGN PANEL; 97 EA OBJECT MARKERS - CULVERTS; 18.6 MILE RUMBLE STRIPS - ASPHALT SHOULDER; 4.6 MILE RUMBLE STRIPS - ASPHALT MEDIAN; 1034 SF EPOXY PVMT MK MESSAGE; 16550 LF EPOXY PVMT MK 4IN LINE; 214433 LF SHORT TERM 4IN LINE-TYPE NR; 22441 LF SHORT TERM 8IN LINE-TYPE NR; 48 LF SHORT TERM 24IN LINE-TYPE NR; 1034 SF SHORT TERM MESSAGE-TYPE NR; 197883 LF PVMT MK PAINTED 4IN LINE; 22441 LF PVMT MK PAINTED 8IN LINE; 48 LF PVMT MK PAINTED 24IN LINE; 2335 SF OBLITERATION OF PVMT MK; 1 EA MAILBOX-ALL TYPES.

*** END OF PROJECT 5***

006

WITHDRAWN

*** END OF PROJECT 6***

007

STATE AID

PROJECT NUMBER SOIA-7-085(089)152

PROPOSED WORK CONSISTS OF 7.6390 MILES OF GRADING, BOX CULVERT EXT, CULVERTS, AGGREGATE BASE, HBP, SIGNING, PVMT MARKINGS & INCID

LOCATED US 85 FROM 0.5 MILES WEST OF COUNTY ROAD 27 TO SOUTH OF ALEXANDER

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM ESCROW OF BID DOCUMENTATION; 1 L SUM CLEARING & GRUBBING; 1 EA REMOVAL OF CONCRETE; 77389 TON REMOVE & SALVAGE BASE & SURFACING; 9 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 2271 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 427776 CY COMMON EXCAVATION-TYPE A; 137093 CY TOPSOIL; 650 CY TOPSOIL-WETLAND; 17070 CY BORROW-EXCAVATION; 1 EA CLASS 2 EXCAVATION-BOX CULVERT; 1 EA FOUNDATION PREPARATION; 252 CY FOUNDATION FILL; 13209 M GAL WATER; 412.7 STA SUBGRADE PREPARATION-TYPE A; 428479 TON SALVAGED BASE COURSE; 5000 TON TEMPORARY TRAFFIC SURFACE AGGREGATE; 51658 GAL MC70 OR 250 LIQUID ASPHALT; 64273 GAL SS1H OR CSS1H OR MS1 EMULSIFIED ASPHALT; 1937 TON BLOTTER MATERIAL CL 44; 21902 TON SUPERPAVE FAA 40; 120964 TON SUPERPAVE FAA 45; 5121 TON PG 58-28 ASPHALT CEMENT; 3451 TON PG 64-28 ASPHALT CEMENT; 492 EA CORED SAMPLE; 556 SY MILLING PAVEMENT SURFACE; 153 CY CLASS AE-3 CONCRETE-BOX CULVERT; 19965 LBS REINFORCING STEEL-GRADE 60-BOX CULVERT; 1 L SUM MOBILIZATION; 3900 MHR FLAGGING; 5004 UNIT TRAFFIC CONTROL SIGNS; 14 EA TYPE III BARRICADE; 135 EA DELINEATOR DRUMS; 466 EA TUBULAR MARKERS; 932 EA STACKABLE VERTICAL PANELS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA FIELD LABORATORY-TYPE B; 2 EA FIELD LABORATORY-TYPE C; 1 EA FIELD OFFICE; 584 CY RIPRAP-LOOSE ROCK; 1200 LF SILT FENCE SUPPORTED; 1200 LF REMOVAL SILT FENCE SUPPORTED; 100 LF FLOTATION SILT CURTAIN; 100 LF REMOVAL FLOTATION SILT CURTAIN; 32824 LF FIBER ROLLS 12IN; 13395 LF REMOVAL FIBER ROLLS 12IN; 5000 LF FIBER ROLLS 20IN; 202.5 ACRE SEEDING-TYPE B-CL II; 202.5 ACRE SEEDING-TYPE B-CL IV; 202.5 ACRE MULCHING; 24561 SY ECB TYPE 3; 92 SY TRM TYPE 2; 964 SY GEOTEXTILE FABRIC-TYPE RR; 100 LF PIPE CONC REINF 24IN CL III; 458 LF PIPE CONC REINF 30IN CL III; 318 LF PIPE CONC REINF 36IN CL III; 210 LF PIPE CONC REINF 42IN CL III; 74 LF PIPE CONC REINF 48IN CL III; 40 LF PIPE CONC REINF 60IN CL III; 46 LF PIPE CONC REINF 72IN CL III; 3 EA END SECT-TRAVERSABLE REINF. CONC.24IN; 2 EA END SECT-TRAVERSABLE REINF. CONC.30IN; 64 LF PIPE CONDUIT 18IN-APPROACH; 2240 LF PIPE CONDUIT 24IN-APPROACH; 96 LF PIPE CONDUIT 30IN; 144 LF PIPE CONDUIT 36IN; 168 LF PIPE CONDUIT 36IN-APPROACH; 220 LF PIPE CONDUIT 42IN-APPROACH; 176 LF PIPE CONDUIT 36IN-JACKED OR BORED; 214 LF PIPE CONDUIT 30IN-JACKED OR BORED; 46 LF STOCK PASS CONC INTERMED SEC CONC; 2 EA RELAY CONC STOCK PASS END SECTION; 8 LF REMOVE & RELAY PIPE-ALL TYPES & SIZES; 45 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 2 EA PLUG PIPE-ALL TYPES & SIZES; 148 EA RIGHT OF WAY MARKERS; 1096 SF FLAT SHEET FOR SIGNS-TYPE 3A REFL SHEETING; 186 EA DELINEATORS-TYPE A; 28 EA DELINEATORS-TYPE D; 1709.9 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 69.9 LF GALV STEEL POST-STANDARD PIPE; 241 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 241 SF PANEL FOR SIGNS-TYPE 3A REFLECTIVE SHEETING; 16 EA INTERSTATE MILE POSTS-TYPE C; 14 EA RESET SIGN PANEL; 1 EA RESET MILE POST; 130 EA OBJECT MARKERS - CULVERTS; 4 CY CLASS AE CONCRETE-SIGN FOUNDATIONS; 29.5 MILE RUMBLE STRIPS - ASPHALT SHOULDER; 7.4 MILE RUMBLE STRIPS - ASPHALT MEDIAN; 1 EA RUMBLE STRIPS - INTERSECTION; 1174 SF EPOXY PVMT MK MESSAGE; 19230 LF EPOXY PVMT MK 4IN LINE; 247912 LF SHORT TERM 4IN LINE-TYPE NR; 26922 LF SHORT TERM 8IN LINE-TYPE NR; 72 LF SHORT TERM 24IN LINE-TYPE NR; 1174 SF SHORT TERM MESSAGE-TYPE NR; 228682 LF PVMT MK PAINTED

05/10/13

**North Dakota Department of Transportation
Notice To Bidders**

4IN LINE; 26922 LF PVMT MK PAINTED 8IN LINE; 72 LF PVMT MK PAINTED 24IN LINE; 1115 SF OBLITERATION OF PVMT MK; 13 EA MAILBOX-ALL TYPES.

*** END OF PROJECT 7***