

# NOTICE TO BIDDERS

## BID OPENING OF May 02, 2014

North Dakota Department of Transportation  
Construction Services Division  
608 East Boulevard Avenue  
Bismarck, ND 58505-0700  
Telephone (701)328-2563  
Website <http://www.dot.nd.gov/>

The North Dakota Department of Transportation (NDDOT) will receive electronic bids for the project(s) listed in this notice until 09:30AM, May 2, 2014. Electronic bids will be received through the Bid Express online bid exchange service at [www.bidx.com](http://www.bidx.com).

Bid documents such as the Bidder's Proposal, plans, Expedite files, cross-sections and other related bid documents are available for viewing and downloading on the NDDOT's website at the following web address; <http://www.dot.nd.gov/dotnet2/eplans/default.aspx>. The bid documents are also available for viewing at the Construction Services Division, DOT South Bldg. 1, 128 Soo Line Drive, Bismarck, ND.

<b>Job No.</b>	<b>Project Number</b>	<b>Length</b>	<b>Type</b>	<b>Location</b>	<b>Time</b>	<b>Bid Range</b>
1	SOIA-7-085(096)192	4.3120	GRADING, WIDENING, PAVING, AGGREGATE BASE, DRAINAGE, SIGNALS, LIGHTING, & INCID.	WILLIAMS CO; US 85, WILLISTON NORTHWEST TRUCK RELIEVER ROUTE - PHASE 3	November 01, 2014	\$40,000,001 to \$50,000,000

## NOTICE TO BIDDERS (continued)

1. Prequalification is required for all bidders submitting a bidding proposal form. Prequalification is required annually. Prequalified contractors who wish to renew their prequalification must submit a complete "Contractor's Prequalification Statement" by July 1 of each calendar year. Bidders who are not currently prequalified must submit a complete "Contractor's Prequalification Statement" at least 7 days prior to the date of the bid opening. Information is available from the Construction Services Division of the North Dakota Department of Transportation.
2. Contractor's License--A contractor is not required to have a license from the state of North Dakota before bidding on any project, however, no contract will be awarded unless said contractor holds a current North Dakota license in the class within which the value of the contract falls.
3. A bid guarantee is required by Section 24-02-20, NDCC. The bid guarantee may be a bid bond equal to 10 percent of the full amount of the bid or a cashier's check of the bidder on a solvent bank equal to 5 percent of the bid. Bid bond shall be on the department form SFN 14196. Prior arrangements may be made with the department to file bid guarantees in advance.
4. Foreign corporation bidders are required, by Section 10-22-01, NDCC, to file, with the secretary of state, a notice of intention to do business in the state.
5. In-State Contractor Preference--Section 44-08-01 of the NDCC provides a preference for in-state bidders, which is equal to the preference given or required by the state of the nonresident bidder. This preference is given only on non-federal aid projects.
6. The Plan Holders List can be obtained from the NDDOT website at [www.dot.nd.gov/](http://www.dot.nd.gov/).
7. The Department of Transportation and all bidders are obligated to affirmatively insure that in any contract entered into pursuant to this advertisement, minority or women's business enterprises will be afforded a full opportunity to participate and to submit bids in response to this invitation and will not be discriminated against on the grounds of race, religion, color, sex, age, or national origin in consideration for an award. Where applicable the contractor must fulfill all special provision requirements for utilization of Disadvantaged Business Enterprises.
8. Contractors are required to meet the provisions of the Contract Work Hours and Safety Standards Act on the federal aid projects, are required to meet the Fair Labor Standards Act on all projects, and are required to pay any minimum wage rates set forth in the proposal form.
9. The right is reserved to reject any and all proposals, to waive technicalities, or to accept such as may be determined to be for the best interests of the state.
10. Bidders are advised that signature on this Proposal Form or on a Request to Sublet Form certifies that the company or any person associated therewith is not currently under suspension, debarment, voluntary exclusion, or determination of ineligibility by any federal agency; has not been suspended, debarred, voluntarily excluded, or determined ineligible by any federal agency within the past three years; and has not been indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years.

NORTH DAKOTA  
DEPARTMENT OF TRANSPORTATION



---

Grant Levi, P.E., Director

04/04/14

North Dakota Department of Transportation  
Notice To Bidders

001 STATE AID

PROJECT NUMBER SOIA-7-085(096)192

PROPOSED WORK CONSISTS OF 4.3120 MILES OF GRADING, WIDENING, PAVING, AGGREGATE BASE, DRAINAGE, SIGNALS, LIGHTING, & INCID.  
LOCATED US 85, WILLISTON NORTHWEST TRUCK RELIEVER ROUTE - PHASE 3

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM ESCROW OF BID DOCUMENTATION; 1 L SUM CULTURAL RESOURCE CONSTRUCTION MONITORING; 1 L SUM CRITICAL PATH METHOD SCHEDULE; 1 L SUM CLEARING & GRUBBING; 1 L SUM REMOVAL OF STRUCTURE; 2759 LF SAW CONCRETE; 42380 TON REMOVAL OF PAVEMENT; 191 LF SAW BITUMINOUS SURFACING-FULL DEPTH; 2 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 1027 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 37289 LF REMOVE EXISTING FENCE; 1105468 CY COMMON EXCAVATION-TYPE A; 125853 CY TOPSOIL; 3815 CY TOPSOIL-WETLAND; 19078 CY COMMON EXCAVATION-SUBCUT; 276645 CY BORROW-EXCAVATION; 1462 LF ROADWAY OBLITERATION; 1 EA CLASS 2 EXCAVATION-BOX CULVERT; 550 CY FOUNDATION FILL; 1 EA FOUNDATION PREPARATION-BOX CULVERT; 17494 M GAL WATER; 89.69 STA SUBGRADE PREPARATION-TYPE A; 172503 TON SALVAGED BASE COURSE; 1351 TON AGGREGATE SURFACE COURSE CL 13; 3642 GAL MC70 OR 250 LIQUID ASPHALT; 1460 GAL SS1H OR CSS1H OR MS1 EMULSIFIED ASPHALT; 4552 TON SUPERPAVE FAA 45; 282 TON PG 64-28 ASPHALT CEMENT; 13 EA CORED SAMPLE; 206790 SY 10IN NON REINF CONCRETE PVMT CL AE-DOWELED; 93.1 CY CLASS AE-3 CONCRETE; 1000.6 CY CLASS AE-3 CONCRETE-BOX CULVERT; 118235 LBS REINFORCING STEEL-GRADE 60-BOX CULVERT; 11016 LBS REINFORCING STEEL-GRADE 60; 5558 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 1 L SUM MOBILIZATION; 1300 MHR FLAGGING; 7057 UNIT TRAFFIC CONTROL SIGNS; 3 EA ATTENUATION DEVICE-TYPE B-25; 87 EA TYPE III BARRICADE; 149 EA DELINEATOR DRUMS; 430 EA TUBULAR MARKERS; 908 EA STACKABLE VERTICAL PANELS; 3 EA SEQUENCING ARROW PANEL-TYPE C; 113 EA PRECAST CONCRETE MED BARRIER-STATE FURNISHED; 5 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA FIELD LABORATORY-TYPE B; 1 EA FIELD OFFICE; 411.5 CY RIPRAP-LOOSE ROCK; 107 CY REMOVAL RIPRAP-LOOSE ROCK; 916 LF SILT FENCE SUPPORTED; 916 LF REMOVAL SILT FENCE SUPPORTED; 177 LF FLOTATION SILT CURTAIN; 177 LF REMOVAL FLOTATION SILT CURTAIN; 52141 LF FIBER ROLLS 6IN; 26848 LF REMOVAL FIBER ROLLS 6IN; 47993 LF FIBER ROLLS 12IN; 29983 LF REMOVAL FIBER ROLLS 12IN; 526 LF FIBER ROLLS 20IN; 263 LF REMOVAL FIBER ROLLS 20IN; 14 EA INLET PROTECTION-FIBER ROLL 6IN; 7 EA REMOVAL INLET PROTECTION-FIBER ROLL 6IN; 1 EA INLET PROTECTION-SPECIAL; 1 EA REMOVE INLET PROTECTION-SPECIAL; 167.8 ACRE SEEDING-TYPE B-CL IV; 176.7 ACRE SEEDING-TYPE B-CL V; 1.2 ACRE SEEDING-TYPE C-CL V; 944 CY TOPSOIL FOR TYPE C SEEDING; 322.3 ACRE MULCHING; 77403 SY ECB TYPE 2; 5245 SY ECB TYPE 4; 4320 SY TRM TYPE 1; 2 EA STABILIZED CONSTRUCTION ACCESS; 2 EA REMOVAL STABILIZED CONSTRUCTION ACCESS; 1128.4 SY GEOTEXTILE FABRIC-TYPE RR; 41139 SY GEOTEXTILE FABRIC-TYPE R1; 3 EA TEMPORARY CONNECTION; 55 LF PIPE CONDUIT 15IN-STORM DRAIN; 98 LF PIPE CONDUIT 18IN-APPROACH; 910 LF PIPE CONDUIT 24IN; 391 LF PIPE CONDUIT 24IN-APPROACH; 876 LF PIPE CONDUIT 30IN; 59 LF PIPE CONDUIT 30IN-STORM DRAIN; 546 LF PIPE CONDUIT 36IN; 112 LF PIPE CONDUIT 36IN-APPROACH; 347 LF PIPE CONDUIT 36IN-STORM DRAIN; 538 LF PIPE CONDUIT 42IN; 785 LF PIPE CONDUIT 42IN-STORM DRAIN; 468 LF PIPE CONDUIT 42IN-APPROACH; 727 LF PIPE CONDUIT 48IN-STORM DRAIN; 767 LF PIPE CONDUIT 54IN-STORM DRAIN; 612 LF PIPE CONDUIT 60IN-STORM DRAIN; 355 LF PIPE CONDUIT 66IN-STORM DRAIN; 120 LF PIPE CONDUIT 42IN-JACKED OR BORED; 2 EA END SECT-TRAVERSABLE METAL 24IN; 1 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 1 EA PLUG PIPE-ALL TYPES & SIZES; 143 EA RIGHT OF WAY MARKERS; 57 EA ALIGNMENT MONUMENTS; 122 EA IRON PIN R/W MONUMENTS; 21 EA IRON PIN REFERENCE MONUMENTS; 1 EA MANHOLE 54IN; 1 EA MANHOLE 60IN; 1 EA MANHOLE 66IN; 2 EA MANHOLE 72IN; 2 EA MANHOLE 78IN; 1 EA MANHOLE 90IN; 1 EA MANHOLE 96IN; 1 EA MANHOLE 108IN; 8.6 LF MANHOLE RISER 54IN; 19.4 LF MANHOLE RISER 60IN; 10.5 LF MANHOLE RISER 66IN; 32.2 LF MANHOLE RISER 72IN; 24.1 LF MANHOLE RISER 78IN; 23.4 LF MANHOLE RISER 90IN; 25.4 LF MANHOLE RISER 96IN; 28.8 LF MANHOLE RISER 108IN; 1 EA INLET-TYPE 1; 7 EA MEDIAN DRAIN PRECAST CONCRETE-TYPE A; 175 LF CURB & GUTTER-TYPE I; 31773 LF FENCE BARBED WIRE 4 STRAND; 4403 LF TEMPORARY SAFETY FENCE; 1095 LF FENCE RESET EXISTING; 42 EA FENCE TERMINAL-WOOD POSTS; 1 EA VEHICLE GATE; 1 EA RESET VEHICLE GATE; 10 EA REMOVE VEHICLE GATE; 92 EA CORNER ASSEMBLY BARBED WIRE; 1 EA DOUBLE BRACE ASSEMBLY BARBED WIRE; 599.3 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 974.1 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 123 EA DIAMOND GRADE DELINEATORS-TYPE A; 2947.9 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 246.6 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 230 SF PANEL FOR SIGNS-TYPE IV REFLECTIVE SHEETING; 1 EA REFERENCE MARKER-TYPE B; 8 EA REFERENCE MARKER-TYPE C; 61 EA RESET SIGN PANEL; 73 EA OBJECT MARKERS - CULVERTS; 5.948 MILE RUMBLE STRIPS - CONCRETE SHOULDER; 1 EA RUMBLE STRIPS - INTERSECTION; 103301 LF EPOXY PVMT MK 4IN LINE-GROOVED; 4170 LF EPOXY PVMT MK 12IN LINE; 7824 LF EPOXY PVMT MK 4IN LINE; 412 LF EPOXY PVMT MK 24IN LINE; 17094 LF EPOXY PVMT MK 8IN LINE-GROOVED; 290 LF EPOXY PVMT MK 24IN LINE-GROOVED; 1218 SF EPOXY PVMT MK MESSAGE-GROOVED; 56 LF SHORT TERM 4IN LINE-TYPE NR; 54 SF SHORT TERM MESSAGE-TYPE R; 7140 SF OBLITERATION OF PVMT MK; 64 LF W-BEAM GUARDRAIL; 1 EA W-BEAM GUARDRAIL END TERMINAL; 365 LF REMOVE

04/04/14

**North Dakota Department of Transportation  
Notice To Bidders**

W-BEAM GUARDRAIL & POSTS; 2 EA REMOVE END TREATMENT & TRANSITION; 13 EA MAILBOX-ALL TYPES; 92 EA CONCRETE FOUNDATION-HIGHWAY LIGHTING; 5 EA CONCRETE FOUNDATION-FEED POINT-TYPE B; 16913 LF CABLE TRENCH-TYPE II; 1003 LF 2IN DIAMETER RIGID CONDUIT; 1821 LF 3IN DIAMETER RIGID CONDUIT; 17749 LF MULTIPLE UNDERGROUND CABLE 3NO4 STYLE USE; 300 LF UNDERGROUND CONDUCTOR NO2-TYPE RHW; 3712 LF UNDERGROUND CONDUCTOR NO4-TYPE RHW; 150 LF UNDERGROUND CONDUCTOR NO2-TYPE THW; 1856 LF UNDERGROUND CONDUCTOR NO4-TYPE THW; 2 EA FEED POINT-TYPE II-PAD MOUNTED; 3 EA FEED POINT-TYPE IV-PAD MOUNTED; 74 EA LT STD 8FT MA 40FT MT HT BREAKAWAY; 16 EA LT STD 8FT MA 42FT POLE BREAKAWAY; 2 EA LT STD 12FT MA 42FT POLE BREAKAWAY; 92 EA HP SODIUM VAPOR LUMINAIRE-250 WATT; 1 EA AUTOMATIC TRAFFIC RECORDER SYSTEM; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 1; 2918 SF MECHANICALLY STABILIZED EARTH WALL; 1 L SUM LANDSCAPE PLANTINGS.

\*\*\* END OF PROJECT 1\*\*\*