

DESIGN DATA				
Traffic	Average Daily			
Current 2025	Pass: 23	Trucks: 7	Total: 30	
Forecast 2045	Pass: 25	Trucks: 10	Total: 35	
Clear Zone Distance: 30'		Design Speed: 55 MPH		
Minimum Sight Dist. for Stopping: N/A		Bridges: #21-114-12.0		
Sight Dist. for No Passing Zone: N/A				
Pavement Design Life N/A				
Design Accumulated One-way N/A ESALs: N/A				



NORTH DAKOTA
DEPARTMENT OF TRANSPORTATION

BRJ-0021(023)
PCN 23713
Hettinger County
3 Miles West and 2 Miles North of Regent
Kouba Bridge
21-114-12.1
Structure Replacement, Grading, & Incidentals

	STATE	PROJECT NO.	PCN	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	23713	1	1

GOVERNING SPECIFICATIONS	Date Published and Adopted by the North Dakota Department of Transportation
Standard Specifications	7/1/2025
Supplemental Specifications	NONE

PROJECT NUMBER \ DESCRIPTION	NET MILES	GROSS MILES
BRJ-0021(023) \ Structure Replacement	0.17	0.17



DESIGNER Lucas Doerr, PE
DESIGNER Daniel Cichosz, PE
DESIGNER Ben Knopp



TABLE OF CONTENTS						STATE	PROJECT NO.	SECTION NO.	SHEET NO.
						ND	BRJ-0021(023)	2	1
PLAN SECTIONS					LIST OF STANDARD DRAWINGS				
Section	Page(s)	Description	Number	Description					
1	1	Title Sheet	D-101-1, 2,3,4	NDDOT Abbreviations					
2	1	Table of Contents	D-101-10	NDDOT Utility Company and Organization Abbreviations					
4	1	Scope of Work	D-101-20, 21	Line Styles					
6	1	Notes	D-101-30, 31,32,33	Symbols					
6	2	Environmental Notes	D-203-8	Standard Rural Approaches					
8	1 - 2	Quantities	D-255-2	Erosion And Siltation Control - Erosion Control Blanket Installation					
10	1	Basis of Estimate	D-260-1	Erosion And Siltation Controls - Silt Fence					
11	1	Data Tables	D-261-1	Erosion Control - Fiber Roll Placement Details					
20	1 - 2	General Details	D-622-1	Pile Splice Details					
30	1 - 2	Typical Sections	D-704-7, 8	Breakaway Systems For Construction Zone Signs - Perforated Tube					
40	1 - 3	Removals	D-704-9	Construction Sign Details - Terminal And Guide Signs					
51	1	Allowable Pipe List	D-704-10	Construction Sign Details - Regulatory Signs					
60	1 - 2	Plan & Profile	D-704-11, 11A	Construction Sign Details - Warning Signs					
75	1 - 4	Wetland Impacts	D-704-13	Barricade And Channelizing Device Details					
76	1 - 4	Temporary Erosion Control	D-704-14	Construction Sign Punching And Mounting Details					
77	1 - 4	Permanent Erosion Control	D-704-15	Road Closure Layouts					
100	1 - 2	Work Zone Traffic Control	D-704-20	Terminal And Seal Coat Sign Layouts					
130	1 - 2	Guardrail	D-704-22	Construction Truck And Temporary Detour Layouts					
170	1 - 19	Bridges and Box Culverts	D-704-26	Miscellaneous Sign Layouts					
175	1 - 4	Soil Boring Logs	D-704-50	Portable Sign Support Assembly					
200	1 - 10	Cross Sections	D-708-6	Erosion And Siltation Controls - Median Or Ditch Inlet Protection					
			D-714-4	Round Corrugated Steel Pipe Culverts And End Sections					
			D-714-18	Precast Concrete Headwall Details					
			D-714-26	Transverse Mainline Pipe Installation Detail - Pipes 4 Feet or Less Below Top of Subgrade					
			D-752-1	Standard Barbed Wire Fence					
			D-754-23	Perforated Tube Assembly Details					
			D-754-24	Mounting Details Perforated Tube					
			D-754-24A	Breakaway Coupler System For Perforated Tubes					
			D-754-25	Mounting Details Perforated Tube					
			D-754-26, 27,28,29	Sign Punching, Stringer and Support Location Details Regulatory, Warning and Guide Signs					
			D-764-38	MGS Flared Energy Absorbing Terminal - Wood Post					
			D-764-40	MGS W-Beam Guardrail General Details					
			D-764-48	Typical Grading at Bridge Ends with MGS W-Beam Guardrail					
			D-764-63	MGS W-Beam Transition to Concrete Safety Shape Transition					
SPECIAL PROVISIONS									
Number	Description								
105(25)	Utility Coordination								
106(25)	Temporary Water Diversion								
126(25)	Interim Completion								
PSP 16(25)	Permits and Environmental Considerations								
SSP 1	Temporary Erosion and Sediment Best Management Practices								
SSP 2	Federal Migratory Bird Treaty Act								



	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	4	1



1" = 1000'

Sec 32
T135N
R95W

Sec 33
T135N
R95W



Aggregate Surfacing, Grading, Structure Replacement, Incidentals

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Scope of Work



NOTES

STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	6	1

GENERAL NOTES

- 105-P01

UTILITY COORDINATION: Coordinate your work schedule with the utility companies, the County and the Engineer. The County will be responsible for the cost of any utility adjustments, except in cases of negligence by the Contractor.

Work around power poles, telephone lines, pipelines and other utilities not designated for adjustments. Coordinate your schedule with the utility owners for utilities that will require adjustments.
- 105-P02

RIGHT OF WAY: Permanent Easements and Temporary Construction Easements have been obtained by Hettinger County and are shown in the plans. Utilize Temporary Construction Easements for cutting slopes, construction staging and stockpiling topsoil. Minimize impacts within the Temporary Construction Easement areas as much as possible.
- 201-P01

CLEARING & GRUBBING: Include the cost to remove and dispose of all trees, stumps and brush within the construction area or wherever designated in the plans in the contract lump sum price for "Clearing and Grubbing." No field measurements will be taken. This includes the cost of removing and disposing of large trees. Exercise care in your construction operations to ensure that trees, shrubs and native grasses outside of the construction area are not disturbed.
- 202-P01

REMOVE AGGREGATE SURFACING: After the new structure and roadway are complete and opened to traffic, remove and salvage the existing aggregate surfacing prior to roadway obliteration. Salvage and stockpile the existing aggregate surfacing within the roadway right of way at a location approved by the Engineer. Stockpile the material with a loader in a single location. The County will retain ownership of the material. The estimated depth of existing aggregate surfacing is 4 inches. No additional payment will be made for deviations in the depth of material. Include all costs associated with this work in the unit price bid for "Remove Aggregate Base & Surfacing".
- 203-010

SHRINKAGE: 25 percent additional volume is included for shrinkage in earth embankment.
- 203-385

AVERAGE HAUL: No average haul has been computed for this project.
- 302-P01

PLACEMENT AND COMPACTION: Delete the first sentence of Section 302.04 B in its entirety and insert the following:

Haul, place, lay, and compact aggregate on a damp surface in two (2) equal depth lifts.

- 714-P01

APPROACH CULVERTS: Provide approach culverts that are zinc galvanized and meet the requirements of Section 830.02 B of the Standard Specifications.
- 752-P01

REMOVAL EXISTING FENCING: Remove and stockpile the existing fencing materials on the property of the adjacent landowner with the approval of the Engineer.
- 752-P02

TEMPORARY FENCING: Place temporary fencing prior to removing existing fencing. Place temporary fencing around temporary construction easements where existing fence is removed until permanent fencing is in place. Field fit temporary fencing in areas of deep draws or wooded areas, with the approval of the Engineer. Verify the need for temporary fence with the landowner. The cost to install and remove temporary fencing is included in the price bid for "Temporary Fence".



ENVIRONMENTAL NOTES

STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	6	2

ENVIRONMENTAL NOTES (EN): The North Dakota Department of Transportation and the Federal Highway Administration have made environmental commitments to secure approval of this project. The following environmental notes are requirements to comply with these commitments:

EN-1 SPAWNING RESTRICTION: Do not work within the Cannonball River from April 15 to June 1.

EN-4 AQUATIC NUISANCE SPECIES (ANS): Equipment that was last used outside of North Dakota or within a Class I infested waterbody (identified on the North Dakota Game and Fish Department (NDGFD) website) requires an inspection by NDGFD. Notify the NDGFD at least 10 business days prior to pumps, watercraft, or any equipment entering a public water to allow the NDGFD sufficient time to inspect any and all such equipment for ANS. Contact the NDGFD ANS Coordinator, Ben Holen by e-mail - bholen@nd.gov for equipment inspections. Supply one of the following to the engineer as proof of compliance prior to work taking place in the water: (1) the NDGFD inspection report, (2) documented NDGFD correspondence (email or signed letter).

EN-5 THREATENED AND ENDANGERED SPECIES: The project is located near/within suitable habitat for the species listed in the following table.

SPECIES	HABITAT	PRESENCE
Northern Long-Eared Bat	Forested/Wooded Areas/Bridges/Box Culverts/Caves/Mines	Active Season: April 1 - October 31* Inactive Season: November 1 - March 31*

*Time frames can differ slightly, depending on the year

If any of the above threatened and endangered species are identified within 1 mile of the project, the Contractor will notify the Engineer immediately and cease construction activities in the vicinity until an avoidance area is established. The Engineer will establish an avoidance area that is at least a 0.5 mile and immediately coordinate with the USFWS (701-355-8513), FHWA (701-221-9464), and NDDOT Environmental and Transportation Services (701-328-2592). The Contractor will not resume work within the avoidance area until the Engineer has confirmed with the agencies that work may proceed (either the species have left the area, or approved avoidance/minimization measures have been implemented).

EN-6 TEMPORARY WETLAND IMPACT: Temporary impact areas within wetlands and or other waters are incorporated into the plans for this project. Remove temporary fill placed and sedimentation in wetlands or other waters. Restore these wetlands to preconstruction contours.



Estimated Quantities						STATE	PROJECT NO.	SECTION NO.	SHEET NO.
						ND	BRJ-0021(023)	8	1
SPEC	CODE	ITEM DESCRIPTION	UNIT	Mainline: Funding A	TOTAL				
103	0100	CONTRACT BOND	L SUM	1	1				
201	0330	CLEARING & GRUBBING	L SUM	1	1				
202	0105	REMOVAL OF STRUCTURE	L SUM	1	1				
202	0120	REMOVE AGGREGATE BASE & SURFACING	L SUM	1	1				
202	0174	REMOVAL OF PIPE ALL TYPES AND SIZES	LF	49	49				
202	0312	REMOVE EXISTING FENCE	LF	454	454				
203	0101	COMMON EXCAVATION-TYPE A	CY	5080	5080				
203	0109	TOPSOIL	CY	1096	1096				
203	0140	BORROW-EXCAVATION	CY	3643	3643				
210	0099	CLASS 1 EXCAVATION	L SUM	1	1				
210	0111	CLASS 2 EXCAVATION	L SUM	1	1				
210	0127	CHANNEL EXCAVATION	L SUM	1	1				
210	0201	FOUNDATION PREPARATION	EA	1	1				
216	0100	WATER	M GAL	147	147				
251	0200	SEEDING CLASS II	ACRE	3	3				
251	2000	TEMPORARY COVER CROP	ACRE	3	3				
253	0101	STRAW MULCH	ACRE	5	5				
256	0200	RIPRAP GRADE II	CY	2437	2437				
261	0112	FIBER ROLLS 12IN	LF	1852	1852				
261	0113	REMOVE FIBER ROLLS 12IN	LF	1544	1544				
262	0100	FLOTATION SILT CURTAIN	LF	75	75				
262	0101	REMOVE FLOTATION SILT CURTAIN	LF	75	75				
302	0120	AGGREGATE BASE COURSE CL 5	TON	16.1	16.1				
302	0356	AGGREGATE SURFACE COURSE CL 13	TON	1891	1891				
602	0130	CLASS AAE-3 CONCRETE	CY	161	161				
602	1130	CLASS AE-3 CONCRETE	CY	307	307				
602	1250	PENETRATING WATER REPELLENT TREATMENT	SY	534	534				
604	9900	PRESTRESSED I-BEAM-36IN	LF	587	587				
612	0115	REINFORCING STEEL-GRADE 60	LBS	44548	44548				
612	0116	REINFORCING STEEL-GRADE 60-EPOXY COATED	LBS	40165	40165				
616	0364	STRUCTURAL STEEL M270-GRADE 36	LBS	4472	4472				
622	0014	STEEL H-PILING POINTS 12 X 53	EA	42	42				
622	0040	STEEL PILING HP 12 X 53	LF	1570	1570				
622	1200	STEEL TEST PILING HP 12 X 53	LF	220	220				
624	0128	TRAFFIC RAIL-STEEL	LF	300	300				
702	0100	MOBILIZATION	L SUM	1	1				
704	1000	TRAFFIC CONTROL SIGNS	UNIT	216	216				
704	1052	TYPE III BARRICADE	EA	6	6				
704	1060	DELINEATOR DRUMS	EA	10	10				
709	0100	GEOSYNTHETIC MATERIAL TYPE G	SY	68	68				
709	0155	GEOSYNTHETIC MATERIAL TYPE RR	SY	2877	2877				
709	0800	PERFORATED GEOCELL	SY	52	52				
714	4099	PIPE CONDUIT 18IN-APPROACH	LF	110	110				
754	0592	RESET SIGN PANEL	EA	4	4				
754	0593	RESET SIGN SUPPORT	EA	4	4				
754	1104	REMOVE SIGN FOUNDATION	EA	5	5				
764	0131	W-BEAM GUARDRAIL	LF	194	194				

Estimated Quantities						STATE	PROJECT NO.	SECTION NO.	SHEET NO.
						ND	BRJ-0021(023)	8	2
SPEC	CODE	ITEM DESCRIPTION	UNIT	Mainline: Funding A					TOTAL
764	9004	ENERGY ABSORBING TERMINAL	EA	4					4
930	0200	DEWATERING	L SUM	1					1
930	9537	ABUTMENT UNDERDRAIN SYSTEM	EA	2					2

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	10	1

Basis of Estimate 106th Ave SW		Proposed Typical Section			
Surfacing Quantities		Stationing		Total Stations	
		4+00	to	15+00	11.00
		Total =		11.00	
Material	Unit	Width (ft)	AREA	Quantity per Station	Total
Aggregate Surface Course CL 13	TON	28.0	15.4	106.9	1,470.49


Material - Project Summary	Section 10 Surfacing Quantities	Section 20 Sheet 2	Section 130 Sheet 1	TOTAL	UNIT
Aggregate Surface Course CL 13	1470.5	246.0	174.0	1891	TON

Water	Mgal
25 MGal for Dust Palliative	25
20 Gal/Ton for Aggregates	34
10 Gal/CY for Embankment	87
Total	147

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Basis of Estimate



	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	11	1


EARTHWORK SUMMARY				
Location	203-0101 Common Excavation Type A (CY) Pay Item	Embankment (CY)	203-0140 Borrow - Excavation (CY) Pay Item	203-0109 Topsoil (CY) *Pay Item
	A	B	C=B-A	D
4+00 to 15+00 (106th Ave SW)	5,080	8,723	3,643	1,096
Total	5,080	8,723	3,643	1,096

* Topsoil volumes computed from surface areas measurements. Topsoil within delineated Wetlands and Other Waters is based on an 8" depth.


Hettinger County

Kouba Bridge Replacement
106th Ave SW

Earthwork Summary




TYPICAL INSTALLATIONS
May vary with conditions



PLAN VIEW
FLOTATION SILT CURTAIN - TYPE WORK AREA

DESIGN GUIDELINES:
When temporary work encroaches less than 1/4 of the width of stream.




PLAN VIEW
FLOTATION SILT CURTAIN - TYPE MOVING WATER

DESIGN GUIDELINES:
When temporary work encroaches more than 1/4 but less than 1/2 width of the stream.


For narrow waterways, the curtain may be placed 1 foot above the bottom of waterway to allow water flow.

*In areas where the plans call for riprap at the bridge, provide a temporary rock berm. Include all costs for the temporary rock berm in price bid for the "Riprap".

Ø	WATER VELOCITY
45°	slow, less than 3 ft/sec
35°	moderate, 3 - 5 ft/sec




PLAN VIEW
FLOTATION SILT CURTAIN - TYPE STILL WATER
Extend silt curtain onto shore and anchor there also.




PLAN VIEW
FLOTATION SILT CURTAIN - TYPE HERRING BONE PATTERN

DESIGN GUIDELINES:
When temporary work encroaches more than 1/2 width of the stream
Or where stream width doesn't allow use of Type Moving Water



TEMPORARY ROCK BERM



SECTION X-X
FLOTATION SILT CURTAINS

Note:
Maximum water velocity for moving water = 5 ft/sec

Hettinger County

Kouba Bridge Replacement
106th Ave SW


Floating Silt Curtain Details




	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	20	2

Notes:

1. Actual aggregate base course locations may vary in the field, as approved by the Engineer.
2. Quantity totals have been included in the bid items of the "Estimate of Quantities" of the plans.



(1) Field Drive Approach



Locations For Apporaches	
1: Field Drive	
Location	
Sta 7+58 Rt	
Sta 14+00 Lt	
Sta 14+00 Rt	

BASIS OF ESTIMATE		(1)	
ITEM	UNIT	Gravel Field Approach	TOTALS
Number of Locations	#	3	
Aggregate Surface Course CL 13	TON	82	246


Hettinger County

Kouba Bridge Replacement
106th Ave SW

Approach Details




	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	30	1





Hettinger County
Kouba Bridge Replacement
106th Ave SW

Existing Typical Section




	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	30	2




*Taper from existing typical section to proposed typical section from Sta 4+00 to 4+50 and Sta 14+50 to 15+00

**Edge of Gravel Widens Around Guardrail

Hettinger County
Kouba Bridge Replacement
106th Ave SW
Proposed Typical Sections






STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	40	2


SPEC	CODE	BID ITEM	QUANTITY	UNIT
202	0104	REMOVAL OF STRUCTURE		
		Sta 10+00	1	EACH
202	0174	REMOVAL OF PIPE ALL TYPES AND SIZES		
		Sta 11+25 to 11+75 Lt	49	LF
202	0312	REMOVE EXISTING FENCE		
		Sta 8+00 to 8+54 Lt	54	LF
754	0592	RESET SIGN PANEL		
		Sta 9+01 Rt	2	EACH
754	0593	RESET SIGN SUPPORT		
		Sta 9+01 Rt	2	EACH
754	1104	REMOVE SIGN FOUNDATION		
		Sta 9+01 Rt	2	EACH

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Removals





STATE

PROJECT NO.

SECTION NO.

SHEET NO.

ND

BRJ-0021(023)

40

3

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Removals



	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	51	1

Begin Station / Location	Begin Offset	End Station / Location	End Offset	Pipe Installation (Pay Item)			Allowable Material	Required Diameter	Steel Pipe Coatings	Steel Pipe Corrugations or Spiral Ribs	Steel Pipe Minimum Thickness	Geosynthetic Material - Type G (Pay Item)	(*) End Sections		Applicable Backfill
				In	Bid Item	LF							Begin	End	
								In	Type		In	SY	EA	EA	
13+73	50' Rt	14+29	50' Rt	18	Pipe Conduit 18IN-Approach	56'	Reinforced Concrete Pipe - Class III (barrel length = 56 LF)	18				34			Standard 714.04 A
							Corrugated Steel Pipe	18	Z	2	0.064				
							Spiral Rib Steel Pipe	18	Z	3/4, 1	0.064				
							Polypropylene Pipe (AASHTO M330, Type S)	18							
13+74	50' Lt	14+28	49' Lt	18	Pipe Conduit 18IN-Approach	54'	Reinforced Concrete Pipe - Class III (barrel length = 54 LF)	18				34			Standard 714.04 A
							Corrugated Steel Pipe	18	Z	2	0.064				
							Spiral Rib Steel Pipe	18	Z	3/4, 1	0.064				
							Polypropylene Pipe (AASHTO M330, Type S)	18							

Corrugations: 2 = 2-2/3"x1/2"
3 = 3"x1"
5 = 5"x1"

Coatings: Z = Zinc
A = Aluminum
P = Polymeric (over Zinc or Aluminum)

Spiral Ribs: 3/4 = 3/4"x3/4"@7-1/2"
1 = 3/4"x1"@11-1/2"


(*) End sections are incidental to the bid item "Pipe Conduit"
FES = Flared End Section
TES = Traversable End Section



Hettinger County

Kouba Bridge Replacement

Allowable Pipe List







		STATE	PROJECT NO.	SECTION NO.	SHEET NO.
		ND	BRJ-0021(023)	60	2
SPEC	CODE	BID ITEM	QUANTITY	UNIT	
714	4099	PIPE CONDUIT 18IN - APPROACH			
		Sta 13+74 to 14+28 Lt	54	LF	
		Sta 13+73 to 17+29 Rt	56	LF	
Hettinger County					
Kouba Bridge Replacement 106th Ave SW					
Plan & Profile					
<div>REGISTERED PROFESSIONAL ENGINEER LUCAS DOERR PE-25991 DATE 10/03/25 NORTH DAKOTA</div>					

Other Waters Impact Table													
				USACE Jurisdictional ¹	Impacts to Other Waters						Other Water Mitigation		
					Acres			Linear Feet			Mitigation Proposed		
					Temp.	Perm. (No Loss)	Perm. (Loss)	Temp.	Perm. (No Loss)	Perm. (Loss)	EO 11990	USACE	USFWS
Number	Location	Type	Feature										
OW-1	Sec 4 & 5, T134N, R95W	Perennial Stream	Natural	Yes	0.031	0.278	0.000	20.000	138.498	0.000	N	N	N
Totals					0.031	0.278	0.000	20.000	138.498	0.000			

¹ A wetland Jurisdictional Determination was not performed and thus it is assumed the USACE has jurisdiction.


Impact Summary Table			
Permanent Impact Summary		Temporary Impacts and additional information	
Wetland Type	Total Acre(s)	Water Type	Total Acre(s)
Natural/JD (Fill/Drain)	0.000	Temporary Wetland JD	0.000
Natural/Non-JD (Fill/Drain)	0.000	Non-JD Wetland Temporary	0.000
Artificial/JD (Fill/Drain)	0.000		
Artificial/Non-JD (Fill/Drain))	0.000	Permanent OW	0.278
Total	0.000	Temporary OW	0.031
JD Natural (Cut)		Permanent OW-d	
JD Artificial (Cut)		Temporary OW-d	
Non-JD Natural (Cut)			
Non-JD Artificial (Cut)			
Total	0.000		


Mitigation Summary Table						
	Location	Ditch Shift Acre(s)	Onsite Acre(s)	11990 Bank Acre(s)	USACE/11990 Bank Acre(s)	USFWS Bank Acre(s)
USACE Only	Onsite	---	---		---	
EO 11990 Only	Mitigation Bank X	---	---	---		
USACE/11990	Onsite	---	---		---	
USFWS		---				---
Total		0	0	0	0	0


Hettinger County


Kouba Bridge Replacement
106th Ave SW


Wetland Impacts











	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	76	3

SPEC	CODE	BID ITEM	QUANTITY	UNIT
251	2000	TEMPORARY COVER CROP		
		Sta 12+00 to 15+00	0.7	ACRE
253	0101	STRAW MULCH		
		Sta 12+00 to 15+00	0.7	ACRE
261	0112	FIBER ROLLS 12IN		
		Sta 12+00 to 15+00 Lt	110	LF
		Sta 12+00 to 15+00 Rt	110	LF
261	0113	REMOVE FIBER ROLLS 12IN		
		Sta 12+00 to 15+00 Lt	110	LF
		Sta 12+00 to 15+00 Rt	110	LF

Note: Specific locations and quantities are shown in Section 76 Sheet 4

LEGEND

Temporary Cover Crop & Straw Mulch

Fiber Rolls 12"

s -

Floating Silt Curtain

Flow Direction

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Temporary Sediment & Erosion Control

REGISTERED PROFESSIONAL ENGINEER

LUCAS DOERR

PE-25991

DATE 10/03/25

NORTH DAKOTA

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	76	4

Inlet Protection			
Station & Offset		Fiber Rolls 12" (LF)	
		LT	RT
14+31	50' Lt	20	
14+31	50' Rt		20

R/W Fiber Rolls				
Station to Station			Fiber Rolls 12" (LF)	
			LT	RT
6+49	to	9+24		328
6+52	to	9+25	279	
9+25	to	9+66		89
9+25	to	9+77	94	
10+48	to	10+75	73	77
10+75	to	11+37	71	73

Ditch Fiber Rolls		
Station	Fiber Rolls 12" (LF)	
	LT	RT
4+34	30	30
5+34	30	30
6+34	30	30
6+98	30	30
11+37	30	30
12+37	30	30
13+37	30	30
14+37	30	30


Floating Silt Curtain				
Station to Station			Floating Silt Curtain (LF)	
			LT	RT
9+75	to	10+50	75	

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Temporary Sediment & Erosion Control





STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	77	1

SPEC	CODE	BID ITEM	QUANTITY	UNIT
251	0200	SEEDING CLASS II		
		Sta 4+00 to 8+00	0.9	ACRE
253	0101	STRAW MULCH		
		Sta 4+00 to 8+00	0.9	ACRE

Note: Specific locations and quantities are shown in Section 77 Sheet 4


LEGEND

- Seeding Class II & Straw Mulch
- Fiber Rolls 12"
- Flow Direction

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Permanent Sediment & Erosion Control



STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	77	2

SPEC	CODE	BID ITEM	QUANTITY	UNIT
251	0200	SEEDING CLASS II		
		Sta 8+00 to 12+00	0.6	ACRE
253	0101	STRAW MULCH		
		Sta 8+00 to 12+00	0.6	ACRE
261	0112	FIBER ROLLS 12IN		
		Sta 9+00 Lt to Sta 11+00 Lt	144	LF
		Sta 9+00 Rt to Sta 11+00 Rt	144	LF

Note: Specific locations and quantities are shown in Section 77 Sheet 4

LEGEND


- Seeding Class II & Straw Mulch
- Fiber Rolls 12"
- Flow Direction

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Permanent Sediment & Erosion Control





	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	77	3

SPEC	CODE	BID ITEM	QUANTITY	UNIT
251	0200	SEEDING CLASS II		
		Sta 12+00 to 15+50	0.7	ACRE
253	0101	STRAW MULCH		
		Sta 12+00 to 15+50	0.7	ACRE

Note: Specific locations and quantities are shown in Section 77 Sheet 4


LEGEND

- Seeding Class II & Straw Mulch
- Fiber Rolls 12"
- Flow Direction

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Permanent Sediment & Erosion Control



	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	77	4

R/W Fiber Rolls				
Station to Station			Fiber Rolls 12" (LF)	
			LT	RT
9+00	to	11+00	144	144

Hettinger County

Kouba Bridge Replacement
106th Ave SW

Permanent Sediment & Erosion Control



STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	100	1

SIGN NUMBER	SIGN SIZE	DESCRIPTION	AMOUNT REQUIRED	UNITS PER AMOUNT	UNITS SUB TOTAL
E5-1-48	48"x48"	EXIT GORE		35	
G20-1-60	60"x24"	ROAD WORK NEXT ___ MILES		28	
G20-1b-60	60"x24"	NO WORK IN PROGRESS (Sign and installation only)		18	
G20-2-48	48"x24"	END ROAD WORK	2	26	52
G20-4-36	36"x18"	PILOT CAR FOLLOW ME (Mounted to back of pilot car)		18	
G20-4b-36	36"x30"	WAIT FOR PILOT CAR		18	
G20-50a-72	72"x36"	ROAD WORK NEXT ___ MILES RT & LT ARROWS		43	
G20-52a-72	72"x24"	ROAD WORK NEXT ___ MILES RT or LT ARROW		36	
G20-55-96	96"x48"	SPEED LIMIT ENFORCED - MINIMUM FEE \$80 WHEN WORKERS PRESENT		59	
M1-1-36	36"x36"	INTERSTATE ROUTE MARKER (Post and installation only)		11	
M1-4-24	24"x24"	U.S. ROUTE MARKER (Post and installation only)		10	
M1-5-24	24"x24"	STATE ROUTE MARKER (Post and installation only)		10	
M3-1-24	24"x12"	NORTH (Mounted on route marker post)		7	
M3-2-24	24"x12"	EAST (Mounted on route marker post)		7	
M3-3-24	24"x12"	SOUTH (Mounted on route marker post)		7	
M3-4-24	24"x12"	WEST (Mounted on route marker post)		7	
M4-8-24	24"x12"	DETOUR (Mounted on route marker post)		7	
M4-9-30	30"x24"	DETOUR ARROW RIGHT or LEFT/AHD AND RT or LT		15	
M4-10-48	48"x18"	DETOUR (INSIDE ARROW) RIGHT or LEFT (Mounted on barricade)		7	
M5-1-21	21"x15"	ADVANCE TURN ARROW RT or LT(Mounted on route marker post)		7	
M5-1-30	30"x21"	ADVANCE TURN ARROW RT or LT(Mounted on route marker post)		9	
M6-1-21	21"x15"	DIRECTIONAL ARROW RT or LT (Mounted on route marker post)		7	
M6-1-30	30"x21"	DIRECTIONAL ARROW RT or LT (Mounted on route marker post)		9	
M6-3-21	21"x15"	DIRECTIONAL ARROW UP (Mounted on route marker post)		7	
R1-1-48	48"x48"	STOP		32	
R1-2-60	60"x60"	YIELD		29	
R2-1-36	36"x48"	SPEED LIMIT ___ (Portable only)		30	
R2-1-48	48"x60"	SPEED LIMIT ___		39	
R2-1aP-24	24"x18"	MINIMUM FEE \$80 (Mounted on Speed Limit post)		10	
R3-2-48	48"x48"	NO LEFT TURN		35	
R4-1-48	48"x60"	DO NOT PASS		39	
R4-7-48	48"x60"	KEEP RIGHT		39	
R5-1-48	48"x48"	DO NOT ENTER		35	
R6-1-54	54"x18"	ONE WAY RIGHT or LEFT (Mounted on STOP or DO NOT ENTER post)		14	
R7-1-12	12"x18"	NO PARKING ANY TIME		11	
R10-6-24	24"x36"	STOP HERE ON RED		16	
R11-2-48	48"x30"	ROAD CLOSED (Mounted on barricade)	2	12	24
R11-2a-48	48"x30"	STREET CLOSED (Mounted on barricade)		12	
R11-3a-60	60"x30"	ROAD CLOSED ___ MILES AHEAD LOCAL TRAFFIC ONLY (Mtd on barricade)		15	
R11-3c-60	60"x30"	STREET CLOSED ___ MILES AHEAD LOCAL TRAFFIC ONLY (Mtd on barricade)		15	
R11-4a-60	60"x30"	STREET CLOSED TO THRU TRAFFIC (Mounted on barricade)		15	
W1-3-48	48"x48"	REVERSE TURN RIGHT or LEFT		35	
W1-4-48	48"x48"	REVERSE CURVE RIGHT or LEFT		35	
W1-4b-48	48"x48"	TWO LANE REVERSE CURVE RIGHT or LEFT		35	
W1-6-48	48"x24"	ONE DIRECTION LARGE ARROW		26	
W3-1-48	48"x48"	STOP AHEAD		35	
W3-3-48	48"x48"	SIGNAL AHEAD		35	
W3-4-48	48"x48"	BE PREPARED TO STOP		35	
W3-5-48	48"x48"	SPEED REDUCTION AHEAD		35	
W4-2-48	48"x48"	LANE ENDS RIGHT or LEFT		35	
W5-1-48	48"x48"	ROAD NARROWS		35	
W5-8-48	48"x48"	THRU TRAFFIC RIGHT LANE		35	
W5-9-48	48"x48"	ROAD WORK TRAFFIC ONLY DOWN & LT or RT ARROW		35	
W6-3-48	48"x48"	TWO WAY TRAFFIC		35	
W8-1-48	48"x48"	BUMP		35	
W8-3-48	48"x48"	PAVEMENT ENDS		35	
W8-7-48	48"x48"	LOOSE GRAVEL		35	
W8-11-48	48"x48"	UNEVEN LANES		35	
W8-12-48	48"x48"	NO CENTER LINE		35	
W8-17-48	48"x48"	SHOULDER DROP-OFF SYMBOL		35	
W8-53-48	48"x48"	TRUCKS ENTERING HIGHWAY		35	
W8-54-48	48"x48"	TRUCKS ENTERING AHEAD or ___ FT or _ MILE		35	
W8-55-48	48"x48"	TRUCKS CROSSING AHEAD or ___ FT or _ MILE		35	
W8-56-48	48"x48"	TRUCKS EXITING HIGHWAY		35	
W9-3a-48	48"x48"	CENTER LANE CLOSED SYMBOL		35	
W13-1P-30	30"x30"	___ MPH ADVISORY SPEED PLAQUE (Mounted on warning sign post)		14	
W14-3-64	64"x48"	NO PASSING ZONE		28	
W16-2P-30	30"x24"	___ FEET PLAQUE (Mounted on warning sign post)		10	
W20-1-48	48"x48"	ROAD WORK AHEAD or _FT or _ MILE		35	
W20-2-48	48"x48"	DETOUR AHEAD or _ FT or _ MILE		35	
W20-3-48	48"x48"	ROAD or STREET CLOSED AHEAD or ___ FT or _ MILE	4	35	140
W20-4-48	48"x48"	ONE LANE ROAD AHEAD or ___ FT or _ MILE		35	
W20-5-48	48"x48"	RIGHT or CENTER or LEFT LANE CLOSED AHEAD or ___ FT or _ MILE		35	
W20-7-48	48"x48"	FLAGGER		35	
W20-8-18	18"x18"	STOP - SLOW PADDLE Back to Back		5	
W20-52P-54	54"x12"	NEXT ___ MILES (Mounted on warning sign post)		12	
W21-1-48	48"x48"	WORKERS		35	
W21-2-48	48"x48"	FRESH OIL		35	
W21-3-48	48"x48"	ROAD MACHINERY AHEAD or ___ FT or _ MILE		35	
W21-5-48	48"x48"	SHOULDER WORK		35	
W21-5a-48	48"x48"	RIGHT or LEFT SHOULDER CLOSED		35	
W21-5b-48	48"x48"	RIGHT or LEFT SHOULDER CLOSED AHEAD or _ FT or _ MILE		35	

[illegible]

SPECIAL SIGNS


[illegible]

SPEC & CODE

704-1000	TRAFFIC CONTROL SIGNS	TOTAL UNITS	216
----------	-----------------------	-------------	-----


[illegible]

NOTE:
If additional signs are required, units will be calculated using the formula from Section III-18.06 of the Design Manual.
<http://www.dot.nd.gov/>



Traffic Control Devices List
Hettinger County
Kouba Bridge Replacement
106th Avenue SW


	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	100	2





Hettinger County

Kouba Bridge Replacement
106th Ave SW

Work Zone Traffic Control



STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	130	1




NOTES:

1. Install a FLEAT end terminal at this location.
See Standard Drawing D-764-38.
2. Refer to Standard Drawing D-764-40 and
D-764-48 for additional details.


QUANTITIES	
Aggregate Surface Course Class 13	174 TON
MGS Flared Energy Absorbing Terminal	4 EA
MGS W-Beam Guardrail	194 LF

W-Beam Guardrail Layout
at Beginning of Bridge
Kouba Bridge


Hettinger County




	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	130	2



Scale: 1"= 100.00



- NOTES:
1. Install a FLEAT end terminal at this location.
See Standard Drawing D-764-38.
 2. Refer to Standard Drawing D-764-40 and
D-764-48 for additional details.



W-Beam Guardrail Layout
at End of Bridge
Kouba Bridge

Hettinger County

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	1

23 U.S.C. 409
NDDOT Reserves All Objections



HYDRAULIC DATA:

Drainage Area	499	sq mi
Stream Gradient	0.0007	ft/ft
Design Frequency	15	yr
Design Discharge	5,110	cfs
Design Headwater Stage	2467.2	ft
Design Tailwater Stage	2467.1	ft
Velocity Through Bridge	3.3	fps
100-Year Frequency Discharge	10,295	cfs
100-Year Frequency Headwater	2472.1	ft
Overtopping Stage	2468.6	ft
Overtopping Discharge	5,410 ±	cfs


DESIGN STRENGTHS:

f'_c = 3,000 psi ~ Class AE-3 Concrete
 f'_c = 4,000 psi ~ Class AAE-3 Concrete
 f'_c = 7,000 psi ~ Prestressed Beam Concrete
 f_y = 60,000 psi ~ Reinforcing Steel

Load & Resistance Factor Design



TYPICAL SECTION



SPECIAL PROVISIONS	
SSP 2	MIGRATORY BIRD TREATY ACT
STANDARD DRAWINGS	
D-622-1, D-714-18	
F.W.S. 15 PSF	
HL-93 DESIGN LOADING	
NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
KOUBA BRIDGE OVER CANNONBALL RIVER BRIDGE LAYOUT	
PROJECT: BRJ-0021(023) STATION: 10+00.00 HETTINGER COUNTY	
DATE	BRIDGE ENGINEER

STRUCTURAL NOTES

- 100-P01

SCOPE OF WORK: This project consists of building a new 3-span prestressed concrete I-beam bridge with an overall bridge length of 150'-0" and a clear roadway width of 30'-0".
- 100-P02

GENERAL: The cost of furnishing and placing preformed expansion joint filler, concrete inserts, grout pads and other miscellaneous items shall be included in the bid price for "CLASS AE-3 CONCRETE" and "CLASS AAE-3 CONCRETE".

All exposed concrete corners shall be chamfered ¾" unless noted otherwise.

The physical properties of the elastomeric bearing pads shall conform to the requirements of Section 18.2 of the AASHTO LFRD Bridge Construction Specification and the AASHTO Materials Specification M251. The elastomeric bearing pads shall conform to Grade 60 (durometer). The cost of the pads shall be incidental to the contract unit price per cubic yard for "CLASS AAE-3 CONCRETE". Certification that pads are 60 durometer and meet the requirements of AASHTO LFRD Bridge Construction Specification Section 18.2 and AASHTO Materials Specification M251 shall be furnished to the Engineer with the shop drawings. No laminated bearing pads will be allowed.

Scrapers shall not be driven across the new structure.
- 202-P01

REMOVAL OF STRUCTURE: The existing structure is a three span concrete bridge with steel girders, concrete deck, and metal railing. The abutments and bents are concrete with timber piling under the concrete pile caps. The structure is 23' wide by 153' long. All materials removed and salvaged from the structure shall become property of the Contractor and disposed of at their expense. All bridge piling shall be removed to a minimum of 1' below the bottom of the flow line of the river.

Payment for removing, salvaging, and disposing of the existing bridge and piling in accordance with the standard specifications shall be included in the lump sum price for the bid item "Removal of Structure" and include the cost of removing all components of the bridge, loading, hauling and any other incidentals to complete this work.
- 210-P01

EXCAVATION: The excavation at the abutments, as shown, shall be included in the lump sum bid item "CLASS 1 EXCAVATION". The excavation at the piers, as shown, shall be included in the lump sum bid item, "CLASS 2 EXCAVATION".

For informational purposes, the quantity of Class 1 Excavation is estimated at 139 cubic yards, and the quantity of Class 2 Excavation is estimated at 607 cubic yards. The quantities are based on the plan shown dimensions and will not be measured.
- 210-P02

CHANNEL EXCAVATION: Any unsuitable or excess channel excavation material shall be disposed of at a location determined by the contractor and acceptable to the Engineer. All costs associated with excavating, hauling, and leveling the material shall be included in the unit bid price for "CHANNEL EXCAVATION".
- 210-P03

SELECT BACKFILL: Select back fill shall meet the requirements of Section 816.02, Class 3. The backfill shall be placed in layers of not more than 6 inches, moistened or dried as required, and thoroughly compacted with mechanical tamping equipment. Moisture and density controls shall be in accordance with Section 203.04G Type A of the Standard Specifications. All costs associated with hauling, leveling, and compacting the material shall be included in the unit bid price for "ABUTMENT UNDERDRAIN SYSTEM".

- 210-P04

FOUNDATION PREPARATION: High groundwater elevations may be present on this project. Dewatering may be required in the wet areas to handle water seeping. Fluctuations in the groundwater level may occur due to rainfall, spring thaw, drainage, or other factors. Bidders should recognize the possibility of changes in the existing water conditions. The bidder is responsible for examining the site of the proposed work, becoming familiar with the site conditions, both soil and water conditions, before submitting a proposal. The County assumes no responsibility for the soil and water conditions encountered during construction. The submission of a bidding proposal will be considered conclusive evidence that the bidder is satisfied with the conditions to be encountered in performing the work and as to the requirements of the proposed contract.

All costs relating to and incorporated with dewatering shall be considered included in the bid item "Dewatering" Lump Sum.
- 256-P01

RIPRAP-GRADE II: Place riprap on the prepared slopes as shown in the plans and as determined in the field by the Engineer.

Include all costs to furnish and install the riprap and all incidentals required to complete this work and dispose of any waste material generated from excavating to the limits of the riprap shown in the plans, unit price bid per cubic yard for "Riprap-Grade II".


Remove and salvage the existing riprap under the old bridge. Salvage and stockpile the existing riprap within the roadway right of way at a location approved by the Engineer. Stockpile the existing riprap in a single location. The County will retain ownership of the existing riprap. Include all costs associated with removing and stockpiling the existing riprap in the unit price bid for "Riprap-Grade II".
- 602-P01

DECK CONCRETE: The girders will have minor differences in anticipated camber. To build the deck to the designated thickness will require slight adjustments in deck elevation and/or riser thickness. These adjustments in the haunch will result in minor concrete quantity discrepancies. The deck concrete will not be measured and payment for furnishing and installing the deck concrete shall be included in the unit price per cubic yard for "CLASS AAE-3 CONCRETE."

Girder lift hooks shall be cut off prior to placement of deck concrete.

The deck concrete shall be placed at a minimum rate of 35 CY per hour.

Deck Tining shall be stopped 18 inches from the sides of the deck, and 6 inches from the end of the deck.



STRUCTURAL NOTES

- 602-P02 DIAPHRAGMS AND ENDWALLS:** The diaphragms and the end walls/top of the abutments above the construction joint shall be placed at the same time as the deck. Placement of diaphragms at the bents shall not slow down the rate of concrete placement and finishing. The contractor shall place the concrete in the diaphragms ahead of the deck concrete in such a manner that advancement of the deck concrete reaches the diaphragm just as placement of concrete in the diaphragm is complete. The tops of the abutment shall have a broomed finish.
- 602-P03 DECK CONCRETE SLAB CURING:** The deck shall be cured by the wet-cure method. The surface shall be kept moist between the final finish and the beginning of the wet-cure by means of a light fog spray. The wet cure material shall be placed and the wet-cure started not later than 30 minutes after the finish of the completed area unless directed otherwise by the Engineer. The wet-cure method shall consist of covering the deck with a double thickness of burlap or a geotextile fabric capable of retaining moisture. The burlap or fabric shall be kept continuously moist for the next seven days. The burlap or fabric shall be moistened at a minimum every four hours. If strong winds or high temperatures are present, the watering rate shall be increased. Covering the deck with curing compounds will not be allowed. No vehicles or equipment not required in the curing process shall be on the bridge deck.
- 602-P04 PENETRATING WATER REPELLENT TREATMENT:** Penetrating water repellant shall be applied to the entire concrete deck surface.
- 612-P01 REINFORCING STEEL:** All reinforcing steel shall be grade 60, FY=60 ksi. Dimensions are given out to out and to tangent unless noted otherwise. Fabrications and tolerances shall follow the CRSI manual of Standard Practice. Minimum clear cover shall be 2 inches unless noted otherwise.
- 622-P01 PILING:** Piling shall meet AASHTO M 270, Grade 50. Pile points are required on all piling.
- 622-P02 PILING:** Piling shall be driven with air, steam or diesel hammers, gravity hammers will not be allowed. Piling shall be driven with a hammer with a rated energy and ram weight not less than 38,153 foot-pound-tons, as computed by the formula $W(E-14,014) + 0.545E$, where W is the weight of the ram in tons and E is the rated hammer energy. In no case shall the ram weight be less than 4,000 pounds. The hammer shall be run at an energy that produces an average penetration at bearing between 1/2" and 3 inches.
- The contractor shall submit to the Engineer the certification and information concerning the performance of the pile hammer to be used a minimum of (1) week prior to use.
- 624-P01 RAILING:** Railings shall be furnished and installed as shown in the details for Type T631 rail. All equipment, labor, and materials, including bolts and hardware, shall be incidental to the unit price bid per lineal foot for "Traffic Rail-Steel." The pay limits shall be as shown on the drawings. It shall be the contractor's responsibility to verify that the plate/bolt assemblies are installed at the proper location and elevation to assure that the bolts are of proper length and projection.
- 709-P01 GEOSYNTHETIC FABRIC-TYPE RR:** The Geosynthetic Fabric-Type RR shall be placed under all riprap and up the vertical face between the riprap and earth edge. The minimum lap for all Type RR fabric shall be 2'-0".

709-P02 PERFORATED GEOCELL: Perforated Geocell will be from the following company or equivalent:

Company: Agtec
Phone: 1-818-724-7657
Website: <http://www.agtec.com>

Perforated Geocell will be 6 inches tall with Geosynthetic Fabric-Type RR underlying the Perforated Geocell. Installation will adhere to the manufacturer's recommendation.

Perforated Geocell will be filled with Class 5 Aggregate meeting the requirements of Section 816.02, Class 5.

Perforated Geocell will be paid for at the contract unit price per square yard. Payment will be full compensation for furnishing and installing the Perforated Geocell.

The Class 5 Aggregate will be paid for at the contract unit price per ton of material furnished. Payment will be full compensation for furnishing, loading, hauling, and placing the Class 5 Aggregate.


WORK DRAWINGS: The Contractor shall submit the following work drawings to the Engineer via email at danielc@broszengineering.com or paper at Brosz Engineering Inc., PO Box 357, Bowman, ND 58623 for review:

1. Prestressed Concrete I-Beam
2. Traffic Rail-Steel
3. Structural Steel

FALSEWORK: The Contractor shall be required to include along with his Falsework Plans details for the construction of an adequate "Walk-Way" including railing.

FALL PROTECTION: The Contractor shall install a Fall Protection System conforming to OSHA Regulations. When working on the girders prior to decking installation, a Horizontal Lifeline – or other OSHA approved system shall be installed. The Contractor shall have one Personal Fall Arrest System (PFAS) available for use by a Department Inspector. The PFAS shall be compatible with the installed Fall Protection System.


Modifications to any bridge components used to accommodate the Fall Protection System shall be shown on the Falsework Plans and/or the appropriate Shop Plans. Field welding to bridge components will not be allowed. Field placed concrete inserts or drilled-in anchor bolts will be allowed if approved by the Engineer. All costs associated with providing the Fall Protection System shall be incidental to the other contract items.



NOTE:

Elevations are to top of finished roadway.
Beam #1 is the west beam.
The dead load deflection shown is for D.L. of the slab,
and haunch and but does not include D.L. of beams.

The table contains the information necessary to determine
the depth of concrete over the girders at points shown.
Elevation "M" is the design elevation at the top of slab before
any concrete has been poured. Elevation "N" is a field
measured elevation taken on top of the girders at the points
shown with the girders in their positions on the bearings.
This elevation must be taken after erection is completed,
but prior to placing any of the false work. Girders shall not be
supported between bearings when elevations are taken.




DETAIL "E"

Based on a "D" of 11 inches at the centerline of each bent
and abutment (see "Abutment Details Sheet"), it is anticipated
that the mid-span haunch dimension "H" over the centerline of each
girder will be 2 inches in spans 1 and 3 and 2 inches in span 2.
If "H" is less than zero or greater than 3 1/2 inches,
The Bowman office of Brosz Engineering Inc. must be notified immediately.

BRIDGE BID ITEMS

SPEC	CODE	ITEM DESCRIPTION	UNIT	QUANTITY
202	0105	REMOVAL OF STRUCTURE	L SUM	1
210	0099	CLASS 1 EXCAVATION	L SUM	1
210	0111	CLASS 2 EXCAVATION	L SUM	1
210	0127	CHANNEL EXCAVATION	L SUM	1
210	0201	FOUNDATION PREPARATION	EA	1
256	0200	RIPRAP GRADE II	CY	2,437.0
302	0120	AGGREGATE BASE COURSE CL 5	TON	16.1
602	0130	CLASS AAE-3 CONCRETE	CY	161.0
602	1130	CLASS AE-3 CONCRETE	CY	306.8
602	1250	PENETRATING WATER REPELLENT TREATMENT	SY	534
604	9900	PRESTRESSED I-BEAM-36 IN	LF	587
612	0115	REINFORCING STEEL-GRADE 60	LBS	44,548
612	0116	REINFORCING STEEL-GRADE 60-EPOXY COATED	LBS	40,165
616	0364	STRUCTURAL STEEL M270-GRADE 36	LBS	4,472
622	0014	STEEL H-PILING POINTS 12 X 53	EA	42
622	0040	STEEL PILING HP 12 X 53	LF	1,570
622	1200	STEEL TEST PILING HP 12 X 53	LF	220
624	0128	TRAFFIC RAIL STEEL	LF	300
709	0155	GEOSYNTHETIC MATERIAL TYPE RR	SY	2,877
709	0800	PERFORATED GEOCELL	SY	52
930	9537	ABUTMENT UNDERDRAIN SYSTEM	EA	2

Tenth Points	Dead Load Deflection (Ft)	Centerline Beam 4	Centerline Beam 3	Centerline Beam 2	Centerline Beam 1
0	0.000	2478.07	2478.24	2478.24	2478.07
1	0.005	2478.00	2478.17	2478.17	2478.00
2	0.011	2477.92	2478.09	2478.09	2477.92
3	0.015	2477.84	2478.01	2478.01	2477.84
4	0.018	2477.76	2477.93	2477.93	2477.76
5	0.019	2477.68	2477.85	2477.85	2477.68
6	0.018	2477.60	2477.77	2477.77	2477.60
7	0.015	2477.51	2477.68	2477.68	2477.51
8	0.011	2477.43	2477.60	2477.60	2477.43
9	0.005	2477.34	2477.51	2477.51	2477.34
10	0.000	2477.25	2477.42	2477.42	2477.25
	0.000	2477.25	2477.42	2477.42	2477.25
1	0.008	2477.16	2477.33	2477.33	2477.16
2	0.014	2477.08	2477.25	2477.25	2477.08
3	0.019	2476.99	2477.16	2477.16	2476.99
4	0.023	2476.91	2477.08	2477.08	2476.91
5	0.024	2476.82	2476.99	2476.99	2476.82
6	0.023	2476.73	2476.90	2476.90	2476.73
7	0.019	2476.64	2476.81	2476.81	2476.64
8	0.014	2476.55	2476.72	2476.72	2476.55
9	0.008	2476.45	2476.62	2476.62	2476.45
10	0.000	2476.36	2476.53	2476.53	2476.36
	0.000	2476.36	2476.53	2476.53	2476.36
1	0.005	2476.27	2476.44	2476.44	2476.27
2	0.011	2476.19	2476.36	2476.36	2476.19
3	0.015	2476.11	2476.28	2476.28	2476.11
4	0.018	2476.04	2476.21	2476.21	2476.04
5	0.019	2475.95	2476.12	2476.12	2475.95
6	0.018	2475.87	2476.04	2476.04	2475.87
7	0.015	2475.79	2475.96	2475.96	2475.79
8	0.011	2475.70	2475.87	2475.87	2475.70
9	0.005	2475.61	2475.78	2475.78	2475.61
10	0.000	2475.52	2475.69	2475.69	2475.52



Beam 1 is the west beam.
SCREED ELEVATION



KOUBA BRIDGE
OVER CANNONBALL RIVER

SCREED ELEVATIONS &
BID ITEM QUANTITIES

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	5

NOTE:

For double acting or single acting diesel hammers, calculate the safe bearing value of piles by the following formula:


$$P = \frac{4.5E}{S + 0.2} \times \frac{W + 0.2M}{W + M}$$

Where:

P = Safe bearing value, in pounds.
W = Weight of striking parts (ram), in pounds.
M = Weight of parts being driven, in pounds. Includes pile weight, anvil (if any), driving cap, etc.
E = Energy per blow, in foot-pounds.
S = Average penetration of pile in inches per blow for last ten blows.


For single acting hammers, calculate E by multiplying observed stroke (ft) and W (lbs).

PILE COORDINATES			
	PILE	NORTHING	EASTING
ABUT 1	1	295,150.88	1,430,773.46
	5	295,150.30	1,430,811.46
PIER 2	1	295,196.30	1,430,779.16
	8	295,197.99	1,430,807.19
	9	295,199.17	1,430,779.20
	16	295,200.87	1,430,807.23
PIER 3	1	295,250.42	1,430,779.99
	8	295,247.86	1,430,807.95
	9	295,251.17	1,430,780.00
	16	295,250.74	1,430,807.99
ABUT 4	1	295,298.86	1,430,775.73
	5	295,298.18	1,430,820.52




KOUBA BRIDGE
OVER CANNONBALL RIVER

PILING LAYOUT &
BEARING ELEVATIONS



HP12 x 53 Pile shall be driven to 130 tons.
Test pile is the center pile or near the center in each substructure unit.


PILING LAYOUT




Elevations shown are to top of finished concrete.

BEARING ELEVATIONS


STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	6



ABUTMENT PLAN



DETAIL AT ABUTMENT




ABUTMENT PLAN

NOTES:


Use corrugated perforated fabric wrapped PE pipe that meets the requirements of Section 830.03 A.4. Provide fabric wrapping for the pipe that meets the requirements of Section 858.01 for D3 or D4 drainage fabric. Provide aggregate that meets the requirements of Section 816.03, Class 43. Provide foundation fill that meets the requirements of Section 210.

Include the cost to furnish and place the select backfill, aggregate, geosynthetic material, 6 mil polyethylene, corrugated perforated pipe and headwalls in the pay item "Abutment Underdrain System."




KOUBA BRIDGE
OVER CANNONBALL RIVER
ABUTMENT UNDERDRAIN &
EXCAVATION DETAILS


STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	7




PLAN




ELEVATION



DETAIL A




(Typical at Girder Ends Abutments Only)
DETAIL B



Use waterproof membrane that meets the requirements of Section 602.03 B. Include the cost of the waterproof membrane in the contract unit price for "Class AE-3 Concrete."

WATERPROOF MEMBRANE DETAIL



A-A




QUANTITIES

SEE DWG 170-4


KOUBA BRIDGE
OVER CANNONBALL RIVER

(SHOWING DIMENSIONS)
ABUTMENT DETAILS



STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	8



PLAN




ELEVATION



QUANTITIES (ONE ABUTMENT)	
CLASS AE-3 CONCRETE	17.3 CY
REINFORCING STEEL	2,432 LBS
KOUBA BRIDGE OVER CANNONBALL RIVER	
(SHOWING REINFORCING) ABUTMENT DETAILS	




STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	9




ICE NOSE DETAIL


Galvanize in accordance with
Section 854 after fabrication.




PLAN




ELEVATION




END VIEW




DETAIL B




BAR DETAIL




A-A




QUANTITIES
SEE DWG 170-4
KOUBA BRIDGE OVER CANNONBALL RIVER
(SHOWING DIMENSIONS)
PIER DETAILS



PLAN




ELEVATION



(SHOWING REINFORCING BOTTOM MAT) (SHOWING REINFORCING TOP MAT)

PLAN FOOTING



A-A



QUANTITIES (ONE PIER)	
CLASS AE-3 CONCRETE	136.1 CY
REINFORCING STEEL	18,935 LBS
STRUCTURAL STEEL	1,046 LBS

KOUBA BRIDGE
OVER CANNONBALL RIVER

(SHOWING REINFORCING)
PIER DETAILS

NOTES:

At least 14 days prior to the forming and pouring of any beams, the Contractor shall submit shop drawings to the Engineer for review. The shop drawings shall include design calculations showing the total initial prestress force taken from the contract drawings and the losses in the prestress due to elastic shortening, shrinking or creeping of concrete, and the relaxation of steel stress as determined by the Contractor for his method of stressing.

Shop drawings shall show strand layout, pull down locations, tensioning forces, elongation and any proposed changes in reinforcing steel.

The final prestress force (remaining after all losses have been accounted for) and its corresponding center of gravity, shall be selected from those on a curve determined by the three values shown. All prestressing steel shall conform to AASHTO M203.

The beams shall be poured in all steel forms.

Holes and inserts to accommodate the diaphragm bars shall be provided in the beams at locations as shown.


All reinforcing steel shall have a clearance of 1" unless otherwise noted.

Minor changes to the shape of the beam and to reinforcing steel may be made to accommodate the forms of various contractors and their construction methods with the approval of the Engineer.

The tops of the beams shall be rough floated and tined transversely for bond.


Provide handling hooks or devices as required by the Contractor. Hooks or devices provided will be subject to approval by the Engineer and shall be installed withing 4'-0" of the end of beams, as shown on the "Typical Lifting Detail". The design of the lifting devices shall be the design of the fabricator.

23 U.S.C. 409
NDDOT Reserves All Objections



(Bearing Plate to be Structural Steel M 270 Grade 36
hot dipped galvanized and included in the bid price for the beam.)

BEARING DETAIL





TYPICAL LIFTING DETAIL


REINFORCING SCHEDULE
(For One Girder)

	MARK	NO.	SIZE	LENGTH	TYPE
47'-9" Girder	A1	12	6	18'-6"	Str.
	A3	76	4	6'-10"	S11
	A4	76	4	5'-0"	S3B
	A5	76	4	2'-8"	17
	*B8	16	5	4'-0"	Str.
51'-3" Girder	A1	12	6	19'-9"	Str.
	A3	83	4	6'-10"	S11
	A4	83	4	5'-0"	S3B
	A5	83	4	2'-8"	17
	*B8	16	5	4'-0"	Str.


* Field Bend as Shown (Grade 40)



MILD STEEL DETAILS



SECTION DIMENSIONS
Type 36M Girders (End View)



STRAND PATTERN (SPANS 1,2,&3)
(18) - 0.6" Low Relaxation Strands
C.G. = 9.11" from bottom

PRESTRESSING DATA					
C.G.	FINAL FORCE	DETENSION STRENGTH	ACCEPTANCE STRENGTH	WEIGHT (TONS)	BEAM LENGTH
9.11"	783.0 k	6,000 psi (Min)	7,000 psi (Min)	14.2	47'-9"
9.11"	783.0 k	6,000 psi (Min)	7,000 psi (Min)	15.2	51'-3"



KOUBA BRIDGE
OVER CANNONBALL RIVER


PRE-TENSIONED 36"
PRESTRESSED I-BEAM

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	13

- NOTES:**
- All steel for the diaphragms including plate washers shall conform to ASTM A36 and shall be galvanized in accordance with ASTM A123 or ASTM 153. Bolts, nuts, and washers shall be galvanized in accordance with ASTM F2329.
 - The steel diaphragms between adjacent girders shall be installed as soon as possible and in conjunction with girder erection.
 - The estimated weight shown below is the estimated weight of the $\frac{3}{8}$ " x 1'-8" Bent Plate Diaphragms and the $\frac{1}{2}$ " Support Plate. A C12x30 may be substituted for the $\frac{3}{8}$ " Bent Plate Diaphragm.
 - All costs associated with furnishing, fabricating, assembly and installation of diaphragms, bolts and all hardware shall be incidental to the contract lump sum price for Structural Steel, Miscellaneous.

ESTIMATED QUANTITIES		
Item	Unit	Quantity
Structural Steel M270-Grade 36	LBS	2,380

For informational purposes only, the estimated weight of structural steel is 793 Lbs per Diaphragm location.



END VIEW BENT
PLATE DIAPHRAGM


DETAIL "X"




QUANTITIES
SEE DWG 170-4

KOUBA BRIDGE
OVER CANNONBALL RIVER


STEEL DIAPHRAGM DETAILS




SECTIONS AT DIAPHRAGM




A-A



B-B



DIRECT TENSION
INDICATOR DETAIL



DIAPHRAGM SUPPORT PLATE









PLATE WASHER DETAIL




STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	14




QUANTITIES
SEE DWG 170-4, 170-18
KOUBA BRIDGE OVER CANNONBALL RIVER
BENT DIAPHRAGM DETAILS


STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	15



PLAN




A-A



(SHOWING FRONT FACE)

ELEVATION

(SHOWING BACK FACE)




B-B




QUANTITIES
SEE DWG 170-4, 170-18
KOUBA BRIDGE OVER CANNONBALL RIVER
ENDWALL DETAILS

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	16




PLAN




QUANTITIES
SEE DWG 170-4, 170-18
KOUBA BRIDGE OVER CANNONBALL RIVER
HALF SLAB LAYOUT

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	17




(SHOWING DIMENSIONS)
SLAB SECTION



(SHOWING REINFORCING BETWEEN SUPPORTS)


SLAB SECTION

(SHOWING REINFORCING OVER PIERS)



DRIP GROOVE DETAIL

QUANTITIES
SEE DWG 170-4, 170-18
KOUBA BRIDGE OVER CANNONBALL RIVER
SLAB SECTION



23 U.S.C. 409
NDDOT Reserves All Objections

STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	170	19

CONSTRUCTION NOTES:
Install post perpendicular to adjacent roadway grade. Use epoxy mortar under post base plates if gaps larger than 1/16" exist.

Round or chamfer exposed edges of rail post and backer plate to approximately 1/16" by grinding prior to galvanizing. Work drawings are required for this rail.


MATERIAL NOTES:
Galvanize all steel components. Use anchor bolts for base plates that are 5/8" Dia ASTM F3125 Gr 325 or A449 bolts or ASTM A193 Gr B7 or F1554 Gr 105 threaded rod with one ASTM F436 hardened steel washer and one regular lock washer placed under each heavy hex nut. Use nuts conforming to A563 requirements. One additional heavy hex nut must be furnished and tack welded for each threaded rod.

Use W-beam meeting the requirements of Section 862 of the Standard Specifications except as modified in these plans. The Contractor may furnish rail elements of 25'-0", or 12'-6" (Nominal) lengths. Use W-Beams with slotted holes at 3'-1 1/2".


GENERAL NOTES:
This railing has been successfully evaluated by full-scale crash test to meet MASH TL-3 criteria. This rail can be used for speeds of 50 mph and greater.

This rail is designed to deflect approximately 4' to 4'-6" as it contains and redirects the errant vehicle. This rail may not be installed on top of or behind curbs that project above finished grade, on bridges with expansion joints providing more than 5" movement, on retaining walls, or on grade separations and interchanges.


Repairs to impact-damaged post and base plate unit are not permitted. Replace all impact damaged posts with a new post and base plate unit.




W-BEAM ELEVATION



INSIDE ELEVATION OF RAIL




W-BEAM SPLICE ELEVATION




BACKER PLATE


Backer Plate 1/8" x 8" x 1'-3"
ASTM-A1011 CS or SS Grade 33
or A1008 CS or SS Grade 33
(11 Gauge Acceptable)




SECTION A-A



WASHER PLATE DETAIL



POST ELEVATION



RAIL DETAILS ON BRIDGE SLAB

* Tighten the first hex nut by hand until the top and bottom edges of the W-Beam engage the Backer Plate (Backer Plate should be snug against the post). Then tighten hex nut one revolution with wrench and secure with the second hex nut.

QUANTITIES
SEE DWG 170-4
KOUBA BRIDGE OVER CANNONBALL RIVER
TRAFFIC RAIL - STEEL DETAILS



STATE	PROJECT NUMBER	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	175	1



KOUBA BRIDGE
OVER CANNONBALL RIVER

GEOTECH
BORING LOGS



SUBSURFACE BORING LOG

AET JOB NO: P-0025219LOG OF BORING NO. B-1 (p. 1 of 2)

PROJECT: Kouba Bridge Replacement; Regent, ND

SURFACE ELEVATION: 2470.0LATITUDE: 46.456192LONGITUDE: -102.634804

DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS				
							WC	DEN	LL	PL	%-#200
1	TOPSOIL, silty sand with laminations of clay, with roots, brown, moist (6")	TOPSOIL COARSE ALLUVIUM	4	M	SS	21					
2	SILTY SAND, with trace roots, trace oxidized iron staining, brown, loose, moist (SM)		5	M	SS	20	13				28
3											
4											
5	SILTY SAND, brown, very loose, moist (SM)		3	M	SS	16					
6											
7											
8				2	M	SS	18	14			
9											
10	SILTY SAND, with laminations of clay, brown, loose, moist (SM)	5	M	SS	18						
11											
12			4	M	SS	18	40				
13	SILTY SAND, with trace gravel, laminations of lignite, brown, loose, waterbearing at 14.5' (SM)										
14			9	W	SS	18					
15											
16											
17											
18	SILTY GRAVEL, brown, medium dense, waterbearing (GM)										
19											
20			27	W	SS	16	24			14	
21											
22											
23	FAT CLAY with laminations of silt, grey, hard, moist (CH)	SENTINEL BUTTE FORMATION									
24											
25			23	M/W	SS	18	21		51	26	
26											
27											
28											
29											
30				39	M/W	SS	18				
31											
32											
33	FAT CLAY, with laminations of silt, laminations and lenses of lignite, trace cemented sands, grey, hard to very stiff, moist (CH)		50/.3	M/W	MC	9	21	98			
34											
35											
36											
37											
38											
39											
40											
41			24	M/W	SS	18					

DEPTH: DRILLING METHOD

0-79½' 3.25" HSA

DATE

8/13/23

TIME

SAMPLED DEPTH

9.5-11

CASING DEPTH

9.5

CAVE-IN DEPTH

NA

DRILLING FLUID LEVEL

NA

WATER LEVEL

10.0

BORING COMPLETED: 8/13/23

DR: AA LG: KM Rig: 14

NOTE: REFER TO THE ATTACHED SHEETS FOR AN EXPLANATION OF TERMINOLOGY ON THIS LOG



SUBSURFACE BORING LOG

AET JOB NO: P-0025219LOG OF BORING NO. B-1 (p. 2 of 2)

PROJECT: Kouba Bridge Replacement; Regent, ND

LATITUDE: 46.456192LONGITUDE: -102.634804

DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS						
							WC	DEN	LL	PL	%-#200		
43	FAT CLAY, with laminations of silt, laminations and lenses of lignite, trace cemented sands, grey, hard to very stiff, moist (CH) (continued)		50/.3	M/W	SS	5							
44													
45													
46													
47													
48	SILT with SAND, grey, very dense, waterbearing (ML)		91/.7	M/W	MC	14	23				NP		
49													
50													
51													
52													
53	FAT CLAY, with laminations of wet silt, laminations and inclusions of lignite, grey, hard, moist (CH)		61	M/W	SS	18	19						
54													
55													
56													
57													
58													
59													
60			77	M/W	MC	18	16	114					
61													
62													
63													
64													
65			73	M/W	SS	24	18						
66													
67													
68													
69													
70			50/.4	-	MC	NR							
71													
72													
73													
74													
75			44	M/W	SS	18	23						
76													
77													
78													
79													
80			62	W/M	SS	18							
81	END OF BORING												

KOUBA BRIDGE
OVER CANNONBALL RIVER

GEOTECH
BORING LOGS

AET CORP WLAT-LONG P-0025219 BORING LOGS.GPJ AET-CPT+WELL.GDT 11/10/23

VG LOGS.GPJ AET-HCPT+WELL.GDT 11/10/23



SUBSURFACE BORING LOG

AET JOB NO: P-0025219LOG OF BORING NO. B-2 (p. 1 of 2)

PROJECT: Kouba Bridge Replacement; Regent, ND

SURFACE ELEVATION: 2474.0LATITUDE: 46.455794LONGITUDE: -102.634585

DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS					
							WC	DEN	LL	PL	%-#200	
1	FILL, silty sand with gravel, trace roots, brown, moist (6")	FILL	6	M	SS	24						
2	FILL, silty sand, brown, moist		6	M	SS	18	10					
3												
4		COARSE ALLUVIUM										
5	SILTY SAND, with laminations of clay, brown, very loose to loose, moist (SM)		2	M	SS	18	16					
6												
7			3	M	SS	18	17					
8												
9												
10			4	M	SS	18	13					
11												
12	SILTY SAND, with trace laminations of clay, trace lignite, oxidized iron staining, loose to medium dense, moist (SM)		8	M	SS	18	13					
13												
14												
15			6	M	SS	18	20				24	
16												
17												
18												
19												
20			12	M	SS	18	5				12	
21												
22												
23												
24												
25	SILTY SAND with GRAVEL, with lenses of lignite, brown, dense, waterbearing (SM)		51	W/M	SS	18	21					
26												
27												
28	LEAN CLAY, with laminations of wet silt, trace lignite, grey, hard to stiff, moist (CL)	SENTINEL BUTTE FORMATION										
29												
30			28	W/M	SS	18	19		42	24		
31												
32												
33												
34												
35			18	W/M	SS	18						
36												
37												
38												
39												
40			39	W/M	MC	18	20	107				
41												

DEPTH: DRILLING METHOD

0-79½' 3.25" HSA

DATE

8/13/23

TIME

SAMPLED
DEPTH

24.5-26

CASING
DEPTH

24.5

CAVE-IN
DEPTH

NA

DRILLING
FLUID LEVEL

NA

WATER
LEVEL

24.5

BORING
COMPLETED: 8/13/23

DR: AA LG: KM Rig: 14

NOTE: REFER TO
THE ATTACHED
SHEETS FOR AN
EXPLANATION OF
TERMINOLOGY ON
THIS LOG



SUBSURFACE BORING LOG

AET JOB NO: P-0025219LOG OF BORING NO. B-2 (p. 2 of 2)

PROJECT: Kouba Bridge Replacement; Regent, ND

LATITUDE: 46.455794LONGITUDE: -102.634585

DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS						
							WC	DEN	LL	PL	%-#200		
43	LEAN CLAY, with laminations of wet silt, trace lignite, grey, hard to stiff, moist (CL) (continued)	SENTINEL BUTTE FORMATION (continued)											
44													
45													
46													
47													
48													
49													
50													
51					30	W/M	SS	18	19				
52													
53													
54													
55													
56													
57													
58													
59													
60													
61													
62													
63	SILTY SAND, with laminations of cemented sands, grey, very dense, waterbearing (SM)												
64													
65													
66													
67													
68													
69													
70													
71													
72													
73	FAT CLAY, with laminations of wet silt, trace inclusions of lignite, grey, hard, moist (CH)												
74													
75													
76													
77													
78													
79													
80													
81	END OF BORING												

DEPTH: DRILLING METHOD

0-79½' 3.25" HSA

DATE

8/13/23

TIME

SAMPLED
DEPTH

24.5-26

CASING
DEPTH

24.5

CAVE-IN
DEPTH

NA

DRILLING
FLUID LEVEL

NA

WATER
LEVEL

24.5

BORING
COMPLETED: 8/13/23

DR: AA LG: KM Rig: 14

NOTE: REFER TO
THE ATTACHED
SHEETS FOR AN
EXPLANATION OF
TERMINOLOGY ON
THIS LOG

KOUBA BRIDGE
OVER CANNONBALL RIVER
















GEOTECH
BORING LOGS

VG LOGS.GPJ AET+HCH1+WELL.GDT 11/10/23

AET CORP WLAT+LONG P-0025219 BORING LOGS.GPJ AET+CPT+WELL.GDT 11/10/23



SUBSURFACE BORING LOG

AET JOB NO: P-0025219		LOG OF BORING NO. B-3 (p. 1 of 2)											
PROJECT: Kouba Bridge Replacement; Regent, ND													
SURFACE ELEVATION: 2475.0		LATITUDE: 46.456278		LONGITUDE: -102.634680									
DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS						
							WC	DEN	LL	PL	%-#200		
1	FILL, silty sand, trace roots,, brown, moist		FILL	9	M		SS	20					
2				9	M		SS	22					
3													
4													
5	SILTY SAND, lenses and laminations of clay from 12' to 13.5' brown, loose, moist (SM)		COARSE ALLUVIUM	7	M		SS	18	9				
6													
7													
8				3	M		SS	18	10				
9													
10				4	M		SS	12					32
11													
12													
13				5	M		SS	10	19				
14													
15				10	M		SS	16					
16													
17													
18													
19													
20													
21	CLAYEY SAND with GRAVEL, brown, loose, waterbearing (SC)			9	W		SS	24					
22													
23													
24													
25				8	W		SS	24	42				44
26													
27													
28													
29													
30	FAT CLAY, grey, hard, moist (CH)		SENTINEL BUTTE FORMATION	-	W/M		TW	20	15	104			
31													
32													
33													
34													
35				26	M		SS	18	20				
36													
37													
38													
39													
40													
41													
DEPTH: DRILLING METHOD		WATER LEVEL MEASUREMENTS								NOTE: REFER TO THE ATTACHED SHEETS FOR AN EXPLANATION OF TERMINOLOGY ON THIS LOG			
0-79½' 3.25" HSA		DATE	TIME	SAMPLED DEPTH	CASING DEPTH	CAVE-IN DEPTH	DRILLING FLUID LEVEL	WATER LEVEL					
		8/12/23		19.5-21	19.5	NA	NA	19.0					
BORING COMPLETED: 8/12/23													
DR: AA LG: KM Rig: 14													



SUBSURFACE BORING LOG

AET JOB NO: P-0025219		LOG OF BORING NO. B-3 (p. 2 of 2)									
PROJECT: Kouba Bridge Replacement; Regent, ND											
		LATITUDE: 46.456278		LONGITUDE: -102.634680							
DEPTH IN FEET	MATERIAL DESCRIPTION	GEOLOGY	N	MC	SAMPLE TYPE	REC IN.	FIELD & LABORATORY TESTS				
							WC	DEN	LL	PL	%-#200
43	FAT CLAY, grey, hard, moist (CH) (continued)	SENTINEL BUTTE FORMATION (continued)									
44											
45	FAT CLAY, with lenses and laminations of lignite, grey, very stiff to hard, moist (CH)		65	M	SS	18	25				
46											
47											
48											
49											
50			80	M	MC	20	16	117			
51											
52											
53											
54											
55	76		M	SS	24						
56											
57											
58											
59											
60	SILT, with inclusions of lignite, grey, very dense, waterbearing (ML)	90/9	W	SS	14	23				42	
61											
62											
63											
64											
65	FAT CLAY, with lenses of silt, blue/grey, hard, moist (CH)	44	M	SS	19	15					
66											
67											
68											
69											
70		45	M	SS	21	17					
71											
72											
73											
74											
75		61	M	SS	24	20					
76											
77											
78											
79											
80		54	M	SS	22	18					
81	END OF BORING										

KOUBA BRIDGE
OVER CANNONBALL RIVER

GEOTECH
BORING LOGS


AET CORP WLAT-LONG P-0025219 BORING LOGS.GPJ AET-CPT+WELL.GDT 11/10/23

VG LOGS.GPJ AET-HCPT+WELL.GDT 11/10/23


Kouba Bridge Replacement

STATE	PROJECT NO.	SECTION NO.	SHEET NO.
ND	BRJ-0021(023)	200	1


Sta 5+50.00




Sta 5+00.00






Sta 4+50.00



Sta 4+00.00




	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	2




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	3


Sta 8+00.00



Sta 7+90.91




Sta 7+62.20




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	4


Sta 8+81.83



Sta 8+38.79




Sta 8+14.18




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	5


Sta 9+50.00



Sta 9+25.00




Sta 9+00.00




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	6


Sta 10+75.00



Sta 10+50.00




Sta 10+00.00




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	7


Sta 11+59.60



Sta 11+18.54




Sta 11+00.00




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	8


Sta 12+08.67



Sta 12+00.00



Sta 11+84.47



Kouba Bridge Replacement

STATE

PROJECT NO.

SECTION NO.

SHEET NO.


ND

BRJ-0021(023)


200

9


Sta 14+00.00




Sta 13+50.00



Sta 13+00.00




Sta 12+37.33




Kouba Bridge Replacement

	STATE	PROJECT NO.	SECTION NO.	SHEET NO.
	ND	BRJ-0021(023)	200	10

Sta 15+00.00



Sta 14+50.00



NDDOT ABBREVIATIONS

?	This is a special text character used in the labeling of existing features. It indicates a feature that has an unknown characteristic, potentially based on: lack of description, location accuracy or purpose.	C Gdrl	cable guardrail	Culv	culvert	FOS	factor of safety
Abn	abandoned	Calc	calculate	C&G	curb & gutter	Fed	Federal
Abut	abutment	CIP	cast iron pipe	CI	curb inlet	FP	feed point
Adj	adjusted	CB	catch basin	CR	curb ramp	Fn	fence
Aggr	aggregate	CRS	cationic rapid setting	C	cut	Fn P	fence post
Ahd	ahead	C Gd	cattle guard	Dd Ld	dead load	FO	fiber optic
ARV	air release valve	C To C	center to center	Defl	deflection	FD	field drive
Align	alignment	CL or \varnothing	centerline	Defm	deformed	F	fill
Al	alley	Ch	chain	DInt	delineate	FAA	fine aggregate angularity
Alt	alternate	Chnlk	chain-link	DIntr	delineator	FH	fire hydrant
Alum	aluminum	Ch Blk	channel block	Depr	depression	FI	flange
ADA	Americans with Disabilities Act	Ch Ch	channel change	Desc	description	FIRD	flared
&	and	Chk	check	Det	detail	FES	flared end section
Appr	approach	Chsld	chiseled	DWP	detectable warning panel	F Bcn	flashing beacon
Approx	approximate	Cir	circle	Dtr	detour	FA	flight auger sample
ACP	asbestos cement pipe	Cl	class	Dia or \varnothing	diameter	FL	flow line
Asph	asphalt	Clnt	clean-out	Dir	direction	Ftg	footing
AC	asphalt cement	Clr	clear	Dist	distance	FM	force main
Assmd	assumed	Cl&gr	clearing & grubbing	DM	disturbed material	Fnd	found
@	at	Comb.	combination	DB	ditch block	Fdn	foundation
Atten	attenuation	Coml	commercial	DG	ditch grade	Frac	fractional
ATR	automatic traffic recorder	Compr	compression	Dbl	double	Frwy	freeway
Ave	Avenue	CADD	computer aided drafting & design	Dn	down	Frt	front
Avg	average	Conc	concrete	Dwg	drawing	FF	front face
ADT	average daily traffic	CECB	concrete erosion control blanket	Dr	drive	F Disp	fuel dispenser
		Cond	conductor	Drw	driveway	FFP	fuel filler pipes
		Const	construction	DI	drop inlet	FLS	fuel leak sensor
		Cont	continuous	D	dry density	Furn	furnish/ed
		CSB	continuous split barrel sample				
		Contr	contraction				
		Contr	contractor				
		CP	control point				
Bk	back	Coord	coordinate	Ea	each		
BF	back face	Cor	corner	Esmt	easement		
Balc	balcony	Corr	corrected	E	East		
B Wire	barbed wire	CAES	corrugated aluminum end section	EB	Eastbound		
Barr	barricade	CAP	corrugated aluminum pipe	Elast	elastomeric		
Btry	battery	CMES	corrugated metal end section	EL	electric locker		
BI	beehive inlet	CMP	corrugated metal pipe	E Mtr	electric meter		
Beg	begin	CPVCP	corrugated poly-vinyl chloride pipe	Elec	electric/al		
BG	below grade	CSES	corrugated steel end section	EDM	electronic distance meter		
BM	bench mark	CSFES	corrugated steel flared end section	Elev or El	elevation		
Bkwy	bikeway	CSP	corrugated steel pipe	Ellipt	elliptical		
Bit	bituminous	CSTES	corrugated steel traversable end section	Emb	embankment		
Blk	block	Co	County	Emuls	emulsion/emulsified		
BH	bore hole	Crse	course	ES	end section		
Bot	bottom	Ct	Court	Engr	engineer		
Blvd	Boulevard	Xarm	cross arm	ESS	environmental sensor station		
Bndry	boundary	Xbuck	cross buck	Eq	equal		
Brkwy	breakaway	Xsec	cross sections	Evgr	evergreen		
Br	bridge	Xing	crossing	Exc	excavation		
Bldg	building	Xrd	crossroad	Exst	existing		
Bus.	business	Crn	crown	Exp	expansion		
BV	butterfly valve			Expy	Expressway		
Byp	bypass			E	external of curve		
				Extru	extruded		

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
04-23-18 09-20-18 12-10-20 08-16-22	General Revisions General Revisions General Revisions General Revisions

08/16/22

NDDOT ABBREVIATIONS

D-101-2

Galv	galvanized	Ln	lane	Obsc	obscure(d)	Qty	quantity
Gar	garage	Lg	large	Ocpd	occupied	Qtr	quarter
Gs L	gas line	Lat	latitude	Ocpy	occupy		
G Reg	gas line regulator	Lt	left	O/s	offset		
GMV	gas main valve	Lens	lenses	OC	on center	Rad or R	radius
G Mtr	gas meter	Lvl	level	C	one dimensional consolidation	RR	railroad
GSV	gas service valve	Lvng	leveling	OC	organic content	Rlwy	railway
GVP	gas vent pipe	Lht	light	Orig	original	Rsd	raised
GV	gate valve	LP	light pole	O To O	out to out	RC	rapid curing
Ga	gauge	Ltg	lighting	OD	outside diameter	Rec	record
Gov	government	Liq	liquid	OH	overhead	Rcy	recycle
Grd	graded/grade	LL	liquid limit			RAP	recycled asphalt pavement
Grnd	ground	Loc	location			RPCC	recycled portland cement concrete
GWM	ground water monitor	Long.	longitude	PMT	pad mounted transformer	Ref	reference
Gdrl	guardrail	Lp	loop	Pg	pages	R Mkr	reference marker
Gtr	gutter	LD	loop detector	Pntd	painted	RM	reference monument
		Lum	luminaire	Pr	pair	RP	reference point
				Pnl	panel	Refl	reflectorized
				Pk	park	RCB	reinforced concrete box
H Plg	H piling			PSD	passing sight distance	RCES	reinforced concrete end section
Hdwl	headwall	Mb	mailbox	Pvmt	pavement	RCFES	reinforced concrete flared end section
Ht	height	ML	main line	Ped	pedestal	RCP	reinforced concrete pipe
Hel	helical	MH	manhole	Ped	pedestrian	RCPS	reinforced concrete pipe sewer
HDPE	high density polyethylene	Mkd	marked	PPP	pedestrian pushbutton post	RCTES	reinforced concrete traversable end section
HM	high mast	Mkr	marker	Pen.	penetration	Reinf	reinforcement
HP	high pressure	Mkg	marking	Perf	perforated	Res	reservation
HPS	high pressure sodium	MA	mast arm	Per.	perimeter	Res	residence
HTCG	high tension cable guardrail	Matl	material	Perm	permanent	Ret	retaining
Hwy	highway	Max	maximum	PL	pipeline	Rev	reverse
Hor	horizontal	MC	meander corner	Pl	place	Rt	right
HBP	hot bituminous pavement	Meas	measure	P&P	plan & profile	R/W	right of way
HMA	hot mix asphalt	Mdn	median	PL	plastic limit	Riv	river
Hyd	hydrant	MD	median drain	Pl or P _L	plate	Rd	road
Ph	hydrogen ion content	MC	medium curing	Pt	point	Rdbd	road bed
		MGS	Midwest Guardrail System	PE	polyethylene	Rdwy	roadway
		MM	mile marker	PVC	polyvinyl chloride	RWIS	roadway weather information system
Id	identification	MP	mile post	PCC	Portland Cement concrete	Rk	rock
Incl	inclinometer tube	Min	minimum	PP	power pole	Rt	route
IMH	inlet manhole	Misc	miscellaneous	Preempt	preemption		
ID	inside diameter	Mon	monument	Prefab	prefabricated		
Inst	instrument	Mnd	mound	Prfmd or Pref	preformed		
Intchg	interchange	Mtbl	mountable	Prep	preperation		
Intmdt	intermediate	Mtd	mounted	Press.	pressure		
Intscn	intersection	Mtg	mounting	PRV	pressure relief valve		
Inv	invert	Mk	muck	Prestr	prestressed		
IP	iron pipe			Pvt	private		
				PD	private drive		
				Prod.	production/produce		
				Prog	programmed		
				Prop.	property		
				Prop Ln	property line		
				Ppsd	proposed		
				PB	pull box		
Jt	joint	Neop	neoprene				
Jct	junction	Ntwk	network				
		N	North				
		NE	North East				
		NW	North West				
		NB	Northbound				
		No. or #	number				

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
09-03-15	General Revisions
04-23-18	General Revisions
12-18-20	General Revisions
08-16-22	General Revisions



08/16/22

NDDOT ABBREVIATIONS

D-101-3

Salv	salvage(d)	Tel	telephone
San	sanitary sewer line	Tel B	Telephone Booth
Sec	section	Tel P	telephone pole
SL	section line	Tv	television
Sep	separation	Temp	temperature
Seq	sequence	Temp	temporary
Serv	service	TBM	temporary bench mark
Sht	sheet	T	thinwall tube sample
Shtng	sheeting	Ts	topsoil
Shldr	shoulder	Traf	traffic
Sw or Sdwk	sidewalk	TSCB	traffic signal control box
SD	sight distance	Tr	trail
SN	sign number	Transf	transformer
Sig	signal	Trans	transition
Sgl	single	TT	transmission tower
SRCP	slotted reinforced concrete pipe	TES	traversable end section
SC	slow curing	Trans	transverse
SS	slow setting	Trtd	treated
Sm	small	Trmt	treatment
S	South	Qc	triaxial compression
SE	South East	TERO	tribal employment rights ordinance
SW	South West	Tpl	triple
SB	Southbound	Typ	typical
Sp	spaces		
Spcl	special	Qu	unconfined compressive strength
SA	special assembly	Ugrnd	underground
SP	special provisions	Util	utility
G	specific gravity		
Spk	spike		
SB	split barrel sample	VG	valley gutter
SH	sprinkler head	Vap	vapor
SV	sprinkler valve	Vert	vertical
Sq	square	VCP	vitrified clay pipe
Stk	stake	Vol	volume
Std	standard	VSFS	vehicle speed feedback sign
N	standard penetration test		
Std Specs	standard specifications	Wkwy	walkway
Stm L	steam line	W	water content
SEC	steel encased concrete	WGV	water gate valve
SMA	stone matrix asphalt	WL	water line
SSD	stopping sight distance	WM	water main
SD	storm drain	WMV	water main valve
St	street	W Mtr	water meter
SPP	structural plate pipe	WSV	water service valve
SPPA	structural plate pipe arch	WW	water well
Str	structure	Wrng	wearing
Subd	subdivision	WIM	weigh in motion
Sub	subgrade	W	west
Sub Prep	subgrade preparation	WB	westbound
Ss	subsoil	Wrng	wiring
SS	supplement specification	W/	with
Supp	supplemental	W/o	without
Surf	surfacing	WC	witness corner
Surv	survey		
Sym	symmetrical		

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
09-03-15	General Revisions
04-23-18	General Revisions
12-18-20	General Revisions
08-16-22	General Revisions



08/16/22

MEASUREMENTS

ac	acres
A	ampere
Bd Ft	board feet
Cd	candela
cm	centimeter
C	coulomb
CF	cubic feet
m3	cubic meter
m3/s	cubic meters per second
CY	cubic yard
CY/mi	cubic yards per mile
D or Deg	degree
F	Fahrenheit
F	farad
ft	feet/foot
Gal	gallon
G	giga
Ha	hectare
H	henry
Hz	hertz
hr	hour(s)
in	inch
J	joule
K	kelvin
kN	kilo newton
kPa	kilo pascal
kg	kilogram
kg/m3	kilogram per cubic meter
km	kilometer
K	Kip(s)
LF	linear foot
L	litre
Lm	lumen
L sum	lump sum
Lx	lux
M Hr	man hour
M	mega
m	meter
m/s	meters per second
mi	mile
mL	milliliter
mm	millimeter
mm/hr	millimeters per hour
n	nano
N	newton
Pa	pascal
lb	pounds
sec	seconds
S	siemens
SF	square feet
km2	square kilometer
m2	square meter
SY	square yard
Sta Yd	station yards
SI	Systems International

T	tesla
T/mi	tons per mile
V	volt
W	watt
Wb	weber

SURVEY DESCRIPTIONS

Az	azimuth
Bs	backsight
Brg	bearing
BP Cap	blue plastic cap
BS	both sides
BC	brass cap
CS	curve to spiral
Eq	equation
E	external of curve
FS	far side
FB	field book
Fs	foresight
Geod	geodetic
GIS	Geographical Information System
GPS	Global Positioning System
HI	height of instrument
IM	iron monument
I Pn	iron pin
LS	Land Surveyor (licensed)
LSIT	Land Surveyor In Training
L	length of curve
LC	long chord
LB	level book
Mer	meridian
M	mid ordinate of curve
NGS	National Geodetic Survey
NS	near side
Obsn	observation
Off Loc	office location
OP Cap	orange plastic cap
PK	Parker-Kalon nail
P Cap	plastic cap
PP Cap	pink plastic cap
PCC	point of compound curve
PC	point of curve
PI	point of intersection
PRC	point of reverse curvature
PT	point of tangent
POC	point on curve
POT	point on tangent
RTP	random traverse point
Rge	range
RP Cap	red plastic cap
SC	spiral to curve
ST	spiral to tangent
Sta	station
SE	superelevation
Tan	tangent
T	tangent (semi)
TS	tangent to spiral
Twp	township
TB	transit book
TP	traverse point
TP	turning point
USC&G	US Coast & Geodetic Survey
USGS	US Geologic Survey
VC	vertical curve
WGS	World Geodetic System
YP Cap	yellow plastic cap
Z	zenith

SOIL TYPES

Cl	clay
Cl F	clay fill
Cl Hvy	clay heavy
Cl Lm	clay loam
Co S	coal slack
C Gr	coarse gravel
CS	coarse sand
FS	fine sand
Gr	gravel
Lig Co	lignite coal
Lig Sl	lignite slack
Lm	loam
Rk	rock
Sd	sand
Sdy Cl	sandy clay
Sdy Cl Lm	sandy clay loam
Sdy Fl	sandy fill
Sdy Lm	sandy loam
Sc	scoria
Sh	shale
Si Cl	silt clay
Si Cl Lm	silty clay loam
Si Lm	silty loam

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	Sheet Added - Continued from D-101-3



12 18 2020

NDDOT UTILITY COMPANY AND ORGANIZATION ABBREVIATIONS

D-101-10

702COM	702 Communications	GT PLNS NAT GAS	Great Plains Natural Gas Company	RED RIV COMM	Red River Rural Communications
ACCENT	Accent Communications	HALS TEL	Halstad Telephone Company	RESVTN TEL	Reservation Telephone
AGASSIZ WU	Agassiz Water Users Incorporated	IDEA1	Idea1	ROBRTS TEL	Roberts Company Telephone
AGC	Associated General Contractors of America	INT-COMM TEL	Inter-Community Telephone Company	R-RIDER ELEC	Roughrider Electric Cooperative
ALL PL	Alliance Pipeline	KANEB PL	Kaneb Pipeline Company	RRVW	Red River Valley & Western Railroad
ALL SEAS WU	All Seasons Water Users Association	KEM ELEC	Kem Electric Cooperative Incorporated	S CENT REG WD	South Central Regional Water District
AMOCO PI	Amoco Pipeline Company	KOCH GATH SYS	Koch Gathering Systems Incorporated	S E W U	South East Water Users Incorporated
AMRDA HESS	Amerada Hess Corporation	LKHD PL	Lakehead Pipeline Company	SCOTT CABLE	Scott Cable Television Dickinson
AT&T	AT&T Corporation	LNGDN RWU	Langdon Rural Water Users Incorporated	SHERDN ELEC	Sheridan Electric Cooperative
B PAW	Bear Paw Energy Incorporated	LWR YELL R ELEC	Lower Yellowstone Rural Electric	SHEYN VLY ELEC	Sheyenne Valley Electric Cooperative
BAKER ELEC	Baker Electric	MCKNZ CON	McKenzie Consolidated Telcom	SKYTECH	Skyland Technologies Incorporated
BASIN ELEC	Basin Electric Cooperative Incorporated	MCKNZ ELEC	McKenzie Electric Cooperative	SLOPE ELEC	Slope Electric Cooperative Incorporated
BEK TEL	Bek Communications Cooperative	MCKNZ WRD	McKenzie County Water Resource District	SOURIS RIV TELCOM	Souris River Telecommunications
BELLE PL	Belle Fourche Pipeline Company	MCLEOD	McLeod USA	ST WAT COMM	State Water Commission
BLM	Bureau of Land Management	MCLN ELEC	McLean Electric Cooperative	STATE LN WATER	State Line Water Cooperative
BNSF	Burlington Northern Santa Fe Railway	MCLN-SHRDN R WAT	McLean-Sheridan Rural Water	STER ENG	Sterling Energy
BOEING	Boeing	MDU	Montana-dakota Utilities	STUT RWU	Stutsman Rural Water Users
BRNS RWD	Barnes Rural Water District	MIDCO	MidContinent Communications	SW PL PRJ	Southwest Pipeline Project
BURK-DIV ELEC	Burke-Divide Electric Cooperative	MIDSTATE TEL	Midstate Telephone Company	T M C	Turtle Mountain Communications
BURL WU	Burleigh Water Users	MINOT CABLE	Minot Cable Television	TCI	TCI of North Dakota
CABLE ONE	Cable One	MINOT TEL	Minot Telephone Company	TESORO HGH PLNS PL	Tesoro High Plains Pipeline
CABLE SERV	Cable Services	MISS VALL COMM	Missouri Valley Communications	TRI-CNTY WU	Tri-County Water Users Incorporated
CAP ELEC	Capital Electric Cooperative Incorporat	MISS W W S	Missouri West Water System	TRL CO RWU	Traill County Rural Water Users
CASS CO ELEC	Cass County Electric Cooperative	MNKOTA PWR	Minnkota Power	UNTD TEL	United Telephone
CASS RWU	Cass Rural Water Users Incorporated	MOR-GRAN-SOU ELEC	Mor-gran-sou Electric Cooperative	UPPR SOUR WUA	Upper Souris Water Users Association
CAV ELEC	Cavalier Rural Electric Cooperative	MOUNT-WILLI ELEC	Mountrail-williams Electric Cooperative	US SPRINT	U.S. Sprint
CBLCOM	Cablecom Of Fargo	MRE LBTY TEL	Moore & Liberty Telephone	USAF MSL CABLE	U.S.A.F. Missile Cable
CENEX PL	Cenex Pipeline	MUNICIPAL	City Water And Sewer	USFWS	US Fish and Wildlife Service
CENT PL WATER DIST	Central Pipe Line Water District	MUNICIPAL	City Of '.....'	USW COMM	U.S. West Communications
CENT PWR ELEC	Central Power Electric Cooperative	N CENT ELEC	North Central Electric Cooperative	VRNDRY ELEC	Verendrye Electric Cooperative
CENTURYLINK	CenturyLink	N VALL W DIST	North Valley Water District	W RIV TEL	West River Telephone Incorporated
COE	Corps of Engineers	ND PKS & REC	North Dakota Parks And Recreation	WAPA	Western Area Power Administration
CONS TEL	Consolidated Telephone	ND TEL	North Dakota Telephone Company	WAWSA	Western Area Water Supply Authority
CONT RES	Continental Resource Inc	NDDOT	North Dakota Department of Transportation	WEB	W. E. B. Water Development Association
CPR	Canadian Pacific Railway	NDSU SOIL SCI DEPT	NDSU Soil Science Department	WILLI RWA	Williams Rural Water Association
D O E	Department Of Energy	NEMONT TEL	Nemont Telephone	WILSTN BAS PL	Williston Basin Interstate Pipeline Company
DAK CARR	Dakota Carrier Network	NODAK R ELEC	Nodak Rural Electric Cooperative	WLSH RWD	Walsh Water Rural Water District
DAK CENT TEL	Dakota Central Telephone	NOON FRMS TEL	Noonan Farmers Telephone Company	WOLVRTN TEL	Wolverton Telephone
DAK RWD	Dakota Rural Water District	NPR	Northern Plains Railroad	XLENER	Xcel Energy
DGC	Dakota Gasification Company	NSP	Northern States Power	YSVR	Yellowstone Valley Railroad
DICKEY R NET	Dickey Rural Networks	NTH PRAIR RW	Northern Prairie Rural Water Association		
DICKEY RWU	Dickey Rural Water Users Association	NTHN BRDR PL	Northern Border Pipeline		
DICKEY TEL	Dickey Telephone	NTHN PLNS ELEC	Northern Plains Electric Cooperative Incorporated		
DNRR	Dakota Northern Railroad	NTHWSTRN REF	Northwestern Refinery Company		
DOME PL	Dome Pipeline Company	NW COMM	Northwest Communication Cooperation		
DVELEC	Dakota Valley Electric Cooperative	NWRWD	Northwest Rural Water District		
DVMW	Dakota, Missouri Valley & Western	ONEOK	Oneok gas		
ENBRDG	Enbridge Pipelines Incorporated	OSHA	Occupational Safety and Health Administration		
ENVENTIS	Enventis Telephone	OTTR TL PWR	Otter Tail Power Company		
EQUINOR	Equinor Pipeline	PAAP	Plains All American Pipeline		
FALK MNG	Falkirk Mining Company	P L E M	Prairielands Energy Marketing		
FHWA	Federal Highway Administration	POLAR COM	Polar Communications		
G FKS-TRL WD	Grand Forks-traill Water District	PVT ELEC	Private Electric		
GETTY TRD & TRAN	Getty Trading & Transportation	QWEST	Qwest Communications		
GLDN W ELEC	Golden West Electric Cooperative	R&T W SUPPLY	R & T Water Supply Association		
GRGS CO TEL	Griggs County Telephone				
GTR RAMSEY WD	Greater Ramsey Water District				

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
04-23-18	General Revisions
09-20-18	General Revisions
12-10-20	General Revisions
08-16-22	General Revisions








































08/16/22

LINE STYLES









D-101-20

Existing Topography























	Existing Ground Void
	Existing Cemetary Boundary
	Existing Box Culvert Bridge
	Existing Concrete Surface
	Existing Drainage Structure
	Existing Gravel Surface
	Existing Riprap
	Existing Dirt Surface
	Existing Asphalt Surface
	Existing Tie Point Line
	Existing Railroad Centerline
	Existing Guardrail Cable
	Existing Guardrail Metal
	Existing Edge of Water
	Existing Fence
	Existing Railroad
	Existing Field Line
	Exst Flow
	Existing Curb
	Existing Valley Gutter
	Existing Driveway Gutter
	Existing Curb and Gutter
	Existing Mountable Curb and Gutter

	Existing 3-Cable w Posts
	Site Boundary
	Existing Berm, Dike, Pit, or Earth Dam
	Existing Ditch Block
	Existing Tree Boundary
	Existing Brush or Shrub Boundary
	Existing Retaining Wall
	Existing Planter or Wall
	Existing W-Beam Guardrail with Posts
	Existing Railroad Switch
	Gravel Pit - Borrow Area
	Existing Wet Area-Vegetation Break
	Existing High Tension Cable Guardrail
	Existing High Tension Cable Guardrail with Posts





Proposed Topography

	3-Cable w Posts
	Flow
	Fence
	Remove Line
	Wall
	Retaining Wall (Plan View)
	W-Beam w Posts
	High Tension Cable Guardrail with Posts










Existing Utilities

	Existing Electrical
	Existing Fiber Optic Line
	Existing TV Fiber Optic
	Existing Gas Pipe
	Existing Overhead Utility Line
	Existing Power
	Existing Fuel Pipeline
	Existing Undefined Above Ground Pipe Line
	Existing Sanitary Sewer
	Existing Sanitary Force Main
	Existing Storm Drain
	Existing Storm Drain Force Main
	Existing Culvert
	Existing Telephone Line
	Existing TV Line
	Existing Water or Steam Line
	Existing Under Drain
	Existing Slotted Drain
	Existing Conduit
	Existing Conductor
	Existing Down Guy Wire Down Guy
	Existing Underground Vault or Lift Station




Proposed Utilities


	24 Inch Pipe
	Reinforced Concrete Pipe
	Under Drain
	Edge Drain

Traffic Utilities

	Conductor
	Fiber Optic
	Existing Loop Detector
	Existing Double Micro Loop Detector
	Micro Loop Detector Double
	Existing Micro Loop Detector
	Micro Loop Detector
	Signal Head with Mast Arm
	Existing Signal Head with Mast Arm

Sign Structures














	Existing Overhead Sign Structure
	Existing Overhead Sign Structure Cantilever
	Overhead Sign Structure Cantilever

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION		
07-01-14 REVISIONS		
DATE	CHANGE	
09-23-16 12-18-20	Added and Revised Items, Organized by Functional Groups General Revisions	
12 18 2020		










LINE STYLES

D-101-21









Right Of Way

	Easement
	Existing Easement
	Right of Way
	Existing Right of Way
	Existing Right of Way Railroad
	Existing Right of Way Not State Owned
	Existing Government Lot Line
	Existing Adjacent Block Lines
	Existing Adjacent Lot Lines
	Existing Adjacent Property Line
	Existing Adjacent Subdivision Lines
	Sight Distance Triangle Line
	Dimension Leader







Boundary Control



	Existing City Corporate Limits or Reservation Boundary
	Existing State or International Line
	Existing Township
	Existing County
	Existing Section Line
	Existing Quarter Section Line
	Existing Sixteenth Section Line
	Existing Centerline
	Tangent Line

Cross Sections and Typicals



	Existing Ground
	Existing Topsoil (Cross Section View)
	Existing Ground Void (Not Surveyed)
	Existing Concrete
	Existing Aggregate (Cross Section View)
	Existing Curb and Gutter (Cross Section View)
	Existing Asphalt (Cross Section View)
	Existing Reinforcement Rebar

Geotechnical



	Geotextile Fabric Type D
	Geogrid
	Geotextile Fabric Type R
	Geotextile Fabric Type R1
	Geotextile Fabric Type RR
	Geotextile Fabric Type S

	Subgrade Reinforcement
	Failure Line







Countours

	Depression Contours
	Supplemental Contour





Profile

	Subgrade, Subcut or Ditch Grade
	Topsoil Profile










Striping

	Centerline Pavement Marking
	Barrier with Centerline Pavement Marking
	Barrier Pavement Marking
	Stripe 4 IN Dotted Extension White
	Stripe 8 IN Dotted Extension White
	Stripe 8 IN Lane Drop








Pavement Joints

	Doweled Joint
	Tie Bar 30 Inch 4 Foot Center to Center
	Tie Bar 18 Inch 3 Foot Center to Center
	Tie Bar at Random Spacing






Bridge Details

	Small Hidden Object
	Large Hidden Object
	Phantom Object
	Existing Conditions Object
	Centerline Main
	Centerline Secondary
	Excavation Limits
	Proposed Ground
	Sheet Piling

Erosion Control

	Limits of Const Transition Line
	Bale Check
	Rock Check
	Floating Silt Curtain
	Silt Fence
	Excavation Limits
	Fiber Rolls

Environmental

	Wetland Mitigation
	Existing Wetland Easement USFWS
	Existing Wetland Jurisdictional
	Existing Wetland
	Tree Row

NORTH DAKOTA
DEPARTMENT OF TRANSPORTATION

07-01-14

REVISIONS

DATE	CHANGE
09-23-16 12-18-20	Added and Revised Items, Organized by Functional Groups General Revisions

KIRK J. HOFF

REGISTERED

PROFESSIONAL

PE-4683

ENGINEER

NORTH DAKOTA

12 18 2020


SYMBOLS

D-101-30


 North Arrow (Half Scale)


 Alignment Data Point

 Alignment Monument


 Spot Elevation

 Existing Miscellaneous Spot

 Existing Access Control Arrow

 Existing Benchmark


 Reset USGS Marker

 Iron Monument Found


 Iron Pin R/W Monument

 Property Corner

 Iron Pin Reference Monument


   Right of Way Marker (Exst, Ppsd, Reset)


 Existing Federal Reference Corner

    Existing Section Corner (Full, Quarter, Sixteenth, Meander)


 Existing Witness Corner


   Existing Control Point (CP, GPS-RTK, TRI)


 Existing Traverse PI Aerial Panel


 Existing Reference Marker Point NGS

 Existing EFB Misc

 Existing Bush or Shrub


 Existing Large Evergreen Tree

 Existing Small Evergreen Tree


 Existing Large Tree

 Existing Small Tree

 Existing Tree Trunk

 Cairn or Stone Circle


 Existing Artifact


 Existing Satellite Dish


 Existing Weather Station


 Existing Windmill or Tower


 Reinforced Pavement


 Continuous Split Barrel Sample


 Flight Auger Sample

 Split Barrel Sample

 Thinwall Tube Sample

 Standard Penetration Test

 Inclinometer Tube

 Excavation Unit

 Existing Ground Water Well Bore Hole

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	General Revisions

KIRK J. HOFF

REGISTERED

PROFESSIONAL

PE-4683





































ENGINEER

NORTH DAKOTA


12 18 2020

SYMBOLS

D-101-31

	Flexible Delineator		Highway Sign (Exst, Ppsd)
	Flexible Delineator Type A (Exst, Ppsd)		Mile Post Type A (Exst-Ppsd-Reset)
	Flexible Delineator Type B (Exst, Ppsd)		Mile Post Type B (Exst, Ppsd)
	Flexible Delineator Type C (Exst, Ppsd)		Mile Post Type C (Exst, Ppsd)
	Flexible Delineator Type D (Exst, Ppsd)		Object Marker Type I (Exst, Ppsd)
	Flexible Delineator Type E (Exst, Ppsd)		Object Marker Type II (Exst, Ppsd)
	Delineator Type A (Exst, Ppsd, Diamond Grade-Reset)		Object Marker Type III (Exst, Ppsd)
	Delineator Type B (Exst, Ppsd, Diamond Grade-Reset)		Existing Reference Marker
	Delineator Type C (Exst, Ppsd, Diamond Grade)		Road Closure Gate 18 Ft (Exst, Ppsd)
	Delineator Type D (Exst, Ppsd, Diamond Grade)		Road Closure Gate 28 Ft (Exst, Ppsd)
	Delineator Type E (Exst, Ppsd, Diamond Grade)		Road Closure Gate 40 Ft (Exst, Ppsd)
	Barricade (Type I, Type II, Type III)		Existing Railroad Battery Box
	Arrow Panel (Caution Mode, Double Direction, Left Directional, Right Directional, Sequencing, Truck Mounted)		Existing RR Profile Spot
	Attenuation Device		Existing Railroad Crossbuck
	Truck Mounted Attenuator		Existing Railroad Frog
	Delineator Drums		Existing Mailbox (Private, Federal)
	Flagger		
	Tubular Marker		
	Traffic Cone		
	Back to Back Vertical Panel Sign		

















































































NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	General Revisions




12 18 2020

SYMBOLS

D-101-32


	Existing Luminaire			High Mast Light Standard 3 Luminaire (Exst, Ppsd)		Existing Traffic Signal Standard			
	Luminaire LED			High Mast Light Standard 4 Luminaire (Exst, Ppsd)				Pull Box (Exst-Ppsd-Undefined)	
	Existing Light Standard Luminaire			High Mast Light Standard 5 Luminaire (Exst, Ppsd)				Intelligent Transportation Pull Box (Exst, Ppsd)	
	Relocate Light Standard			High Mast Light Standard 6 Luminaire (Exst, Ppsd)				Transformer (Exst, Ppsd)	
	Light Standard Light LED Luminaire			High Mast Light Standard 7 Luminaire (Exst, Ppsd)				Power Pole (Exst-Ppsd-with Transformer)	
	Light Standard 35 Watt High Pressure Sodium Vapor Luminaire			High Mast Light Standard 8 Luminaire (Exst, Ppsd)				Wood Pole (Exst, Ppsd)	
	Light Standard 50 Watt High Pressure Sodium Vapor Luminaire			High Mast Light Standard 9 Luminaire (Exst, Ppsd)				Pedestrian Push Button Post (Exst, Ppsd)	
	Light Standard 70 Watt High Pressure Sodium Vapor Luminaire			High Mast Light Standard 10 Luminaire (Exst, Ppsd)				Existing Pole	
	Light Standard 100 Watt High Pressure Sodium Vapor Luminaire			Overhead Sign Structure Load Center (Exst, Ppsd)				Existing Telephone Pole	
	Light Standard 150 Watt High Pressure Sodium Vapor Luminaire			Traffic Signal Controller (Exst, Ppsd)				Existing Post	
	Light Standard 200 Watt High Pressure Sodium Vapor Luminaire			Pad Mounted Traffic Signal Controller (Exst, Ppsd)					Connection Conductor (Ground, Neutral, Phase 1, Phase 2)
	Light Standard 250 Watt High Pressure Sodium Vapor Luminaire			Flashing Beacon (Exst, Ppsd)					
	Light Standard 310 Watt High Pressure Sodium Vapor Luminaire			Concrete Foundation (Exst, Ppsd)					
	Light Standard 400 Watt High Pressure Sodium Vapor Luminaire			Pipe Mounted Flasher (Exst, Ppsd)					
	Light Standard 700 Watt High Pressure Sodium Vapor Luminaire			Pad Mounted Feed Point (Exst, Ppsd)					
	Light Standard 1000 Watt High Pressure Sodium Vapor Luminaire			Pipe Mounted Feed Point with Pad (Exst, Ppsd)					
	Emergency Vehicle Detector			Pole Mounted Feed Point (Exst, Ppsd)					
	Video Detection Camera			Junction Box (Exst, Ppsd)					
				Existing Pedestrian Head with Number					
				Existing Signal Head					
				Pole Mounted Head					
				Existing Lighting Standard Pole					

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	General Revisions



KIRK J. HOFF
REGISTERED
PROFESSIONAL ENGINEER

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	General Revisions



12 18 2020

SYMBOLS

D-101-33




			Existing Manhole (Electrical, Gas, Telephone)		Cap or Stub Exst Gas, Exst Sanitary, Exst Storm Drain, Ppsd Storm Drain, Exst Water
			Water Manhole (Exst, Exst with Valve)		Existing Pedestal Electrical, Telephone, Fiber Optic Telephone, TV, Fiber Optic TV, Undefined
			Sanitary Sewer Manhole (Exst, Ppsd, Exst with Valve)		Existing Pipe Vent Gas, Fuel, Sanitary, Storm Drain, Water, Undefined
			Sanitary Force Main Manhole (Exst, Ppsd, Exst with Valve)		Valve Exst Gas, Exst Water, Ppsd Water, Exst Undefined
			Storm Drain Manhole (Exst, Ppsd, Exst with Inlet, Ppsd with Inlet)		Pump Sanitary, Storm Drain, Exst Water
			Force Main Storm Drain Manhole (Exst, Exst with Valve)		Corrugated Metal End Section (18, 24, 30, 36, 42, 48, 54, 60 Inch)
			Manhole (Ppsd, Ppsd 48 Inch, Exst Undefined)		Reinforced Concrete End Section (18, 24, 30, 36, 42, 48, 54, 60 Inch)
			Existing Water Appurtenance		Existing Utility Marker
			Sprinkler Head (Exst, Ppsd)		Existing Meter
			Fire Hydrant (Exst, Ppsd)		Existing Fuel Dispensers
			Cleanout (Exst Sanitary, Underdrain)		Existing Fuel Filler Pipes
			Existing Catch Basin Inlet (Round, Square)		Existing Fuel Leak Sensors
			Existing Curb Inlet (Round, Square)		
			Existing Slotted Reinforced Concrete Pipe		
			Catch Basin (Riser 30 Inch, Beehive, Type A)		
			Inlet Mountable Curb (Type A, Type B)		
			Inlet Saddle Base (Type 1, Type 2)		
			Inlet Special (Catch Basin, Type 1, Type A)		
			Inlet (Tee, Type 1, Type 2, Type 2 Double)		
			Median Drain		
			Headwall (Exst, Ppsd, Ppsd Single with Vegetation Barrier, Ppsd Double with Vegetation Barrier)		

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
07-01-14	
REVISIONS	
DATE	CHANGE
12-18-20	General Revisions Sheet added - Continued from D-101-32

KIRK J. HOFF
REGISTERED
PROFESSIONAL
PE-4683
ENGINEER
NORTH DAKOTA
12 18 2020

STANDARD RURAL APPROACHES

D-203-8



CASE 1

APPROACH PIPE LOCATED
60' OR MORE FROM C

CASE 2


APPROACH PIPE LOCATED
LESS THAN 60' FROM C

Approach Pipe Traversable End Sections (TES)




RCP	CSP	CSP Arch
15"	15"	
18"	18"	21"x15"
		24"x18"
24"	24"	28"x20"

CRITERIA FOR RURAL APPROACH TYPES


	Field Drives	Private Drives	Low Volume Public Roads
Radius	R=40 ft	R=40 ft	R=50 ft
Maximum Grade	10%	7%	7%
Storage Platform	24 ft	24 ft	50 ft
Vertical Curve Length	10 ft	10 ft	Varies (Min. 20 mph)




*2.1% crown for paved surface
*3.0% crown for gravel surface



APPROACH GRADE ON FILL SECTION



APPROACH GRADE ON DEEP FILL SECTION



APPROACH GRADE ON CUT SECTION

NOTES:



1. 5% Max Rollover between approach storage platform and highway.
2. Approach pipes up to 24" diameter are acceptable (with traversable end sections) for Case 2. Install approach pipes larger than 24" diameter in accordance with Case 1.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
2-25-14	
REVISIONS	
DATE	CHANGE
06-30-17	Revised Radius, Storage Platform, Inslope dimensions, and Note 1
10-25-19 06-29-22	Changed "Inslope" to "Foreslope" Added "TES", Table, and Note 2






06/29/22


EROSION AND SILTATION CONTROL
EROSION CONTROL BLANKET INSTALLATION




NOTE:
If a Single Net Blanket is used, the side with the netting should be on the top once the blanket is installed.



STAPLE PATTERN
(3.8 staples per square yard)




PIPE INLETS



PIPE OUTLETS

INSTALLATION AT PIPE ENDS




BLANKET LAYOUT
CHANNEL INSTALLATION

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-03-13	
REVISIONS	
DATE	CHANGE
06-26-14	Changed standard drawing number from D-708-6 to D-255-2
07-27-15	Changed installation details such as trench depth and overlap dimensions
08-27-19	New Design Engineer PE Stamp
08-27-25	Revised minor details for clarity




08/27/25


EROSION AND SILTATION CONTROLS - SILT FENCE




INSTALLATION DETAIL




TYPICAL ISOMETRIC



MACHINE SLICED SILT FENCE



SILT FENCE SUPPORTED



SILT FENCE UNSUPPORTED


- NOTES:
1. Install the ends of the silt fence to point slightly upslope to prevent sediment from flowing around the ends of the fence.
 2. Place splices outside low spots.
 3. Install silt fencing parallel to contour lines.
 4. Do not embed silt fence when placed in standing water.
 5. Silt fence material does not need to reach the top of woven wire support.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-03-13	
REVISIONS	
DATE	CHANGE
06-26-14	Standard drawing resulted from splitting standard D-708-2.
06-27-16 08-27-19	Revised details & added new ones. New Design Engineer PE Stamp.

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 08/27/19 and the original document is stored at the
North Dakota Department
of Transportation


EROSION CONTROL
FIBER ROLL PLACEMENT DETAILS

D-261-1




*Optional Weir. Use in flat areas, such as the Red River Valley, where there is potential for water to back up on adjacent property. Lower fiber roll enough to prevent water from backing up on adjacent property. Do not use 20-inch fiber rolls in flat areas where there is potential for water to back up on adjacent property.


12 OR 20 INCH FIBER ROLL - DITCH BOTTOM




PLAN VIEW FOR SLOPE APPLICATION



PLAN VIEW FOR DITCH APPLICATION



Detail A
Fiber Roll Overlapping Staking Detail



Detail B
Fiber Roll Staking Detail


FIBER ROLL DIAMETER	NOMINAL STAKE SIZE	MINIMUM STAKE LENGTH	MINIMUM TRENCH DEPTH	MAXIMUM TRENCH DEPTH
6"	2" x 2"	18"	2"	2"
12"	2" x 2"	24"	2"	3"
20"	2" x 2"	36"	3"	5"

NOTE: Runoff must not be allowed to run under or around roll.


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
11-18-10	
REVISIONS	
DATE	CHANGE
06-10-13	Added plan view for ditch and slope application. Added table with values for stake and trench dimensions.
10-04-13	Revised fiber roll overlap detail.
06-26-14	Changed standard drawing number from D-708-7 to D-261-1.
08-27-19	New Design Engineer PE Stamp

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 08/27/19 and the original document is stored at the
North Dakota Department
of Transportation

PILE SPLICE DETAILS




ENLARGED VIEW




PILE	8"	10"	12"	14"
"F" FLANGE	5"	6½"	8"	10"
"W" WEB	4"	5½"	6½"	8"

H-PILE SPLICE DETAIL



Flare scarf inside of both flanges and one side of web of upper section.



ALTERNATE H-PILE SPLICE DETAIL


NOTES:

Construct splices in accordance with Section 622. Weld as specified in the latest AASHTO/AWS D 1.5 Bridge Welding Code.


Construct splices in steel H-Piles utilizing complete penetration groove welds in both flanges and the web, or using steel reinforcing plates as shown. If reinforcing plates are used to construct the pile splice, use plates with a minimum thickness equal to the flange thickness of the H-Pile and matching the steel grade of the H-pile.

Use electrodes that meet the requirements of AWS-A5.1, Classification E6010, E6011, or E7018.


* Root gouge to sound metal and weld from the second side if backing material is not used.




Backing Ring may be made from pile cut-offs or other material of a like quality.



END PLATE DETAIL



STEEL-ENCASED CONCRETE PILE SPLICE DETAIL



ENLARGED VIEW

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
09/14/11	
REVISIONS	
DATE	CHANGE
09/03/19 02/23/24	Updated Signature Updated Signature Revised notes & updated to active voice

REGISTERED PROFESSIONAL ENGINEER

JASON R. THORENSEN

PE - 5048




DATE

02/23/24

NORTH DAKOTA

Perforated Tube

- Notes:
1. Torque slip base bolts as specified by manufacturer.
 2. Use anchor with 43.9 KSI yield strength and 59.3 KSI tensile strength.
 3. Provide 4" vertical clearance for anchor or breakaway base. Measure the 4"x60" measurement above and below post location and back and ahead of post.
 4. In concrete sidewalk, use same anchor without wings.
 5. Provide more than 7' between the first and fourth posts of a four post sign.





Telescoping Perforated Tube						
Number of Posts	Post Size in.	Wall Thick-ness Gauge	Sleeve Size in.	Wall Thick-ness Gauge	Slip Base	Anchor Size without Slip Base in.
1	2	12			No	2 1/4
1	2 1/4	12			No	2 1/2
1	2 1/2	12			(A)	3
1	2 1/2	10			Yes	
1	2 1/4	12	2	12	Yes	
1	2 1/2	12	2 1/4	12	Yes	
2	2	12			No	2 1/4
2	2 1/4	12			No	2 1/2
2	2 1/2	12			Yes	
2	2 1/2	12			Yes	
2	2 1/4	10	2	12	Yes	
2	2 1/2	12	2 1/4	12	Yes	
3 & 4	2 1/2	12			Yes	
3 & 4	2 1/2	10			Yes	
3 & 4	2 1/2	12	2 1/4	12	Yes	
3 & 4	2 1/4	12	2	12	Yes	
3 & 4	2 1/2	10	2 3/16	10	Yes	

Properties of Telescoping Perforated Tube						
Tube Size in.	Wall Thickness in.	U.S. Standard Gauge	Weight per Foot lbs.	Moment of Inertia in. ⁴	Cross Sec. Area in. ²	Section Modulus in. ³
1 1/2 x 1 1/2	0.105	12	1.702	0.129	0.380	0.172
2 x 2	0.105	12	2.416	0.372	0.590	0.372
2 1/4 x 2 1/4	0.105	12	2.773	0.561	0.695	0.499
2 3/8 x 2 3/8	0.135	10	3.432	0.605	0.841	0.590
2 1/2 x 2 1/2	0.105	12	3.141	0.804	0.803	0.643
2 1/2 x 2 1/2	0.135	10	4.006	0.979	1.010	0.785

Top Post Receiver Data Table						
Square Post Sizes (B)	A	B	C	D	E	F
2 3/16"x10 ga.	1 5/16"	2 1/2"	3 1/2"	2 5/32"	1 33/64"	1 7/8"
2 1/2"x10 ga.	1 3/32"	2 1/2"	3 5/16"	5/8"	1 21/32"	1 3/4"






- (A) Use breakaway base when support is placed in weak soils. Engineer determines if soils are weak.
- (B) For additional wind load, insert the 2 3/8"x10 ga. into 2 1/2"x10 ga.



NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
2-28-14	
REVISIONS	
DATE	CHANGE
9-27-17 10-03-19	Updated to active voice New Design Engr PE Stamp

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 10/03/19 and the original document is stored at the
North Dakota Department
of Transportation

U-Channel Post



Alternate A Steps of Installation:


- a) Drive anchor unit to within 12" of ground level.
b) Establish proper assembly by lining up bottom hole of retainer strap with 6th hole from the top of the anchor unit.
c) Assemble strap to back of anchor unit using 5/16"x2" bolt, lock washer and nut.
d) Rotate strap 90° to left.
- a) Drive anchor unit to 4" above ground.
b) Rotate strap to vertical position.
- a) Place 5/16"x2" bolt, lock washer and nut in bottom of sign post to facilitate alignment of sign post with proper hole in anchor unit.
b) Alternately tighten two connector bolts.
- Complete assembly by tightening 5/16"x2" bolt (this fastens sign post to retainer strap).
- Properly nest base post, strap, and sign post. Proper nesting occurs when all flat surfaces of the base post, strap, and sign post at the bolts have full contact across the entire width.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
2-28-14	
REVISIONS	
DATE	CHANGE
9-27-17 10-03-19	Updated to active voice New Design Engr PE Stamp


This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 10/03/19 and the original document is stored at the North Dakota Department of Transportation

CONSTRUCTION SIGN DETAILS
TERMINAL AND GUIDE SIGNS


D-704-9



G20-1-60
Legend: black (non-refl)
Background: orange




G20-1b-60
Legend: black (non-refl)
Background: orange




G20-2-48
Legend: black (non-refl)
Background: orange




G20-4b-36
Legend: black (non-refl)
Background: orange




G20-50a-72
Legend: black (non-refl)
Background: orange




G20-52a-72
Legend: black (non-refl)
Background: orange




G20-55-96
Legend: black (non-refl)
Background: orange




E5-1(L or R)-48
Legend: white
Background: green (orange optional)




M4-8-36
Legend: black (non-refl)
Background: orange




M4-9(L or R)-30 & M4-9-30
Legend: black (non-refl)
Background: orange




E5-1-48




G20-50a-72
G20-52a-72



M4-9(L or R)-30
Right or Left



M4-9(L or R)-30
Advanced Right or Left








M4-9-30
Straight

ARROW DETAILS

NOTES:
(A) Arrow may be right or left of the legend to indicate construction to the right or left.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION		This document was originally issued and sealed by Kirk J Hoff, Registration Number PE-4683, on 10/03/19 and the original document is stored at the North Dakota Department of Transportation
8-13-13		
REVISIONS		
DATE	CHANGE	
8-17-17 10-03-19	Added sign & background color New Design Engineer PE Stamp	




NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
8-13-13	
REVISIONS	
DATE	CHANGE
8-17-17 10-03-19	Revised sign number New Design Engineer PE Stamp

This document was originally issued and sealed by
Kirk J Hoff,
 Registration Number
PE- 4683 ,
 on 10/03/19 and the original document is stored at the
 North Dakota Department
 of Transportation


CONSTRUCTION SIGN DETAILS
WARNING SIGNS

D-704-11




W5-8-48

Legend: black (non-refl)
Background: orange




W8-53-48

Legend: black (non-refl)
Background: orange




W8-56-48

Legend: black (non-refl)
Background: orange




W5-9-48

Legend: black (non-refl)
Background: orange




W8-54-48

Legend: black (non-refl)
Background: orange




W9-3a-48

Legend: black (non-refl)
Background: orange



W8-9a-48

Legend: black (non-refl)
Background: orange





W8-55-48

Legend: black (non-refl)
Background: orange

WORD	LETTER SPACING
AHEAD	Standard
200 FT	Standard
350 FT	Standard
500 FT	Standard
1000 FT	Reduce 40%
1500 FT	Reduce 40%
1/2 MILE	Reduce 50%
1 MILE	Standard

* DISTANCE MESSAGES



ARROW DETAILS


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
8-13-13	
REVISIONS	
DATE	CHANGE
8-17-17	Updated sign number
5-31-18	Revised sign and arrow details
10-03-19	New Design Engineer PE Stamp

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 10/03/19 and the original document is stored at the
North Dakota Department
of Transportation

CONSTRUCTION SIGN DETAILS
WARNING SIGNS


WORD	LETTER SPACING
AHEAD	Standard
200 FT	Standard
350 FT	Standard
500 FT	Standard
1000 FT	Reduce 40%
1500 FT	Reduce 40%
½ MILE	Reduce 50%
1 MILE	Standard

* DISTANCE MESSAGES




W16-7aP-18

Legend: black (non-refl)
Background: orange




W21-50-48

Legend: black (non-refl)
Background: orange




W21-53-48

Legend: black (non-refl)
Background: orange




W20-51-48

Legend: black (non-refl)
Background: orange




W21-51-48

Legend: black (non-refl)
Background: orange




W22-8-48

Legend: black (non-refl)
Background: orange




W16-7aP-18



W20-52P-54

Legend: black (non-refl)
Background: orange




W21-52-48

Legend: black (non-refl)
Background: orange


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION		This document was originally issued and sealed by Kirk J Hoff, Registration Number PE- 4683, on 11/1/19 and the original document is stored at the North Dakota Department of Transportation
5-31-18		
REVISIONS		
DATE	CHANGE	
11-01-19	Added details for sign W16-7aP-18.	

BARRICADE AND CHANNELIZING DEVICE DETAILS




Provide horizontal, circumferential, alternating orange and white retroreflective stripes 4" to 6" wide for drum markings. Use a minimum of two orange and two white stripes with the top stripe being orange for each drum. Do not exceed 3" nonretroreflectORIZED spaces between the horizontal orange and white stripes. Avoid placement of stripes on drum ribs or indentations. Use closed top drums that will not allow collection of debris. Do not place ballast on the top of drum.


Provide alternating orange and white retroreflective stripes, sloping downward in direction vehicular traffic is to pass. Place retroreflective sheeting on both sides of panel with a minimum of 270 square inches of retroreflective area facing vehicular traffic. Where the height of the retroreflective material on the vertical panel is 36 inches or more, use a stripe width of 6 inches.




Provide retroreflectORIZATION of cones more than 36" in height by alternating orange and white retroreflective stripes. Use a minimum of two orange and two white stripes for each cone with the top stripe being orange. Use maximum 3" nonretroreflectORIZED space between the orange and white stripes.



Provide retroreflectORIZATION of tubular markers more than 42" in height by alternating four 4" to 6" wide orange and white stripes with the top stripe being orange.




- INSTALLATION NOTES:
1. Drill installation holes to diameter and depth required by manufacturer's specifications.
 2. For removal, remove anchors and fill installation hole with an epoxy designed to bond to pavement surface.
 3. In lieu of bolted down base, use an 8" x 8" butyl pad or hot melt butyl. Remove butyl as close as possible to pavement surface.



BARRICADE BLADE DETAIL


BARRICADE ASSEMBLY DETAIL (Aluminum Barricade Rails)

NOTE: For barricade markings use alternating orange and white retroreflective stripes, sloping downward in the direction traffic is to pass. Place retroreflective sheeting on both sides of the rails with a minimum of 270 square inches of visible retroreflective area facing vehicular traffic. When the barricade length is less than 36", use a rail stripe width of 4".




TYPE I BARRICADE


TYPE II BARRICADE
BARRICADE RAIL DETAILS



SIDE VIEW




TYPE III BARRICADE



ELEVATION VIEW

BARRICADE ASSEMBLY DETAIL (Wood or Plastic Rails)

SIDE VIEW



REFLECTOR DETAIL

ELEVATION

DELINEATORS

MINIMUM BALLAST (For each side of barricade support)

Without Sign	4 - 25 lb sandbags
With Sign	6 - 25 lb sandbags


Note: Number of sandbags based on a wind speed of 55 MPH. Sandbags assumed to be placed at or near the ends of the skids.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-3-13	
REVISIONS	
DATE	CHANGE
9-27-17 11-01-19	Updated to active voice Revised details for Flexible Delineator


This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 11/1/19 and the original document is stored at the North Dakota Department of Transportation

CONSTRUCTION SIGN PUNCHING AND MOUNTING DETAILS


Note: In curb sections, place signs a minimum horizontal distance of 2' from face of the curb to near edge of the sign.




TYPICAL SECTION
(48" x 48" diamond warning sign shown)




24" x 24"
ROUTE MARKER
ASSEMBLY




36" x 36"
ROUTE MARKER
ASSEMBLY




18" x 18"
DIAMOND SIGN




108" x 48" SIGN




48" x 48" DIAMOND SIGN
(with 30" x 30" secondary sign)




48" x 48" DIAMOND SIGN
(with 30" x 24" secondary sign)




96" x 48" SIGN




R1-2-60 - YIELD SIGN




W14-3-64 - PENNANT SIGN




72" x 36" SIGN




R1-1-48 - STOP SIGN
(with R6-1-54 sign as required)




R1-1-48 - STOP SIGN
(with R1-50P-24 sign as required)




72" x 24" SIGN




48" x 48" SIGN
(with R6-1-54 sign as required)




48" x 48" SIGN
(with R2-1aP-24 sign as required)




60" x 24" SIGN




24" x 36" SIGN




30" x 24" SIGN



48" x 24" SIGN



PORTABLE SIGN SUPPORT
LOW-MOUNTING HEIGHT



PORTABLE SIGN SUPPORT
HIGH-MOUNTING HEIGHT

NOTES:

1. Sign Supports: Galvanize or paint supports. Minimum post sizes are 2.5 lb/ft u-channel or 2" x 2" x 12 gauge steel perforated tube, except where noted. When installing signs on u-channel, minimum post size for assemblies containing a secondary sign is 3.0 lb/ft. Post sizes based on a wind speed of 55 MPH.

Place signs over 50 square feet on 2½" x 2½" perforated tube supports as a minimum.

Do not attach guy wires to sign supports. Attach wind beams behind sign panels when used with u-posts.
2. Sign Panels: Provide sign panels made of 0.100" aluminum, ½" plywood, or other approved material, except where noted. Punch all holes round for ⅝" bolts.
3. Alternate Messages: Install and remove alternate message signs on reflectorized plate (without borders) as required. (i.e. "Left" and "Right" message on lane closure sign)
4. Route Marker Auxiliary Signs: Provide route marker auxiliary signs, such as the cardinal direction and directional arrows, with a background and legend that match the route marker they are used with:

Interstate - white legend on blue background
Interstate Business Loop - white legend on green background
US and State - black legend on white background
County - yellow legend on blue background

5. Vertical Clearance: Install signs with a vertical clearance of 5'-0" (see TYPICAL SECTION.). In areas where parking or pedestrian movements are likely or the view of the sign may be obstructed, install signs with a vertical clearance of 7'-0" from the top of the curb or from the near edge of the driving lane in absence of a curb.

The vertical clearance to secondary signs is 1'-0" less than the vertical clearance stated above.

Provide a minimum clearance of 7'-0" from the ground at the post for signs with an area exceeding 50 square feet.

6. Portable Signs: Provide portable signs that meet the vertical clearance stated above when it is necessary to place signs within the pavement surface.

Use of low-mounting height (minimum 12" vertical clearance) portable signs for 5 days or less, is allowed as long as the view of the sign is not obstructed. Time delays caused by unforeseen circumstances, such as equipment breakdown, rain, subgrade failures, etc., will not accrue towards the 5 day period. Use of R9-8 through R9-11a series, W1-6 through W1-8 series, M4-10, and E5-1 is allowed for longer than 5 days.

Restrict signs mounted on portable sign supports shown in the LOW-MOUNTING HEIGHT and HIGH-MOUNTING HEIGHT details to a maximum surface area of 16 square feet.

MINIMUM BALLAST
(For each side of sign support base)

Sign Panel Mounting Height (ft)	Number of 25 lb sandbags for 4' x 4' sign panel
1'	6
5'	8
7'	10


Note: The number of sandbags are based on a wind speed of 55 MPH. Place sandbags at or near the ends of skids.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-4-13	
REVISIONS	
DATE	CHANGE
11-14-13	Revised Note 6
9-27-17	Updated to active voice
11-01-19	Revised 60"x24" sign detail

This document was originally issued and sealed by

Kirk J Hoff,
Registration Number
PE-4683,
on 11/1/19 and the original document is stored at the North Dakota Department of Transportation

ROAD CLOSURE LAYOUTS



NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
9-27-13	
REVISIONS	
DATE	CHANGE
08-17-17	Updated Notes & Spd Limit signs
11-01-19	Sign, Notes, & Pmt Mk updates
12-08-21	Switched order of Road Work Ahead and Spd Limit Enforced & added Dollars At Work
11-29-22	Removed Dollars At Work

KIRK J. HOFF

REGISTERED

PROFESSIONAL

PE-4683


ENGINEER

NORTH DAKOTA

11/29/22

TERMINAL AND SEAL COAT SIGN LAYOUTS

D-704-20



Notes:

- Place barricades on moveable assemblies and signs on portable assemblies when located on roadway.
- Determine the exact speed limit in the field, based on location and conditions.
- Determine the reduced speed limit based on the in place speed limit before construction. Where speed limit reductions exceed 30 MPH, install a second speed limit sign with the desired speed reduction (not to exceed 30 MPH.) Place the second speed limit sign at 1/2 B.
- Install flags on warning signs in urban areas when signs are not portable. Mount 24 inch square flags perpendicular to the edges of the sign, and at such a distance above the edge that the flag does not touch the sign when limp.
- Cover existing speed limit signs within a reduced speed zone.
- On seal coat projects, place signs R2-1-48, R2-1aP-24, R4-1-48, W22-8-48 and W20-52P-54 after all important intersections and at five mile intervals. Place sign W8-12-48 after all important intersections and at 2 mile intervals until short term center line pavement marking is placed.
- As an option, use portable sign supports in lieu of post mounted signs in accordance with the NDDOT Standard Drawing D-704-14.
- Cover or remove speed limit signs from layout Type H when loose aggregate is removed.
- Install sign G20-1b-60 when work is suspended for winter.
- Use other traffic control layouts in immediate work areas. Place sign R2-1aP-24 below speed limit signs in reduced speed limit work areas.
- Sign G20-55-96 is not required if this layout is part of other traffic control that contains this sign, or the work is less than 15 days.
- Recommend using 40 mph speed limit in vicinity of workers, unless location and conditions dictate otherwise.

ADVANCE WARNING SIGN SPACING			
Road Type	Distance Between Signs		
	Min. (ft)		
	A	B	C
Urban - Low Speed (30 mph or less)	150	150	150
Urban - Low Speed (over 30 to 40 mph)	280	280	280
Urban - High Speed (over 40 mph to 50 mph)	360	360	360
Rural - High Speed (over 50 mph to 65 mph)	720	720	720
Urban Expressway and Freeway (55 mph to 60 mph)	850	1350	2200
Rural Expressway and Freeway (70 mph to 75 mph)	1000	1500	2640
Interstate/4-Lane Divided (Maintenance and Surveying)	750	1000	1500

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
9-27-13	
REVISIONS	
DATE	CHANGE
08-17-17	Updated notes & sign numbers
11-01-19	Updated note & sign
12-08-21	Switched order of Road Work and Spd Limit Enforced & added Dollars At Work
11-29-22	Removed Dollars At Work








11/29/22

CONSTRUCTION TRUCK AND TEMPORARY DETOUR LAYOUTS

D-704-22

KEY	
	Type III barricade
	Sign
	Work area
	Flagger



Notes:

- Place barricades on a moveable assemblies and signs on portable assemblies when located on roadway.
- Where necessary, safe speed to be determined by the Engineer.
- Determine the reduced speed limit based on the in-place speed limit before construction. Where speed reductions exceed 30 mph, install a second speed limit sign with the desired speed reduction (not to exceed 30 mph.) Place the second speed limit sign at 1/2 B.
- Install flags on warning signs in urban areas when signs are not portable. Mount 24 inch square flags perpendicular to the edges of the sign, and at such a distance above the edge that the flag does not touch the sign when limp.
- Cover existing speed limit signs within a reduced speed zone.
- Covered (when approved by engineer) or obliterated pavement marking measured as Obliteration of Pavement Marking.
- As an option, use portable sign supports in lieu of post mounted signs in accordance with NDDOT Standard Drawing D-704-14.
- Install sign G20-1b-60 when work is suspended for winter.
- If existing stop sign is in place, a 48" stop sign is not required.
- Sign G20-55-96 is not required if layout is part of other traffic control that contains this sign, or if work is less than 15 days.
- Recommend using 40 mph speed limit in vicinity of workers, unless location and conditions dictate otherwise.


ADVANCE WARNING SIGN SPACING			
Road Type	Distance Between Signs Min. (ft)		
	A	B	C
Urban - Low Speed (30 mph or less)	150	150	150
Urban - Low Speed (over 30 to 40mph)	280	280	280
Urban - High Speed (over 40 mph to 50 mph)	360	360	360
Rural - High Speed (over 50 mph to 65 mph)	720	720	720
Urban Expressway and Freeway (55 mph to 60 mph)	850	1350	2200
Rural Expressway and Freeway (70 mph to 75 mph)	1000	1500	2640
Interstate/4-Lane Divided (Maintenance and Surveying)	750	1000	1500

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
9-27-13	
REVISIONS	
DATE	CHANGE
08-17-17	Update notes & sign numbers
11-01-19	Revised sign numbers & note 7
12-09-21	Added Speed Limit Enforced and Dollars At Work signs
11-29-22	Removed Dollars At Work




11/29/22

MISCELLANEOUS SIGN LAYOUTS




TYPE Y
Where haul road crosses highway outside major work area. Signing shown for one direction only.


TYPE Z
Where speed zone is needed
Signing shown for one direction only.




TYPE AA
Where survey crew is used
Signing shown for one direction only.




TYPE BB
Within major work area where sign conditions exist




TYPE CC
Where sign conditions exist




TYPE DD
Where sign conditions exist




TYPE EE
Where sign conditions exist



TYPE FF
Where sign conditions exist
Signing shown for one direction only.



TYPE GG
Where elevation difference exists between lanes



TYPE JJ
For break in pavement. Install signs when conditions exist and remove when not applicable. Signing shown for one direction only.

KEY


Flagger

Sign

Cones

Survey Equipment

S = Numerical value of speed limit or 85th percentile.



TYPE KK
At major intersections within pilot car control area

- Notes
1. Re-establish speed limit. Determine exact speed limit in the field, dependent on location and conditions.
 2. Determine reduced speed limit based on in-place speed limit before construction. Where speed reductions exceed 30 mph, install a second speed limit sign with the desired speed reduction (not to exceed 30 mph.) Place the second speed limit sign at 1/2 B.
 3. Install flags on warning signs in urban areas when signs are not portable. Mount 24 inch square flags perpendicular to the edges of the sign, and at such a distance above the edge that the flag does not touch the sign when limp.
 4. Cover existing speed limit signs within reduced speed zones.
 5. As an option, use portable sign supports in lieu of post mounted signs in accordance with NDDOT Standard Drawing D-704-14.
 6. Sign G20-55-96 is not required if this standard is part of other traffic control layouts, or work is less than 15 days.
 7. When pilot car operation is used, place sign G20-4b-36 "Wait For Pilot Car" at major intersections within pilot car control area.
 8. Recommend 40 mph speed limit in vicinity of workers, unless location and conditions dictate otherwise.
 9. Layouts shown for one direction only.

ADVANCE WARNING SIGN SPACING			
Road Type	Distance Between Signs Min. (ft)		
	A	B	C
Urban - Low Speed (30 mph or less)	150	150	150
Urban - Low Speed (over 30 to 40 mph)	280	280	280
Urban - High Speed (over 40 mph to 50 mph)	360	360	360
Rural - High Speed (over 50 mph to 65 mph)	720	720	720
Urban Expressway and Freeway (55 mph to 60 mph)	850	1350	2200
Rural Expressway and Freeway (70 mph to 75 mph)	1000	1500	2640
Interstate/4-Lane Divided (Maintenance and Surveying)	750	1000	1500

Longitudinal Buffer Space	
*Speed (mph)	Length Min (feet)
20	115
25	155
30	200
35	250
40	305
45	360
50	425
55	495
60	570
65	645
70	730
75	820

* Posted speed, off-peak 85th percentile speed prior to work starting, or the anticipated operating speed in mph.


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
9-27-13	
REVISIONS	
DATE	CHANGE
8-17-17	Added speed limit signs. Updated notes & sign numbers.
11-01-19	Revised note 5 & sign numbers.
2-23-23	Revised distance & removed signs.



02/23/23

PORTABLE SIGN SUPPORT ASSEMBLY

D-704-50




- Notes:
- 1. Maximum 250 pound weight of assembly.
 - 2. Use a 14" wheel and tire.
 - 3. Use no automotive and equipment axle assemblies for trailer-mounted sign supports.
 - 4. Other NCHRP 350 or MASH crash tested assemblies are acceptable.


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
11-23-10	
REVISIONS	
DATE	CHANGE
12/02/2020	Updated Note to active voice.

KIRK J. HOFF
REGISTERED
PROFESSIONAL
PE-4683
ENGINEER
NORTH DAKOTA
12 02 2020


EROSION AND SILTATION CONTROLS
MEDIAN OR DITCH INLET PROTECTION



FIBER ROLL PROTECTION
(MEDIAN OR DITCH INLET)




PLAN VIEW



PROFILE VIEW

FIBER ROLL PROTECTION
(INLET OF CULVERT)


Note:
For culvert diameters less than 42 in. use
"Fiber Rolls 12IN".
For culvert diameters 42 in. or greater use
"Fiber Rolls 20IN".



PLAN VIEW

PROFILE VIEW


SILT FENCE PROTECTION
(MEDIAN OR DITCH INLET)




PLAN VIEW

PROFILE VIEW

GRAVEL INLET PROTECTION
(MEDIAN OR DITCH INLET)




PLAN VIEW




PROFILE VIEW

SANDBAG PROTECTION
(LOW POINT)



PLAN VIEW



PROFILE VIEW


SANDBAG PROTECTION
(ON SLOPE)

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-03-13	
REVISIONS	
DATE	CHANGE
06-26-14	Updated reference to standard drawing number for fiber roll staking details.
10-01-14	Updated reference to standard drawing number for silt fence.
10-17-17	Updated to active voice.
08-27-19	New Design Engineer PE Stamp.

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8-27-19 and the original document is stored at the
North Dakota Department
of Transportation

ROUND CORRUGATED STEEL PIPE CULVERTS AND END SECTIONS

D-714-4



PIPE DIA.	GALVANIZED THICKNESS	END SECTION DIMENSIONS						APPROX. SLOPE RATE	BODY
		A	B	H	L	W			
15	0.064 - 0.079	7	8	6	26	30		2 1/2:1	1
18	0.064 - 0.109	8	10	6	31	36		2 1/2:1	1
24	0.064 - 0.109	10	13	6	41	48		2 1/2:1	1
30	0.064 - 0.109	12	16	8	51	60		2 1/2:1	1 or 2
36	0.064 - 0.109	14	19	9	60	72		2 1/2:1	2
42	0.064 - 0.138	16	22	11	69	84		2 1/2:1	2
48	0.064 - 0.168	18	27	12	78	90		2 1/2:1	2
54	0.064 - 0.168	18	30	12	84	102		2:1	2
+60	0.064 - 0.168	18	33	12	87	114		1 1/2:1	3
+66	0.064 - 0.168	18	36	12	87	120		1 1/2:1	3
+72	0.064 - 0.168	18	39	12	87	126		1 1/2:1	3
+78	0.064 - 0.168	18	42	12	87	132		1 1/2:1	3
+84	0.064 - 0.168	18	45	12	87	138		1 1/2:1	3


- These sizes have 0.109" sides and 0.138" center panels.
- Pipe diameter is equal to dimension "D" of end section.
- Manufacturers tolerances of above dimensions will be allowed.
- Splices to be the lap riveted type.

Multiple panel bodies shall have lap seams which are to be tightly joined with 3/8" dia. galv. bolts or rivets. Nuts to be torqued to 25 foot-lbs ±.

NOTES:

- Pipes and connecting bands shall conform to applicable sections of NDDOT Standard Specifications and to AASHTO M-36.
- Top edge of all end sections to have rolled edges for reinforcement (see Section A-A). The reinforced edges are to be supplemented with 2" x 2" x 3/16" galv. angle for 60" through 72" dia. and 2 1/2" x 2 1/2" x 1/4" galv. angle for 78" and 84" dia.. Angles to be attached by galv. 3/8" dia. bolts and nuts. Angles are to extend from pipe to the corner wing bend.
- Elongated pipes shall be factory preformed so that the vertical diameter shall be 5% greater and the horizontal diameter 5% less than a circular pipe.
- Coupling bands shall be two-piece for pipes larger than 36" as shown in Section C-C & D-D details. For pipes 36" and smaller, a one-piece band is acceptable.
- 1/2" x 8" bolts may be used as a substitute for the 1/2" x 6" bolts shown in the details.
- Coupling bands wider than 14" may be used if a minimum of four 1/2" bolts with maximum spacing of 5 1/2" are used for the connection.
- Length of spot welds shall be minimum 1/2".

COUPLING BAND DIMENSIONS				
COUPLING TYPE	CORRUGATION PITCH x DEPTH	PIPE SIZE	COUPLING BAND LENGTH	MIN. BAND THICKNESS
Hat Band	2 3/8" x 1/2"	12" - 48"	2 3/4"	.064"
Annular Band	2 3/8" x 1/2"	12" - 72"	12"	.052"
		78" - 84"	12"	.079"
Hugger Band	2 3/8" x 1/2" Rerolled End	12" - 72"	10 1/2"	.052"
		78" - 84"	10 1/2"	.079"
	3" x 1" Rerolled End	48" - 120"	10 1/2"	.052"
		48" - 120"	12"	.064"







NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
08-16-13	
REVISIONS	
DATE	CHANGE
01-07-14	End Section Plan View
02-27-14	3" x 1" Corrugation Detail
08-18-19	Added Perspective View Detail
09-23-22	Galvanized Thickness Table


THAN D KETTNER
PROFESSIONAL
PE-4684
ENGINEER
NORTH DAKOTA
09/23/22

PRECAST CONCRETE HEADWALL DETAILS







D-714-18



RODENT SCREEN
Dimensions are approximate to allow bend and a snug fit in headwall slot



BENT BAR DETAILS



NOTES:

RODENT SCREEN: Fabricate rodent screen from flattened expanded metal with screen openings of approximately 0.25 square inches. Use 16 ga metal, hot dip galvanized after fabrication, for the screen.

REINFORCING BARS: Use No. 4 deformed steel reinforcing bars.

BENT BARS: Bent bar dimensions given out to out.

SLOPE: Match headwall slope to foreslope.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-27-2010	
REVISIONS	
DATE	CHANGE
12/02/2020	Removed drainable base details Added 4:1 and 3:1 Headwalls



TRANSVERSE MAINLINE PIPE INSTALLATION DETAIL PIPES 4 FEET OR LESS BELOW TOP OF SUBGRADE

Pay Items

- 1) Pipe*
- 2) Geosynthetic Material Type G
- 3) Removal of Pipe (if required)


*Included in Pipe Pay Item

- 1) Pipe
- 2) Trench Excavation
- 3) Aggregate Base Course CI 3 or CI 5
- 4) Embankment


NOTES:

- 1) This drawing applies to new/replaced mainline and paved intersection roadway pipes only (including ramps). It does not include pipes in approaches.
- 2) Embankment may be either borrow Excavation or Common Excavation - Type A


EXCAVATION DETAIL



INSTALLATION DETAIL




CROSS SECTION




NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
7-26-13	
REVISIONS	
DATE	CHANGE
10-15-13	Label Formatting
1-21-15	Nomenclature
9-18-15	Title Rewording
5-27-20	Replaced R1 Fabric with Geogrid Changed bedding depth




STANDARD BARBED WIRE FENCE




VEHICLE GATE




FENCE TERMINAL




DOUBLE BRACE ASSEMBLY




BREAK-AWAY FENCE FOR NARROW DEPRESSIONS SUBJECT TO FLOODING





DETAIL FOR TYING FENCE TO WINGS OF ABUTMENTS




CORNER ASSEMBLY




DETAIL FOR ANCHORING FENCES IN DEPRESSIONS*
*Determine locations in the field and include in price bid for fencing. Use other methods of anchoring fence if approved by the Engineer.




FASTENING TO POSTS



CORNER AND DOUBLE BRACE ASSEMBLY STEEL POSTS



FENCE TERMINAL STEEL POSTS



FENCING FOR WIDE DEPRESSIONS
Use double brace installation, as shown, on opposite side of depression.
Decrease line post spacing as needed due to terrain.

NOTES

1. No deduction in measured pay length of fence made for gates, corner assemblies, double brace assemblies, fence terminals, or depression fencing. Include all costs for abutment fencing in the price bid for fencing bid items.
2. Install double brace assemblies at locations shown on the plans or established by the Engineer. Place adjacent fence terminals, corner assemblies, or double brace assemblies at a maximum spacing of 1,320 feet.
3. Include all costs of furnishing and installing inserts and eyebolts in the unit price bid for fencing bid items. Use eyebolts galvanized according to AASHTO designation M-30; inserts of corrosion resistant material do not require galvanization. Use concrete inserts capable of developing the full strength of the 5/8" diameter threaded eyebolt, when installed in concrete.
4. Determine post type used, either wood or steel, unless otherwise specified in the plans.
5. Include the cost of bracing at vehicle gates in the price bid for "Vehicle Gate."


POST SIZES					
USE OF POST	TREATED WOOD		STEEL		
	Post dia.	Post length	Post length	Post wt. Lbs./Ft.	Anchor wt. Lbs.
Line post	3 1/2"	6'-6"	6'-6"	1.33	0.67
Corner post	8"	8'	7'	4.10	(Conc.)
End post	5"	8'			
Brace post	5"	8'	7'	3.19	(Conc.)
Gate post	5"	8'			
Horizontal brace	4"	8'	As approved by the Engineer		

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
2-2-10	
REVISIONS	
DATE	CHANGE
10-02-12	Notes, steel assemblies/posts.
11-25-13	Revised Vehicle Gate.
10-17-17	Updated to active voice.
02-23-23	Revised post spacing/brace size.




Notes:

1. Curbed Roadways: Use a 3' clearance from face of the curb except where right of way or sidewalk width is limited; Use a minimum 2' clearance. Increase the horizontal clearance if required to maintain a minimum sidewalk clear width of 4' from the sign support, not including any attached curb.
2. Minimum vertical clearance: Provide at least 5' measured from the bottom of the sign to the edge of the driving lane or auxiliary lane at the side of the road in rural districts. Provide at least 7' clearance to the bottom of the sign, where parking or pedestrian movements occur.
- Install signs on expressways a minimum height of 7'.
- Install adopt-a-highway signs on Freeways at least 7' above the edge of the driving lane.
- Maximum vertical clearance is 6" greater than the minimum vertical clearance.
3. Offset signs: Use a vertical clearance of 5' above the edge of the driving lane for signs placed 30 feet or more from the edge of the traveled way.
4. Provide a horizontal clearance from edge of shared use path to edge of sign of 3', except where width is limited. Provide a minimum clearance of 2'.




Typical Section (without curb)

Horizontal Clearance Table	
Shoulder Width ft	Offset ft
0 to 2	16
>2 to 4	18
>4 to 6	20
>6 to 8	22
>8 to 10	24




Typical Section (with curb)
Residential or Business District



Stop Sign Location
Wide Throat Intersection
Use layout for the placement of "Stop" signs.

Radius ft.	Y-max. ft.	Y-min. ft.
40	50	15
45	50	18
50	50	21
55	50	25
60	50	28
65	50	32
70	50	35
75	50	39
80	50	43





Shared Use Path
Bicycle - Pedestrian Path

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
10-3-13	
REVISIONS	
DATE	CHANGE
7-8-14	Revised note 2, added note 4.
8-30-18	Updated notes to active voice.
8-29-19	New Design Engineer PE Stamp.

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8/29/19 and the original document is stored at the North Dakota Department of Transportation


Telescoping Perforated Tube							
Number of Posts	Post Size In.	Wall Thick-ness Gauge	Sleeve Size In.	Wall Thick-ness Gauge	Slip Base	Anchor Size Without Slip Base In.	Anchor Wall Thick-ness Gauge
1	2	12			No	2½	12
1	2¼	12			No	2½	12
1	2½	12			(B)	3(C)	7
1	2½	10			Yes		7
1	2¼	12	2½(D)	12	Yes		7
1	2½	12	2¼	12	Yes		7
2	2½	10			Yes		7
2	2¼	12	2½(D)	12	Yes		7
2	2½	12	2¼	12	Yes		7
3 & 4	2½	12			Yes		7
3 & 4	2½	10			Yes		7
3 & 4	2½	12	2¼	12	Yes		7
3 & 4	2¼	12	2½(D)	12	Yes		7
3 & 4	2½	10	2¾	10	Yes		7

(B) - Provide a shim as specified by the manufacturer when placing 2½", 12 gauge posts in standard soils without breakaway bases. Provide breakaway base when placing the support in weak soils. The Engineer will determine if the soils are weak. Weak soils are classified as boggy, wet, or loose soil areas.
(C) - 3" anchor unit
(D) - 2½" x 12 ga. x 18" minimum length external sleeve required.




SHOULDER BOLT



Shimming agent to reduce tolerance between 3" anchor unit and 2½" post.
(use standard ¾" diameter grade 8 bolt with proper shim)



Mounting Details Perforated Tube




SLIP BASE FOR 2 1/2" POST



Properties of Telescoping Perforated Tubes							
Tube Size In.	Wall Thickness In.	U.S. Standard Gauge	Weight Per Foot Lbs.	Moment of Inertia In. ⁴	Cross Sect. Area In. ²	Section Modulus In. ³	
1½ x 1½	0.105	12	1.702	0.129	0.380	0.172	
2 x 2	0.105	12	2.416	0.372	0.590	0.372	
2¼ x 2¼	0.105	12	2.773	0.561	0.695	0.499	
2¾ x 2¾	0.135	10	3.432	0.605	0.841	0.590	
2½ x 2½	0.105	12	3.141	0.804	0.803	0.643	
2½ x 2½	0.135	10	4.006	0.979	1.010	0.783	

The 2 ¾" size 10 gauge is shown as 2.19" size on the plans;
The 2½" size is shown as 2.51" size on the plans.



NOTE:

- 4" Vertical clearance of anchor or breakaway base. The 4" x 60" measurement is above and below post location and also back and ahead of post.
- Provide 7 gauge HRPO commercial quality ASTM A569 and 3" x 3" x 7" gauge ASTM A500 grade B anchor material with 43.9 KSI yield strength and 59.3 KSI tensile strength. Hot dip galvanize anchor per ASTM A123/153. Tolerances on anchor unit and slip base bottom assembly are +/- 0.005" unless otherwise noted.
- Eliminate wings when anchor is used in concrete sidewalk.
- Provide a minimum 8" distance between the first and fourth post on four post signs.
- Install in accordance with manufacturers recommendation.
- Use a minimum ½" diameter x 4" grade 8 concrete fastener for surface mount breakaway base.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
8-6-09	
REVISIONS	
DATE	CHANGE
8-30-18	Updated notes to active voice & corrected max height of base.
8-29-19	New Design Engineer PE Stamp.

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683
on 8/29/19 and the original document is stored at the North Dakota Department of Transportation

Breakaway Coupler System
for Perforated Tubes




Notes:

1. 4" Vertical clearance of anchor or breakaway base. The 4" x 60" measurement is above and below post location and also back and ahead of post.
2. Use anchor unit of the same size and specification as the post.
3. Provide a minimum 8' distance between the first and fourth post on four post signs.
4. Use the breakaway base system on standard D-754-24 or the breakaway coupling system manufactured from material meeting the requirements of ASTM A325 fasteners with the special requirements specified by DENT BREAKAWAY IND., INC. which meets the test requirements of NCHRP Report 350.


Number of Posts	Telescoping Perforated Tube						
	Post Size In.	Wall Thick-ness Gauge	Sleeve Size In.	Wall Thick-ness Gauge	Slip Base	Anchor Size Without Slip Base In.	Anchor Wall Thickness Guage
1	2	12			No	2¼	12
1	2¼	12			No	2½	12
1	2½	12			(B)	3(C)	7
1	2½	10			Yes		7
1	2¼	12	2	12	Yes		7
1	2½	12	2¼	12	Yes		7
2	2½	10			Yes		7
2	2¼	12	2	12	Yes		7
2	2½	12	2¼	12	Yes		7
3 & 4	2½	12			Yes		7
3 & 4	2½	10			Yes		7
3 & 4	2½	12	2¼	12	Yes		7
3 & 4	2¼	12	2	12	Yes		7
3 & 4	2½	10	2¾	10	Yes		7

(B) - 2½" 12 gauge posts do not need breakaway bases unless support is placed in boggy, wet, or loose soil areas.

(C) - 3" anchor unit



Max protection of the stub post is 4" above a 60" chord aligned radially to the center line of the highway and connecting any point, within the length of the chord, on the ground surface on one side of the support to a point in the ground surface on the other side.



NORTH DAKOTA
DEPARTMENT OF TRANSPORTATION

10-3-2013

REVISIONS

DATE	CHANGE
8-30-18 8-30-19	Updated notes to active voice. New Design Engr PE Stamp.

This document was originally issued and sealed by

Kirk J Hoff,


Registration Number

PE- 4683,


on 8/30/19 and the original document is stored at the

North Dakota Department of Transportation

Mounting Details Perforated Tube




Side View




Top View

STRINGER MOUNTING
(WITH STRINGER IN FRONT OF POST)




Side View




Top View


STRAP DETAIL




STREET NAME SIGNS AND ONE WAY SIGNS
SINGLE POST ASSEMBLY
ONE STRINGER OR BACK TO BACK MOUNTING



ANCHOR UNIT AND POST ASSEMBLY




BOLT MOUNTING



Top View

BACK TO BACK MOUNTING



Properties of Telescoping Perforated Tubes						
Tube Size In.	Wall Thickness In.	U.S. Standard Gauge	Weight Per Foot Lbs.	Moment of Inertia In. ⁴	Cross Sect. area In. ²	Section Modulus In. ³
1 1/2 x 1 1/2	0.105	12	1.702	0.129	0.380	0.172
2 x 2	0.105	12	2.416	0.372	0.590	0.372
2 1/4 x 2 1/4	0.105	12	2.773	0.561	0.695	0.499
2 3/16 x 2 3/16	0.135	10	3.432	0.605	0.841	0.590
2 1/2 x 2 1/2	0.105	12	3.141	0.804	0.803	0.643
2 1/2 x 2 1/2	0.135	10	4.006	0.979	1.010	0.783

The 2 3/16" size 10 gauge is shown as 2.19" size on the plans.
The 2 1/2" size is shown as 2.51" size on the plans.

Note:

1. Horizontal stringers - Use perforated tubes or 1 3/4" x 3/16" thick, 1.08 lbs./ft aluminum or 3.16 lbs./ft steel z bar stringers.
2. Use minimum outside diameter 1 5/16" ± 1/16" and 10 gauge thick metal washers on sign face.
3. Place No Parking signs with directional arrows at a 30 to 45 degree angle with the line of traffic flow. Turning the support to the correct angle for No Parking signs requiring the above angles is allowed. If the No Parking sign is placed with another sign that requires placement at a 90 degree angle with the line of traffic flow, use the detailed angle strap to mount the No Parking sign. Use flat washers and lock washers with all nylon washers.
4. Punching the sign backing and placing the bolt through the sign, the stringer and the post is allowed in lieu of using the bent bolt to attach the post to the stringer.
5. 4" vertical clearance of anchor or breakaway base. The 4" x 60" measurement is above and below post location and also back and ahead of post.


Number of Posts	Telescoping Perforated Tube						
	Post Size In.	Wall Thickness Gauge	Sleeve Size In.	Wall Thickness Gauge	Slip Base	Anchor Size Without Slip Base In.	Anchor Wall Thickness Gauge
1	2	12			No	2 1/4	12
1	2 1/4	12			No	2 1/2	12
1	2 1/2	12			(B)	3(C)	7
1	2 1/2	10			Yes		7
1	2 1/4	12	2 1/2(D)	12	Yes		7
1	2 1/2	12	2 1/4	12	Yes		7
2	2 1/2	10			Yes		7
2	2 1/4	12	2 1/2(D)	12	Yes		7
2	2 1/2	12	2 1/4	12	Yes		7
3 & 4	2 1/2	12			Yes		7
3 & 4	2 1/2	10			Yes		7
3 & 4	2 1/2	12	2 1/4	12	Yes		7
3 & 4	2 1/4	12	2 1/2(D)	12	Yes		7
3 & 4	2 1/2	10	2 3/16	10	Yes		7

(B) - When placing 2 1/2", 12 gauge posts in standard soils without breakaway bases, provide a shim as specified by the manufacturer. Provide breakaway base when placing the support in weak soils. Engineer will determine if soils are weak. Weak soils are classified as boggy, wet, or loose soil areas.
(C) - 3" anchor unit
(D) - 2 1/2" x 12 ga. x 18" minimum length external sleeve required.


NORTH DAKOTA DEPARTMENT OF TRANSPORTATION		This document was originally issued and sealed by Kirk J Hoff, Registration Number PE- 4683 , on 8/30/19 and the original document is stored at the North Dakota Department of Transportation
8-6-09		
REVISIONS		
DATE	CHANGE	
7-8-14 8-30-18 8-30-19	Revised Note 3. Updated notes to active voice. New Design Engr PE Stamp.	

SIGN PUNCHING, STRINGER AND SUPPORT LOCATION
DETAILS REGULATORY, WARNING AND GUIDE SIGNS

D-754-26




1 Post




2 Posts

Assembly No. 1




1 Post



2 Posts


Assembly No. 2




3 Posts

Notes:

1. Use 0.100 inch minimum thickness sign backing material.
2. Use 1½" x 1½" perforated square tube stringers.
3. Punch holes round for ⅜" bolt.




1 Post




2 Posts


Assembly No. 3



3 Posts




1 Post




2 Posts

Assembly No. 4




1 Post



2 Posts

Assembly No. 5






3 Posts

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
12-1-10	
REVISIONS	
DATE	CHANGE
8-30-18	Updated notes to active voice.
8-30-19	New Design Engineer PE Stamp.


This document was originally
issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8/30/19 and the original
document is stored at the
North Dakota Department
of Transportation

SIGN PUNCHING, STRINGER AND SUPPORT LOCATION
DETAILS REGULATORY, WARNING AND GUIDE SIGNS




Assembly No. 6


- Notes:
1. Use 0.100 inch minimum thickness sign backing material.
 2. Use 1½" x 1½" perforated square tube stringers.
 3. Punch holes round for ⅝" bolt.







Assembly No. 7





Assembly No. 8




Assembly No. 9



Assembly No. 10







Assembly No. 11




NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
12-1-10	
REVISIONS	
DATE	CHANGE
8-30-18	Updated notes to active voice.
8-30-19	New Design Engineer PE Stamp.

This document was originally
issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8/30/19 and the original
document is stored at the
North Dakota Department
of Transportation



SIGN PUNCHING, STRINGER AND SUPPORT LOCATION
DETAILS REGULATORY, WARNING AND GUIDE SIGNS





Assembly No. 13





Assembly No. 14






Assembly No. 15



Assembly No. 16




- Notes:
1. Use 0.100 inch minimum thickness sign backing material.
 2. Use 1½" x 1½" perforated square tube stringers.
 3. Punch holes round for ⅜" bolt.





NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
12-1-10	
REVISIONS	
DATE	CHANGE
8-30-18	Updated to active voice & changed Assembly 16 post spacing.
8-30-19	New Design Engineer PE Stamp.

This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8/30/19 and the original document is stored at the
North Dakota Department
of Transportation




SIGN PUNCHING, STRINGER AND SUPPORT LOCATION
DETAILS REGULATORY, WARNING AND GUIDE SIGNS






Assembly No. 18




Assembly No. 19



Assembly No. 20



Assembly No. 21




- Notes:
1. Use 0.100 inch minimum thickness sign backing material.
 2. Use 1½" x 1½" perforated square tube stringers.
 3. Punch holes round for ⅜" bolt.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
12-1-10	
REVISIONS	
DATE	CHANGE
8-30-18	Updated notes to active voice.
8-30-19	New Design Engineer PE Stamp.


This document was originally issued and sealed by
Kirk J Hoff,
Registration Number
PE- 4683,
on 8/30/19 and the original document is stored at the
North Dakota Department
of Transportation

MGS FLARED ENERGY ABSORBING TERMINAL - WOOD POST


D-764-38




PLAN



ELEVATION




SIDE VIEW




FRONT VIEW

DETAIL A
Post 1




DETAIL C


Post 1 (Impact Head connection)




DETAIL B
Post 2



SECTION C-C



SECTION A-A
Post 2



SECTION B-B
Posts 3 through 7

GENERAL NOTES:

- Wood posts are required with the Flared Energy Absorbing Terminal except posts 1 and 2.
- Galvanize all bolts, nuts, cable assemblies, cable anchors, and bearing plates.
- Flare the Flared Energy Absorbing Terminal when the approach guardrail is parallel with the roadway. When the approach guardrail is flared at 16:1 to 10:1, ensure the Flared Energy Absorbing Terminal has only the flare rate of the guardrail. When the guardrail flare is between 10:1 and 7:1, ensure the Flared Energy Absorbing Terminal is turned parallel to the roadway.
- Site grade as necessary to ensure the lower sections of the posts do not protrude more than 4" above the ground (measured along a 5' cord).
- Install the lower section of the hinged posts without the upper post attached. If the post is placed in a drilled hole, compact the backfill material to prevent settlement.
- Install the breakaway cable assembly taut. Use a locking device (vice grips or channel lock pliers) to prevent cable from twisting when tightening nuts.
- "Toe nail" the wood blockouts to the rectangular wood posts with two 20 penny galvanized nails to prevent them from turning when the wood shrinks.

ITEM	ITEM NO.	BILL OF MATERIALS	QTY
A	F3000	IMPACT HEAD	1
B	SF1303	W-BEAM GUARDRAIL END SECTION, 12 Ga	1
C	G12025	9'-4½" MGS W-BEAM RAIL SECTION, 12 Ga	1
D	G1203A	12'-6" MGS W-BEAM RAIL SECTION, 12 Ga	2
E	UHP1A	FIRST POST ASSEMBLY TOP	1
F	HP1B	FIRST POST ASSEMBLY BOTTOM	1
G	UHP2A	SECOND POST ASSEMBLY TOP	1
H	HP2B	SECOND POST ASSEMBLY BOTTOM	1
J	UP671	WOOD CRT POST	5
K	P675	WOOD BLOCKOUT OR RECYCLE EQUIVALENT	5
L	E750	BEARING PLATE	1
M	S760	CABLE ANCHOR BOX	1
N	E770	BCT CABLE ANCHOR ASSEMBLY	1
O	S785	GROUND STRUT HINGED POST	1
HARDWARE			
a	B5160304A	5/16" x 3" HEX BOLT A325	2
b	W0516	5/16" WASHER	4
c	N0516	5/16" HEX NUT	2
d	B580122	5/8" Dia x 1¼" SPLICE BOLT	33
e	B581802	5/8" Dia X 18" HGR BOLT	5
f	B580904A	5/8" Dia x 9" HEX BOLT GRD 5	1
g	W050	5/8" WASHER	7
h	N050	5/8" Dia HGR NUT	39
j	B340854A	¾" Dia x 8½" HEX BOLT GRD A449	1
k	N030	¾" Dia HEX NUT	1
l	N100	1" ANCHOR CABLE HEX NUT	2
m	W100	1" ANCHOR CABLE WASHER	2
n	SB12A	½" RSI SHOULDER BOLT WITH WASHER	8
o	N012A	½" STRUCTURAL NUT	8
p	W012A	½" STRUCTURAL WASHER	8
r	CT-100ST	BEARING PLATE RETAINER TIE	1

NOTE: Standard wood line post, block, and associated hardware not included in Bill of Materials Table.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
7-14-17	
REVISIONS	
DATE	CHANGE
12-02-20	Updated notes to active voice.




MGS W-BEAM GUARDRAIL GENERAL DETAILS


D-764-40

NOTES:


1. Begin reflector plates at the first post and space at 25' centers on guardrail less than 250' length and at 50' centers for guardrail over 250' length. Provide the reflector the same color as the pavement marking adjacent to it unless noted otherwise on the plans.
2. Replacing bituminous material at guardrail post: Dispose all excess earth from excavations for guard posts as directed by the engineer. Replace bituminous material wherever guardrail is installed after mat has been laid. Cost of excavation and replacing of bituminous material to be included in the price bid for other items.
3. Fit the Object Marker within the vertical edges of the Impact Plate. Provide type XI retroreflective sheeting meeting the requirements of Section 894.02.E of the standard specifications. Apply the sheeting to 0.100 Aluminum sheeting meeting the requirements of Section 894.01.A. Attach the Object Marker to the Impact Head Plate with rivets or other attachment device. Ensure the rivets or attachment device are non-rust. Slope the stripes downward toward the roadway side.
4. Guardrail installation height tolerance = $\pm 1"$.



Splice Plate




Splice Detail




Rub Rail



C6x8.2 RUB RAIL AND SPLICE PLATE




$\frac{5}{8}"$ Diameter Guardrail Bolt	
L	Thread Length
1 $\frac{1}{4}"$	Full length thread
2"	1 $\frac{3}{4}"$ Min thread length
9 $\frac{1}{2}"$	4" Min thread length
18"	4" Min thread length
20"	4" Min thread length
22"	4" Min thread length
25"	4" Min thread length



$\frac{5}{8}"$ GUARDRAIL BOLT & RECESS NUT




W BEAM TERMINAL CONNECTOR



SPLICE DETAIL


NOTE: Do not install center bolt in the $\frac{3}{4}"$ x 2 $\frac{1}{2}"$ slot at mid span splices.



$\frac{5}{8}"$ Diameter Carriage Bolt	
L	Thread Length
1 $\frac{1}{2}"$	Full length thread
3"	1 $\frac{1}{2}"$ Min thread length
11"	1 $\frac{3}{4}"$ Min thread length
13"	1 $\frac{3}{4}"$ Min thread length




$\frac{5}{8}"$ CARRIAGE BOLT & NUT




REFLECTORIZED PLATE DETAIL

NOTE: Additional reflectors are added to the W-beam guardrail quantities for placement on end treatment.




TYPICAL WOOD POST ATTACHMENT DETAIL




6" x 8" WOOD POST & BLOCK


NOTE: Where soil conditions require, alternate lengths may be specified, in 6" increments.




IMPACT HEAD OBJECT MARKER



STANDARD MGS GUARDRAIL PANEL



STANDARD MGS GUARDRAIL SYSTEM




W-BEAM CROSS SECTION

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
7-14-17	
REVISIONS	
DATE	CHANGE
12-02-20	Updated clipped head to optional




TYPICAL GRADING AT BRIDGE ENDS
WITH MGS W-BEAM GUARDRAIL


D-764-48




TYPICAL SECTION



PLAN LAYOUT
FLARED GUARDRAIL WITH END TERMINAL



PLAN LAYOUT
NON-FLARED GUARDRAIL WITH TANGENT END TERMINAL



PLAN LAYOUT
NON-FLARED GUARDRAIL WITH FLARED END TERMINAL

NOTES:


- (A) Use slope flatter than 10:1 when required to provide proper guardrail height.
- (B) When normal foreslope is 4:1, use added fill slope of 4:1. When normal foreslope is 6:1, use added fill slope of 6:1.
- (C) Measure from top of guardrail to top of surfacing at front face of guardrail.
- (D) Vary dimension at end terminals per Plan Layouts shown on this sheet.

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
7-14-17	
REVISIONS	
DATE	CHANGE
12/02/20	Updated notes to active voice.



12 02 2020

D-764-63



Technical drawing of a rectangular plate with dimensions and hole locations. The plate is 12" wide and 12 1/2" high. There are four 1" diameter holes. The horizontal spacing is 2" from the left edge to the first hole, 4" between the first and second holes, 4" between the second and third holes, and 2" from the third hole to the right edge. The vertical spacing is 2 3/4" from the top edge to the first hole, 3 1/2" between the first and second holes, 3 1/2" between the second and third holes, and 2 3/4" from the third hole to the bottom edge. A label '1" Dia holes in plate (Typ)' points to one of the holes.

Technical drawing showing a cross-section of a post and block assembly. The drawing includes the following dimensions and labels:

- 6" x 8" x 7'-0" post
- 6" x 8" x 1'-11" block out
- 1'-11"
- 11 1/8"
- 7"
- 2'-7"
- 7'-0"

6" x 8" x 6'-0" post

6" x 8" x 1'-11" block out

6'-0"

1'-11"

7"

1 1/8"

2'-7"

6" x 8" x 6'-0" post

6" x 8" x 1'-2" block out (Typ)

6" x 9 3/4" x 1'-2" block out at post #8

1'-2"

7"

2'-7"

6'-0"

Trim flanges, bend and weld

8" 5" 4'-2"

PLAN

5'-3"

8"

5"

4'-0 1/2"

1 1/2"

1 1/2"

1"

1"

1 1/2"

1 1/2"

1"

1/2"

ELEVATION

Typical rub rail splice

C post No. 1

[illegible]

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
7-14-17	
REVISIONS	
DATE	CHANGE
12-02-20	Updated notes to active voice.

