

NDDOT ABBREVIATIONS

D-20-3

PE	polyethylene	Rt	route	N	standard penetration test	TERO	Tribal Employment Rights Ordinance
PVC	polyvinyl chloride	Salv	salvage(d)	Std Specs	Standard Specifications	Tpl	triple
PCC	Portland Cement concrete	Sd	sand	Sta	station	TP	turning point
Lb or #	pounds	Sdy Cl	sandy clay	Sta Yd	station yards	Typ	typical
PP	power pole	Sdy Cl Lm	sandy clay loam	Stm L	steam line	Qu	unconfined compressive strength
Preempt	preemption	Sdy FI	sandy fill	SEC	steel encased concrete	Ugrnd	underground
Prefab	prefabricated	Sdy Lm	sandy loam	SSD	stopping sight distance	USC&G	US Coast & Geodetic Survey
Prfmd	performed	San	sanitary sewer line	SD	storm drain	USGS	US Geologic Survey
Prep	preparation	Sc	scoria	St	street	Util	utility
Press.	pressure	Sec	seconds	SPP	structural plate pipe	VG	valley gutter
PRV	pressure relief valve	Sec	section	SPPA	structural plate pipe arch	Vap	vapor
Prestr	prestressed	SL	section line	Str	structure	Vert	vertical
Pvt	private	Sep	separation	Subd	subdivision	VC	vertical curve
PD	private drive	Seq	sequence	Sub	subgrade	VCP	vitrified clay pipe
Prod.	production/produce	Serv	service	Sub Prep	subgrade preparation	V	volt
Prog	programmed	Sh	shale	Ss	subsoil	Vol	volume
Prop.	property	Sht	sheet	SE	superelevation	Wkwy	walkway
Prop Ln	property line	Shtng	sheeting	SS	supplement specification	W	water content
Ppsd	proposed	Shldr	shoulder	Supp	supplemental	WGV	water gate valve
PB	pull box	Sw	sidewalk	Surf	surfacing	WL	water line
Qty	quantity	S	siemens	Surv	survey	WM	water main
Qtr	quarter	SD	sight distance	Sym	symmetrical	WMV	water main valve
Rad or R	radius	Sig	signal	SI	Systems International	W Mtr	water meter
RR	railroad	Si Cl	silt clay	Tan	tangent	WSV	water service valve
Rlwy	railway	Si Cl Lm	silty clay loam	T	tangent (semi)	WW	water well
Rsd	raised	Si Lm	silty loam	TS	tangent to spiral	W	watt
RTP	random traverse point	Sgl	single	Tel	telephone	Wrng	wearing
Rge or R	range	SC	slow curing	Tel B	Telephone Booth	Wb	weber
RC	rapid curing	SS	slow setting	Tel P	telephone pole	W	West
Rec	record	Sm	small	Tv	television	WB	Westbound
Rcy	recycle	S	South	Temp	temperature	Wrng	wiring
RPCC	recycled Portland cement concrete	SE	South East	Temp	temporary	W/	with
Ref	reference	SW	South West	TBM	temporary bench mark	W/o	without
R Mkr	reference marker	SB	Southbound	T	tesla	WC	witness corner
RM	reference monument	Sp	spaces	T	thinwall tube sample	WGS	World Geodetic System
Refl	reflectorized	Spcl	special	T/mi	tons per mile	Z	zenith
RCB	reinforced concrete box	SP	special provisions	Ts	topsoil		
RCES	reinforced concrete end section	G	specific gravity	Twp or T	township		
RCP	reinforced concrete pipe	Spk	spike	Traf	traffic		
RCPS	reinforced concrete pipe sewer	SC	spiral to curve	TSCB	traffic signal control box		
Reinf	reinforcement	ST	spiral to tangent	Tr	trail		
Res	reservation	SB	split barrel sample	Transf	transformer		
Ret	retaining	SH	sprinkler head	TB	transit book		
Rev	reverse	SV	sprinkler valve	Trans	transition		
Rt	right	Sq	square	TT	transmission tower		
R/W	right of way	SF	square feet	Trans	transverse		
Riv	river	Km2	square kilometer	Trav	traverse		
Rd	road	M2	square meter	TP	traverse point		
Rdbd	road bed	SY	square yard	Trtd	treated		
Rdwy	roadway	Stk	stake	Trmt	treatment		
Rk	rock	Std	standard	Qc	triaxial compression		

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
06-15-10	
REVISIONS	
DATE	CHANGE
04-20-11	Added Items

This document was originally issued and sealed by Roger Weigel, Registration Number PE-2930, on 4/20/11 and the original document is stored at the North Dakota Department of Transportation