

# NOTICE TO BIDDERS

## BID OPENING OF November 14, 2025

North Dakota Department of Transportation  
 Construction Services Division  
 608 East Boulevard Avenue  
 Bismarck, ND 58505-0700  
 Telephone (701)328-2563  
 Website <http://www.dot.nd.gov/>

The North Dakota Department of Transportation (NDDOT) will receive electronic bids for the project(s) listed in this notice until 09:30AM, November 14, 2025. Electronic bids will be received through the Bid Express online bid exchange service at [www.bidx.com](http://www.bidx.com).

Bid documents such as the Bidder's Proposal, plans, AASHTOWare Project Bids files, cross-sections and other related bid documents are available for viewing and downloading on the NDDOT's website at the following web address; <http://www.dot.nd.gov/dotnet/eplans/default.aspx>. The bid documents are also available for viewing at the Construction Services Division, NDDOT building in Bismarck, ND.

Job	Project Number	Length	Type	Location	Time	Bid Range
22484	HEN-7-052(034)000	15.9000	PASSING LANE ADDITIONS, EMBANKMENT, BOX CULVERT EXTENSIONS, PIPE EXTENSIONS, AGGREGATE, HMA, SIGNING & STRIPING	BURKE & WARD COS; US 52, 4 MI S OF PORTAL SE TO 8 MI SE OF BOWBELLS	October 10, 2026	\$16,000,001 to \$17,500,000
22616	NH-3-001(031)201 & NH-3-001(033)200	13.4200	FULL DEPTH RECLAMATION, MILL AND OVERLAY, WIDENING, INTERSECTION RECONSTRUCTION	CAVALIER CO; ND 1, NEAR JCT CMC 1026 (NEKOMA SEPARATION) N TO JCT ND 5 (LANGDON) & ND 1, 80TH ST NE (NEKOMA) N TO NEAR CMC 1026 (NEKOMA SEPARATION)	October 10, 2026	\$16,000,001 to \$17,500,000
23102	IM-8-029(203)101	9.5700	GRADING, DITCH CLEANING, PCC PAVEMENT, MILL & HMA OVERLAY, SLOPE PROTECTION, STRUCTURE REPAIRS, BRIDGE DECK AND APPROACH SLAB REPLACEMENTS, CULVERTS, FENCING, GUARDRAIL, LIGHTING, PEDESTRIAN BRIDGE	TRAILL CO; I-29, 3 MI S OF HILLSBORO N TO NEAR JCT ND 200 - NB	October 17, 2026	\$30,000,001 to \$40,000,000
23176	SC-0400(021)	14.5140	CHIP SEAL AND INCIDENTALS	BILLINGS CO; VARIOUS LOCATIONS IN BILLINGS COUNTY	September 01, 2026	\$1,000,001 to \$1,500,000
23278	SU-CPU-FTF-1-094(224)917	1.4700	RECONSTRUCTION, MEDIAN, DRAINAGE, SHARED USE PATH, LIGHTING, LANDSCAPING, SIGNAGE, SIGNALS, SIDEWALK, SANITARY SEWER, STORM SEWER & WATERMAIN	MORTON CO; BUS 94 (MEMORIAL HIGHWAY), MAIN STREET TO 32ND AVENUE - MANDAN	November 13, 2027	\$60,000,001 to \$70,000,000
23283	Withdrawn					

Job	Project Number	Length	Type	Location	Time	Bid Range
23575	SS-1-031(022)000	35.1570	MICRO MILLING, SEAL COAT	GRANT, MORTON & SIOUX COS; ND 31, STATE LINE N TO JCT ND 21	September 15, 2026	\$2,500,001 to \$3,000,000
23644	HEU-1-981(133)	0.0000	RECTANGULAR RAPID FLASHING BEACONS (RRFB), PEDESTRIAN REFUGE ISLAND, CURB & GUTTER, CURB RAMPS, SIDEWALK, SIGNING AND PAVEMENT MARKING	BURLEIGH CO; CENTENNIAL ROAD, INTERSECTION WITH JERICHO ROAD - BISMARCK	November 06, 2026	\$200,001 to \$400,000
23645	HEU-1-981(134)	0.1500	PCC PAVEMENT, CURB & GUTTER, CURB RAMPS, STREET LIGHTING, TRAFFIC SIGNAL, SIGNING AND PAVEMENT MARKING	BURLEIGH CO; CENTURY AVE, INTERSECTION WITH 19TH ST N - BISMARCK	November 06, 2026	\$1,000,001 to \$1,500,000
23653	SS-6-018(081)239 & SS-6-018(087)240	2.2590	WIDENING, MILLING, HMA OVERLAY, APPROACH SLAB REMOVAL, BOX CULVERT, 7TH ST ALIGNMENT, END BARRIER MODIFICATION & PIPE EXTENSIONS	PEMBINA CO; ND 18, NEAR JCT CMC 3404 N TO NEAR CANADIAN BORDER & ND 18, 108TH ST NE & 7TH ST W (NECHE)	September 26, 2026	\$3,500,001 to \$4,000,000
23735	BRC-3027(056)	0.1480	STRUCTURE REPLACEMENT, MINOR GRADING & INCIDENTALS	MORTON CO; CMC 0327, 0.5 MILES SOUTH OF ALMONT	October 17, 2026	\$800,001 to \$1,000,000
23740	Withdrawn					
23742	Withdrawn					
23746	Withdrawn					
23773	IM-TMA-SU-8-029(215)061	0.2350	DECK OVERLAY, APPROACH SLAB REPLACEMENT, SPALL REPAIR, DECK DRAIN REPAIR, GUARDRAIL, RAIL RETROFIT & INCIDENTALS	CASS CO; I-29, 40TH AVE S TO NEAR 38TH AVE S NB/SB - FARGO	75 Calendar Days	\$2,000,001 to \$2,500,000
23843	Withdrawn					
23878	SS-5-022(146)075	0.6150	DRAINAGE IMPROVEMENTS	STARK CO; ND 22, JCT CMC 4527 N FOR 0.6 MI (GREEN RIVER)	October 03, 2026	\$600,001 to \$800,000
23911	Withdrawn					
23919	SB-FTF-TAC-4-043(009)008	0.8040	SHARED USE PATH	BOTTINEAU CO; ND 43, FROM LAKE LOOP ROAD (CMC 0547) TO HIGHLAND ROAD	35 Working Days	\$1,000,001 to \$1,500,000
24030	SS-6-044(003)029	2.8430	CPR, MILL & HMA, ADA CURB RAMP REVISIONS	PEMBINA & WALSH COS; ND 44, JCT I-29 N TO JCT ND 66 (DRAYTON)	August 22, 2026	\$1,000,001 to \$1,500,000
24033	Withdrawn					
24037	NH-1-003(055)041	17.6540	MICRO MILL AND SEAL COAT	LOGAN & MCINTOSH COS; ND 3, W JCT ND 13 N TO JCT ND 34 (NAPOLEON)	September 15, 2026	\$1,500,001 to \$2,000,000
24038	Withdrawn					

Job	Project Number	Length	Type	Location	Time	Bid Range
24041	NH-2-052(054)244 & NH-2-281(050)006	32.4010	MILL AND OVERLAY	DICKEY, LAMOURE & STUTSMAN COS; US 52, JCT ND 36 (PINGREE) S TO NEAR CMC 4718 (BUCHANAN) & US 281, NEAR JCT ND 11 (ELLEDALE) N TO JCT ND 13 (EDGELEY)	October 17, 2026	\$8,000,001 to \$9,000,000
24046	NH-3-002(177)199 & NH-4-002(144)194	7.8190	THIN LIFT OVERLAY	MCHENRY & PIERCE COS; US 2, MCHENRY/PIERCE CNTY LN E 1.5 MILES (BERWICK) WB & US 2, 1.5 MI E OF TOWNER E TO MCHENRY/PIERCE CNTY LN - WB	October 17, 2026	\$2,000,001 to \$2,500,000
24048	NH-5-012(055)073	14.0810	MICRO MILL & MICRO SURFACING	ADAMS CO; US 12, JCT ND 8 (HETTINGER) E TO STATE LINE	September 26, 2026	\$1,500,001 to \$2,000,000
24052	HEU-8-992(049)	0.0000	SIGNAL, TURN LANE, LIGHTING, PAVEMENT MARKING MODIFICATIONS	CASS CO; INTERSECTIONS OF 9TH ST E & 19TH AVE E, 32ND AVE E & 4TH ST E AND SHEYENNE ST & 38TH AVE W - WEST FARGO	September 11, 2026	\$400,001 to \$600,000
24053	HEU-8-984(179)	0.1000	TURN LANE REALIGNMENT, ADA RAMP UPDATES, TRAFFIC SIGNALS, LIGHTING	CASS CO; 19TH AVE N, INTERSECTION WITH UNIVERSITY DRIVE N - FARGO	48 Working Days	\$400,001 to \$600,000
24127	Withdrawn					
24154	SS-6-035(014)000	27.2640	CHIP SEAL	NELSON & WALSH COS; ND 35, JCT US 2 (MICHIGAN) N TO JCT ND 17 (ADAMS)	September 15, 2026	\$1,000,001 to \$1,500,000
24210	Withdrawn					
24230	Withdrawn					
24333	Withdrawn					
24402	Withdrawn					
24404	Withdrawn					
24405	Withdrawn					
24409	Withdrawn					
24569	TMA-CRP-TA-8-992(056)	0.5400	ADA CURB RAMP REVISIONS, CONCRETE MULTI USE PATH	CASS CO; 8TH ST W, FROM 12 1/2 AVE W TO 5TH AVE W - WEST FARGO	August 28, 2026	\$600,001 to \$800,000
24618	SC-SRF-0700(005)	9.2640	MILL, HOT BITUMINOUS OVERLAY, & PAVEMENT MARKING	BURKE CO; CMC 0707, JCT ND 5 N 6.6 MI TO NEAR CANADIAN BORDER; CMC 0713, JCT ND 50 (POWERS LAKE) N TO NEAR 83RD ST NW	September 01, 2026	\$2,500,001 to \$3,000,000

<b>Job</b>	<b>Project Number</b>	<b>Length</b>	<b>Type</b>	<b>Location</b>	<b>Time</b>	<b>Bid Range</b>
24653	SC-3300(020)	19.8000	SEAL COAT	OLIVER CO; CMC 3327, JCT 24TH ST W N TO JCT ND 25; CMC 3304, JCT CMC 3331 E TO JCT CMC 3339; CMC 3331, JCT ND 25 N TO JCT ND 200; CMC 3339, JCT CMC 3304 N 2.1 MI (CROSS RANCH STATE PARK)	September 16, 2026	\$800,001 to \$1,000,000
24654	SC-0500(022)	10.0700	HMA REPAIR, HMA OVERLAY, & PAVEMENT MARKING	BOTTINEAU CO; CMC 0520, 1 MI S OF GARDENIA N TO 91ST NE; CMC 0547, 91ST NE N TO JCT ND 5	October 17, 2026	\$2,000,001 to \$2,500,000
24672	SC-3026(055)	0.9400	HMA OVERLAY	MORTON CO; CMC 3026, JCT 24TH AVE SW E TO JCT ND 6 (SAINT ANTHONY)	October 02, 2026	\$400,001 to \$600,000
24677	SC-3008(059) & SU-1-988(057)	6.3892	MICROSURFACING AND INCIDENTALS	MORTON CO; CMC 3008, 0.5 MI W OF 30TH AVE SW (CROWN BUTTE DAM) E TO 25TH AVE SW (MANDAN URBAN LIMITS) & 38TH ST, 25TH AVE (MANDAN URBAN LIMITS) E TO 56TH AVE NW	October 02, 2026	\$200,001 to \$400,000
24678	SC-0341(001)	5.0230	MILL & HMA OVERLAY, AND INCIDENTALS	BENSON CO; CMC 0341, BENSON/EDDY COUNTY LINE N TO JCT CMC 0328	October 17, 2026	\$1,000,001 to \$1,500,000
24679	SC-3000(015)	4.1700	CHIP SEAL AND INCIDENTALS	MORTON CO; VARIOUS LOCATIONS IN MORTON COUNTY	October 02, 2026	\$100,001 to \$200,000

## NOTICE TO BIDDERS (continued)

1. Prequalification is required for all bidders submitting a bidding proposal form. Prequalification is required annually. Prequalified contractors who wish to renew their prequalification must submit a complete "Contractor's Prequalification Statement" by July 1 of each calendar year. Bidders who are not currently prequalified must submit a complete "Contractor's Prequalification Statement" at least 10 business days prior to the date of the bid opening. Information is available from the Construction Services Division of the North Dakota Department of Transportation.
2. Contractor's License--A contractor is not required to have a license from the state of North Dakota before bidding on any project, however, no contract will be awarded unless said contractor holds a current North Dakota license in the class within which the value of the contract falls.
3. A bid guarantee is required by Section 24-02-20, NDCC. The bid guarantee may be a bid bond equal to 10 percent of the full amount of the bid or a cashier's check of the bidder on a solvent bank equal to 5 percent of the bid. Bid bond shall be on the department form SFN 14196. Prior arrangements may be made with the department to file bid guarantees in advance.
4. Foreign corporation bidders are required, by Section 10-22-01, NDCC, to file, with the secretary of state, a notice of intention to do business in the state.
5. In-State Contractor Preference--Section 44-08-01 of the NDCC provides a preference for in-state bidders, which is equal to the preference given or required by the state of the nonresident bidder. This preference is given only on non-federal aid projects.
6. The Plan Holders List can be obtained from the NDDOT website at [www.dot.nd.gov/](http://www.dot.nd.gov/).
7. The Department of Transportation and all bidders are obligated to affirmatively ensure that in any contract entered into pursuant to this advertisement, minority or women's business enterprises will be afforded a full opportunity to participate and to submit bids in response to this invitation and will not be discriminated against on the grounds of race, religion, color, sex, age, or national origin in consideration for an award. Where applicable the contractor must fulfill all special provision requirements for utilization of Disadvantaged Business Enterprises.
8. Contractors are required to meet the provisions of the Contract Work Hours and Safety Standards Act on the federal aid projects, are required to meet the Fair Labor Standards Act on all projects, and are required to pay any minimum wage rates set forth in the proposal form.
9. The right is reserved to reject any and all proposals, to waive technicalities, or to accept such as may be determined to be for the best interests of the state.
10. Bidders are advised that signature on this Proposal Form or on a Request to Sublet Form certifies that the company or any person associated therewith is not currently under suspension, debarment, voluntary exclusion, or determination of ineligibility by any federal agency; has not been suspended, debarred, voluntarily excluded, or determined ineligible by any federal agency within the past three years; and has not been indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years.

NORTH DAKOTA  
DEPARTMENT OF TRANSPORTATION



---

Ronald J. Henke, P.E., Director

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

**22484** FEDERAL AID

PROJECT NUMBER HEN-7-052(034)000

PROPOSED WORK CONSISTS OF 15.9000 MILES OF PASSING LANE ADDITIONS, EMBANKMENT, BOX CULVERT EXTENSIONS, PIPE EXTENSIONS, AGGREGATE, HMA, SIGNING & STRIPING

LOCATED US 52, 4 MI S OF PORTAL SE TO 8 MI SE OF BOWBELLS

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 64750 TON REMOVE AGGREGATE BASE & SURFACING; 2 EA REMOVAL OF CONCRETE; 10 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 196 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 72849 CY COMMON EXCAVATION-TYPE A; 83608 CY TOPSOIL; 70119 CY BORROW-EXCAVATION; 2 EA BOX CULVERT EXCAVATION; 35 CY FOUNDATION FILL; 2 EA FOUNDATION PREPARATION-BOX CULVERT; 5761 M GAL WATER; 837 STA SUBGRADE PREPARATION-TYPE A-SHOULDERS; 106 ACRE SEEDING CLASS II; 12 ACRE WETLAND SEED; 121 ACRE TEMPORARY COVER CROP; 238 ACRE SOIL STABILIZATION; 2202 SY ECB TYPE 2; 80 CY RIPRAP GRADE II; 20105 LF SILT FENCE UNSUPPORTED; 20105 LF REMOVE SILT FENCE UNSUPPORTED; 57440 LF FIBER ROLLS 12IN; 12960 LF REMOVE FIBER ROLLS 12IN; 187403 TON AGGREGATE BASE COURSE CL 5; 15701 GAL TACK COAT; 36557 GAL PRIME COAT; 1185 TON BLOTTER MATERIAL CL 44; 3225 TON MILLING PAVEMENT SURFACE; 56281 TON SUPERPAVE FAA 45; 266 EA CORED SAMPLE; 3377 TON PG 58H-34 ASPHALT CEMENT; 59.8 CY CLASS AE-3 CONCRETE-BOX CULVERT; 8939 LBS REINFORCING STEEL-GRADE 60-BOX CULVERT; 1 L SUM MOBILIZATION; 3600 MHR FLAGGING; 5761 UNIT TRAFFIC CONTROL SIGNS; 4 EA ATTENUATION DEVICE-TYPE B-65; 12 EA PORTABLE RUMBLE STRIPS; 24 EA TYPE III BARRICADE; 856 EA STACKABLE VERTICAL PANELS; 28797 SF OBLITERATION OF PAVEMENT MARKING; 350 LF STATE FURNISHED MEDIAN BARRIER; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 151 SY GEOSYNTHETIC MATERIAL TYPE RR; 212 LF PIPE CONC REINF 24IN CL III; 126 LF PIPE CONC REINF 30IN CL III; 14 LF PIPE CONC REINF 33IN CL III; 10 LF PIPE CONC REINF 36IN CL III; 20 LF PIPE CONC REINF 42IN CL III; 2 EA END SECT-CONC REINF 24IN; 2 EA END SECT-CONC REINF 30IN; 22 LF PIPE CORR STEEL .064IN 18IN; 144 LF PIPE CORR STEEL .064IN 24IN; 4 LF PIPE CORR STEEL .064IN 30IN; 5 EA END SECT CORR STEEL .064IN 18IN; 6 EA END SECT CORR STEEL .064IN 24IN; 1 EA END SECT CORR STEEL .079IN 30IN; 26 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 397 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 107 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 170 EA RESET DELINEATOR; 64 EA DELINEATORS-TYPE A-DOUBLE SIDED; 1185 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 15 EA RESET SIGN PANEL; 7 EA RESET MILE POST; 42 EA OBJECT MARKERS - CULVERTS; 16.3 MILE RUMBLE STRIPS - ASPHALT SHOULDER; 1622 SF PVMT MK PAINTED-MESSAGE; 281142 LF SHORT TERM 4IN LINE-TYPE NR; 626733 LF PVMT MK PAINTED 6IN LINE; 2875 LF PVMT MK PAINTED 12IN LINE; 12 LF PVMT MK PAINTED 24IN LINE; 2 EA MAILBOX-ALL TYPES; 2 EA TEMPORARY STREAM DIVERSION.  
\*\*\* END OF PROJECT 22484\*\*\*

**22616** FEDERAL AID

PROJECT NUMBER NH-3-001(031)201

AND NH-3-001(033)200

PROPOSED WORK CONSISTS OF 13.4200 MILES OF FULL DEPTH RECLAMATION, MILL AND OVERLAY, WIDENING, INTERSECTION RECONSTRUCTION

LOCATED ND 1, NEAR JCT CMC 1026 (NEKOMA SEPARATION) N TO JCT ND 5 (LANGDON)

AND ND 1, 80TH ST NE (NEKOMA) N TO NEAR CMC 1026 (NEKOMA SEPARATION)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 EA RAILWAY PROTECTION INSURANCE-SITE 1; 1 EA RAILWAY PROTECTION INSURANCE-SITE 2; 1 L SUM RAILROAD COORDINATION - COMPANY A; 2 DAY RAILROAD FLAGGING; 1 L SUM E-TICKETING; 19050 TON REMOVE AGGREGATE BASE & SURFACING; 35 SY REMOVAL OF CONCRETE PAVEMENT; 42 LF REMOVAL OF CURB; 26 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 278 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 21570 CY COMMON EXCAVATION-TYPE A; 6574 CY TOPSOIL; 16407 CY COMMON EXCAVATION-WASTE; 828 CY TOPSOIL-IMPORTED; 36 EA APPROACH FORESLOPE RECONSTRUCTION; 2070 M GAL WATER; 9 STA SUBGRADE PREPARATION-TYPE A-12IN; 12.12 ACRE SEEDING CLASS II; 12.12 ACRE TEMPORARY COVER CROP; 24.24 ACRE STRAW MULCH; 1010 SY ECB TYPE 2; 7480 LF FIBER ROLLS 12IN; 7480 LF REMOVE FIBER ROLLS 12IN; 1000 TON TRAFFIC SERVICE AGGREGATE; 37825 TON AGGREGATE BASE COURSE CL 5; 271819 SY FULL DEPTH RECLAMATION; 271819 SY ASPHALT EMULSIFIED STABILIZED BASE COURSE; 4228 TON ASPHALT EMULSION; 29506 GAL TACK COAT; 5394 GAL

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

PRIME COAT; 33668 GAL FOG SEAL; 132 TON BLOTTER MATERIAL CL 44; 93202 TON MILLING PAVEMENT SURFACE; 68497 TON SUPERPAVE FAA 42; 424 EA CORED SAMPLE; 4112 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 3000 MHR FLAGGING; 4560 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 15 EA TYPE III BARRICADE; 437 EA DELINEATOR DRUMS; 46 EA TUBULAR MARKERS; 1030 HR PILOT CAR; 1318 SF OBLITERATION OF PAVEMENT MARKING; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 11460 SY GEOSYNTHETIC MATERIAL TYPE G; 70 LF PIPE CONC REINF 24IN CL III; 6 EA END SECT-TRAVERSABLE REINF. CONC.24IN; 89 LF PIPE CONDUIT 24IN; 98 LF PIPE CONDUIT 42IN; 4 LF PIPE CORR STEEL .064IN 12IN; 117 LF PIPE CORR STEEL .064IN 18IN; 115 LF PIPE CORR STEEL .064IN 24IN; 5 EA END SECT CORR STEEL .064IN 18IN; 9 EA END SECT CORR STEEL .064IN 24IN; 1 EA END SECT-TRAVERSABLE METAL 24IN; 18 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 31 EA ALIGNMENT MONUMENTS; 42 LF CURB & GUTTER-TYPE I; 48 LF CURB-TYPE I; 31 SY SIDEWALK CONCRETE 4IN; 20 SF DETECTABLE WARNING PANELS; 296.1 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 289.5 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 1518.4 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 28 EA RESET SIGN PANEL; 1 EA RESET MILE POST; 26 EA OBJECT MARKERS - CULVERTS; 24.164 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 12.087 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 324 SF PVMT MK PAINTED-MESSAGE; 73558 LF SHORT TERM 6IN LINE-TYPE NR; 171198 LF PVMT MK PAINTED 6IN LINE; 590 LF PVMT MK PAINTED 12IN LINE; 236 LF PVMT MK PAINTED 24IN LINE; 19 EA MAILBOX-ALL TYPES; 1 EA PIPE CLEANOUT.  
\*\*\* END OF PROJECT 22616\*\*\*

**23102** FEDERAL AID

PROJECT NUMBER IM-8-029(203)101

PROPOSED WORK CONSISTS OF 9.5700 MILES OF GRADING, DITCH CLEANING, PCC PAVEMENT, MILL & HMA OVERLAY, SLOPE PROTECTION, STRUCTURE REPAIRS, BRIDGE DECK AND APPROACH SLAB REPLACEMENTS, CULVERTS, FENCING, GUARDRAIL, LIGHTING, PEDESTRIAN BRIDGE LOCATED I-29, 3 MI S OF HILLSBORO N TO NEAR JCT ND 200 - NB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 1 L SUM CLEARING & GRUBBING; 79 EA REMOVAL OF TREES 10IN; 24 EA REMOVAL OF TREES 18IN; 14 EA REMOVAL OF TREES 30IN; 1365 TON REMOVE AGGREGATE BASE & SURFACING; 2 EA REMOVAL OF CONCRETE; 1 L SUM REMOVAL OF STRUCTURE; 1 L SUM REMOVAL OF CONCRETE; 345 LF REMOVAL OF CURB & GUTTER; 131569 TON REMOVAL OF PAVEMENT; 1 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 4789 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 8 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 49890 LF REMOVE EXISTING FENCE; 6 EA REMOVAL OF TEMPORARY BYPASS; 43191 CY COMMON EXCAVATION-TYPE A; 50495 CY TOPSOIL; 61556 CY COMMON EXCAVATION-WASTE; 630 CY COMMON EXCAVATION-SUBCUT; 9523 CY BORROW-EXCAVATION; 1 EA BOX CULVERT EXCAVATION; 1 L SUM CLASS 1 EXCAVATION; 1 EA FOUNDATION PREPARATION; 2900 CY FOUNDATION FILL; 1 EA FOUNDATION PREPARATION-BOX CULVERT; 3426 M GAL WATER; 1 L SUM PREPARE STOCKPILE SITE; 1 L SUM RESTORE STOCKPILE SITE; 138.5 ACRE SEEDING CLASS II; 138.8 ACRE TEMPORARY COVER CROP; 277.3 ACRE SOIL STABILIZATION; 1969 SY ECB TYPE 2; 299 SY TRM TYPE 1; 87295 LF SILT FENCE UNSUPPORTED; 87295 LF REMOVE SILT FENCE UNSUPPORTED; 100308 LF FIBER ROLLS 12IN; 8252 LF REMOVE FIBER ROLLS 12IN; 840 LF FIBER ROLLS 20IN; 420 LF REMOVE FIBER ROLLS 20IN; 1030 LF FLOTATION SILT CURTAIN; 1030 LF REMOVE FLOTATION SILT CURTAIN; 72306 CY SALVAGED BASE COURSE; 1024 CY AGGREGATE BASE COURSE CL 5; 5641 GAL TACK COAT; 1049 TON MILLING PAVEMENT SURFACE; 12934 TON SUPERPAVE FAA 43; 24 EA CORED SAMPLE; 500 TON PATCHING; 783 TON PG 58S-28 ASPHALT CEMENT; 171464 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 81 LF 3IN EXPANSION JOINT; 54 SY CONCRETE SLEEPER SLAB; 506.9 CY CLASS AAE-3 CONCRETE; 83.2 CY CLASS AE-3 CONCRETE; 5.2 SY PILE SUPPORTED APPROACH SLAB; 295 SY BRIDGE APPROACH SLAB-REMOVE & REPLACE; 3307 SY PENETRATING WATER REPELLENT TREATMENT; 720 LF BRIDGE DECK CRACK SEALING; 15 SF CURB REPAIR; 338 SF SPECIAL SURFACE FINISH; 564 LF PRESTRESSED I-BEAM-63IN; 11580 LBS REINFORCING STEEL-GRADE 60; 133179 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 1 L SUM STRUCTURAL STEEL; 430 LF STEEL PILING HP 10 X 42; 410 LF STEEL PILING HP 14 X 73; 315 LF STEEL PILING HP 14 X 102; 650 LF PEDESTRIAN FENCE; 2 EA CONNECTION PLATE MODIFICATION; 72 SF DECK SPALL REPAIR; 1 L SUM MOBILIZATION; 2570 MHR FLAGGING; 12223 UNIT TRAFFIC CONTROL SIGNS; 2 EA LANE CLOSURE-SIGNAL CONTROL/FLAGGING CONTROL; 2 EA ATTENUATION DEVICE-TYPE B-25; 2 EA ATTENUATION DEVICE-TYPE B-45; 8 EA ATTENUATION DEVICE-TYPE B-80; 2 EA PORTABLE RUMBLE STRIPS; 44 EA TYPE III BARRICADE; 2 EA SIDEWALK BARRICADE; 340 EA DELINEATOR DRUMS; 820 EA TUBULAR MARKERS; 311 EA DELINEATOR; 721 EA FLEXIBLE DELINEATORS; 6 EA VERTICAL PANELS-BACK TO BACK; 6 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA SEQUENCING ARROW PANEL-TYPE C-CROSSOVER; 2 EA FLASHING BEACON; 11 EA TYPE B FLASHERS; 6675 SF OBLITERATION OF PAVEMENT MARKING; 3820 LF STATE FURNISHED MEDIAN BARRIER; 2 EA PORTABLE CHANGEABLE MESSAGE SIGN; 2 EA VEHICLE SPEED FEEDBACK SIGN; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY;

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

317006 SY GEOSYNTHETIC MATERIAL TYPE G; 3 EA TEMPORARY BYPASS; 1 EA END SECT-TRAVERSABLE REINF. CONC.24IN; 319 LF PIPE CONDUIT 12IN; 96 LF PIPE CONDUIT 18IN-APPROACH; 641 LF PIPE CONDUIT 18IN; 1394 LF PIPE CONDUIT 24IN; 51 LF PIPE CONDUIT 24IN-APPROACH; 170 LF PIPE CONDUIT 24IN-STORM DRAIN; 1221 LF PIPE CONDUIT 30IN; 309 LF PIPE CONDUIT 36IN; 741 LF PIPE CONDUIT 42IN; 658 LF PIPE CONDUIT ARCH 51IN X 31IN; 1 EA PLUG PIPE-ALL TYPES & SIZES; 21 EA RIGHT OF WAY MARKERS; 23 EA ALIGNMENT MONUMENTS; 10 EA IRON PIN R/W MONUMENTS; 17 EA IRON PIN REFERENCE MONUMENTS; 1 EA MANHOLE 48IN; 1 EA MANHOLE CASTING; 15.6 LF MANHOLE RISER 48IN; 750 SY SIDEWALK CONCRETE REINF; 104 SF DETECTABLE WARNING PANELS; 50104 LF FENCE SMOOTH WIRE 3 STRAND-STEEL POST; 7 EA FENCE TERMINAL; 5 EA VEHICLE GATE; 17 EA CORNER ASSEMBLY-STEEL POST; 27 EA DOUBLE BRACE ASSEMBLY-STEEL POST; 288 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 29 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 125 EA DELINEATORS-TYPE A-SINGLE SIDED; 38 EA DELINEATORS-TYPE B; 10 EA DELINEATORS-TYPE E; 18 EA DELINEATORS-TYPE D; 344 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 211 LF GALV STEEL POST-STANDARD PIPE; 607 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 1162 SF PANEL FOR SIGNS-TYPE IV REFLECTIVE SHEETING; 9 EA INTERSTATE MILE POSTS-TYPE C; 1 EA RESET SIGN PANEL; 4 EA OBJECT MARKERS - TYPE I; 4 EA OBJECT MARKERS - TYPE III; 94 EA OBJECT MARKERS - CULVERTS; 5 CY CLASS AE CONCRETE-SIGN FOUNDATIONS; 30 EA REMOVE SIGN FOUNDATION; 18.18 MILE SINUSOIDAL RUMBLE STRIP - CONCRETE SHOULDER; 22240 EA RAISED PAVEMENT MARKERS; 6764 LF SHORT TERM 4IN LINE-TYPE R; 600 LF SHORT TERM 8IN LINE-TYPE R; 471 LF SHORT TERM 24IN LINE-TYPE R; 6045 LF SHORT TERM 6IN LINE-TYPE NR; 112 SF SHORT TERM MESSAGE-TYPE R; 301588 LF PVMT MK PAINTED 6IN LINE; 2908 LF PVMT MK PAINTED 12IN LINE; 430 LF PVMT MK PAINTED 24IN LINE; 1020 LF W-BEAM GUARDRAIL; 12 EA W-BEAM GUARDRAIL END TERMINAL; 282 LF REMOVE & RESET GUARDRAIL; 499 LF REMOVE W-BEAM GUARDRAIL & POSTS; 4 EA RESET W-BEAM GUARDRAIL END TERMINAL; 6 EA REMOVE END TREATMENT & TRANSITION; 1 EA LIGHTING SYSTEM A; 1 EA REMOVE LIGHTING SYSTEM; 1 EA IT SYSTEM; 8 EA TEMPORARY STREAM DIVERSION; 1 SET BRIDGE BENCH MARKS; 1850 LBS POLYURETHANE FOAM; 1 L SUM ROADWAY CANOPY; 2 EA SHORING; 16 SF ELASTOMERIC BEARING PAD; 73 LF SILICONE SEALANT; 526 SY AGGREGATE SLOPE PROTECTION; 2 EA ABUTMENT UNDERDRAIN SYSTEM; 42 LF APPROACH SLAB LIP REPAIR; 1 EA BARRIER REPAIR; ALTERNATE A 232.9 CY CLASS AE-3 CONCRETE-BOX CULVERT; 42152 LBS REINFORCING STEEL-GRADE 60-BOX CULVERT; 290 SY GEOSYNTHETIC MATERIAL TYPE G; ALTERNATE B 102 LF 12FT X 15FT PRECAST RCB CULVERT; 1 EA 12FT X 15FT PRECAST RCB END SECTION; 270 SY GEOSYNTHETIC MATERIAL TYPE G.

\*\*\* END OF PROJECT 23102\*\*\*

**23176** FEDERAL AID

PROJECT NUMBER SC-0400(021)

PROPOSED WORK CONSISTS OF 14.5140 MILES OF CHIP SEAL AND INCIDENTALS  
LOCATED VARIOUS LOCATIONS IN BILLINGS COUNTY

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE-3 LOCATIONS; 1 L SUM RAILROAD COORDINATION; 270661 SY SEAL COAT; 1 L SUM MOBILIZATION; 6479 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 1 SET RUMBLE STRIPS - INTERSECTION; 398 SF EPOXY PVMT MK MESSAGE; 242407 LF EPOXY PVMT MK 4IN LINE; 432 LF EPOXY PVMT MK 6IN LINE; 300 LF EPOXY PVMT MK 8IN LINE; 132 LF EPOXY PVMT MK 24IN LINE; 310 SF PREFORMED PATTERNED PVMT MK-MESSAGE(GROOVED); 95497 LF SHORT TERM 4IN LINE-TYPE NR.

\*\*\* END OF PROJECT 23176\*\*\*

**23278** FEDERAL AID

PROJECT NUMBER SU-CPU-FTF-1-094(224)917

PROPOSED WORK CONSISTS OF 1.4700 MILES OF RECONSTRUCTION, MEDIAN, DRAINAGE, SHARED USE PATH, LIGHTING, LANDSCAPING,  
SIGNAGE, SIGNALS, SIDEWALK, SANITARY SEWER, STORM SEWER & WATERMAIN

LOCATED BUS 94 (MEMORIAL HIGHWAY), MAIN STREET TO 32ND AVENUE - MANDAN

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM ESCROW OF BID DOCUMENTATION; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION; 1 DAY RAILROAD FLAGGING; 1 L SUM CULTURAL RESOURCE CONSTRUCTION MONITORING; 5 DAY CONTAMINATED SOIL MONITORING AND MITIGATION; 1 L SUM USACE EMERGENCY ACTION PLAN; 1 L SUM CRITICAL PATH METHOD SCHEDULE; 1 L SUM E-TICKETING; .4 ACRE CLEARING & GRUBBING; 7 EA REMOVAL OF TREES 10IN; 98967 TON REMOVE AGGREGATE BASE & SURFACING; 1 L SUM REMOVAL OF

10/20/25

**North Dakota Department of Transportation  
Notice To Bidders**

STRUCTURE-SITE 1; 1 L SUM REMOVAL OF STRUCTURE-SITE 2; 1 L SUM REMOVAL OF STRUCTURE-SITE 3; 288 CY REMOVAL OF CONCRETE; 6310 LF REMOVAL OF CURB & GUTTER; 153 SY REMOVAL OF BITUMINOUS SURFACING; 30 LF REMOVE PRECAST CONCRETE BARRIER; 1 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 2636 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 744 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 3 EA REMOVAL OF MANHOLES; 335 CY EXCAVATION & DISPOSAL OF CONTAMINATED SOIL; 705 LF REMOVAL OF CHAIN LINK FENCE; 24 LF REMOVE EXISTING FENCE; 2125 LF ACP WATERMAIN REMOVAL; 500 GAL DISPOSAL OF CONTAMINATED WATER; 68962 CY COMMON EXCAVATION-TYPE A; 8858 CY TOPSOIL; 47723 CY COMMON EXCAVATION-WASTE; 1500 CY BORROW-EXCAVATION; 1692 CY FLOWABLE FILL; 1811.4 M GAL WATER; 9 ACRE SEEDING CLASS I; .01 ACRE SEEDING CLASS II; .86 ACRE SEEDING CLASS III; 9.87 ACRE TEMPORARY COVER CROP; 19.74 ACRE HYDRAULIC MULCH; 4149 SY ECB TYPE 1; 41 CY RIPRAP GRADE II; 9197 LF FIBER ROLLS 12IN; 5009 LF REMOVE FIBER ROLLS 12IN; 140 LF FLOTATION SILT CURTAIN; 140 LF REMOVE FLOTATION SILT CURTAIN; 65760 TON AGGREGATE BASE COURSE CL 5; 51 TON SALVAGED BITUMINOUS PAVEMENT; 3058 TON TEMPORARY TRAFFIC SURFACE AGGREGATE; 973 TON AGGREGATE SURFACE COURSE; 12027 TON COMMERCIAL GRADE HOT MIX ASPHALT; 57208 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 262 LF SINGLE SLOPE BARRIER; 1 L SUM MOBILIZATION; 2600 MHR FLAGGING; 3205 UNIT TRAFFIC CONTROL SIGNS; 23 EA ATTENUATION DEVICE SPECIAL; 179 EA TYPE III BARRICADE; 45 EA SIDEWALK BARRICADE; 1453 LF PEDESTRIAN WALKWAY; 492 EA DELINEATOR DRUMS; 290 EA TUBULAR MARKERS; 204 EA STACKABLE VERTICAL PANELS; 4 EA SEQUENCING ARROW PANEL-TYPE C; 762 SF OBLITERATION OF PAVEMENT MARKING; 4 EA TEMPORARY CURB RAMP; 5510 LF STATE FURNISHED MEDIAN BARRIER; 4 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 130 EA INLET PROTECTION-SPECIAL; 130 EA REMOVE INLET PROTECTION-SPECIAL; 120970 SY GEOSYNTHETIC MATERIAL TYPE G; 3 EA TEMPORARY BYPASS SEWER SYSTEM; 75 LF PIPE CONC REINF 18IN CL V; 66 LF PIPE CONC REINF 24IN CL V; 146 LF PIPE CONC REINF 36IN CL V; 1 EA STORM SEWER JOINT TESTING; 1 EA END SECT-CONC REINF 30IN; 1 EA END SECT-CONC REINF 36IN; 3986 LF PIPE CONDUIT 15IN-STORM DRAIN; 1650 LF PIPE CONDUIT 18IN-STORM DRAIN; 401 LF PIPE CONDUIT 24IN-STORM DRAIN; 734 LF PIPE CONDUIT 36IN-STORM DRAIN; 293 LF PIPE CONDUIT 42IN-STORM DRAIN; 158 LF PIPE CONDUIT 48IN-STORM DRAIN; 1246 LF PIPE CONDUIT 54IN-STORM DRAIN; 3283 LF PIPE CONDUIT 60IN-STORM DRAIN; 1054 LF PIPE CONDUIT 72IN; 133 LF PIPE CONDUIT 72IN-JACKED OR BORED; 1 EA PIPE CONDUIT TEE 36IN X 15IN - STORM DRAIN; 1040 LF PIPE CONDUIT ARCH 44IN X 27IN; 332 LF PIPE CONDUIT ARCH 51IN X 31IN; 638 LF PIPE CONDUIT ARCH 58IN X 36IN; 213 LF PIPE CONDUIT ARCH 65IN X 40IN; 12 LF CASING PIPE 12IN; 133 LF CASING PIPE 84IN; 2 EA ADJUST 6IN SEWER CLEANOUT; 32 LF REMOVE & RELAY PIPE-ALL TYPES & SIZES; 63 EA UNDERDRAIN CLEANOUT RISER; 16370 LF UNDERDRAIN PIPE PVC PERFORATED 4IN; 24 EA RIGHT OF WAY MARKERS; 12 EA ALIGNMENT MONUMENTS; 17 EA IRON PIN R/W MONUMENTS; 7 EA IRON PIN REFERENCE MONUMENTS; 2 EA MANHOLE 48IN; 4 EA MANHOLE 60IN; 6 EA MANHOLE 72IN; 7 EA MANHOLE 84IN; 23 EA MANHOLE 96IN; 2 EA MANHOLE 108IN; 5 EA MANHOLE 120IN; 42 EA MANHOLE SANITARY; 11 LF MANHOLE RISER 48IN; 22 LF MANHOLE RISER 60IN; 36 LF MANHOLE RISER 72IN; 36 LF MANHOLE RISER 84IN; 163 LF MANHOLE RISER 96IN; 11 LF MANHOLE RISER 108IN; 59 LF MANHOLE RISER 120IN; 1 EA MANHOLE SPECIAL; 69 EA INLET-TYPE 2; 56 EA INLET-TYPE 2 DOUBLE; 2 EA INLET SPECIAL CATCH BASIN 6IN BEEHIVE 48IN; 1 EA INLET SPECIAL CATCH BASIN 9IN BEEHIVE 48IN; 1 EA INLET SPECIAL-TYPE 2 72IN; 1 EA INLET SPECIAL MOUNTABLE-TYPE B 60IN; 16 EA INLET CATCH BASIN 6IN BEEHIVE; 6 EA INLET CATCH BASIN 9IN BEEHIVE; 2 EA INLET MOUNTABLE CURB-TYPE B; 2 EA ADJUST INLET; 23838 LBS FITTINGS-DUCTILE IRON; 20 EA REMOVE GATE VALVE & BOX; 45 EA GATE VALVE & BOX 6IN; 31 EA GATE VALVE & BOX 8IN; 3 EA GATE VALVE & BOX 12IN; 16 EA GATE VALVE & BOX 16IN; 27 EA 8IN HYDRANT; 14 EA REMOVE HYDRANT; 506 LF WATER SERVICE LINE 1 1/2IN; 6 LF WATER SERVICE LINE 2IN; 1 L SUM TEMPORARY WATER SERVICE; 2207 LF WATERMAIN 6IN PVC; 1428 LF WATERMAIN 8IN PVC; 480 LF WATERMAIN 12IN PVC; 6582 LF WATERMAIN 16IN PVC; 125 LF 12IN WATERMAIN; 717 LF WATERMAIN 16IN; 48 EA CURB STOP & BOX 1 1/2IN; 1 EA CURB STOP & BOX 2IN; 11 EA CONNECTION TO EXISTING MAIN; 48 EA WATER SERVICE CONNECTION 1 1/2IN; 1 EA WATER SERVICE CONNECTION 2IN; 1 EA WATER LINE CONNECTION 6IN; 6 EA WATER LINE CONNECTION 8IN; 5 EA WATER LINE CONNECTION 12IN; 1 L SUM UNDERGROUND IRRIGATION SYSTEM; 1054 LF 8IN SANITARY SEWER PIPE; 4515 LF 12IN SANITARY SEWER PIPE; 11 EA RECONNECT TO EXISTING SANITARY SEWER SERVICE; 11 EA SANITARY SEWER SERVICE CONNECTION; 251 LF PIPE PVC 6IN SEWER; 13 EA REMOVE GATE VALVE BOX; 247 LF FORCEMAIN 6IN; 76 LF FORCEMAIN 16IN; 853 CF INSULATION BOARD; 61 LF CURB & GUTTER MOUNTABLE-TYPE I; 24268 LF CURB & GUTTER-TYPE I; 10 LF VALLEY GUTTER 36IN; 830 SY IMPRINTED CONCRETE; 5655 SY PIGMENTED IMPRINTED CONCRETE; 8143 SY SIDEWALK CONCRETE 4IN; 317 SY SIDEWALK CONCRETE 6IN; 52 SY CONCRETE MEDIAN NOSE PAVING; 5457 SY DRIVEWAY CONCRETE 8IN; 404 SF DETECTABLE WARNING PANELS; 377 LF FENCE CHAIN LINK; 308 LF FENCE CHAIN LINK WITH BARBED WIRE; 2740 LF ORNAMENTAL FENCE; 561 LF TEMPORARY FENCE; 2189 LF TEMPORARY SAFETY FENCE; 2 EA RESET VEHICLE GATE; 1 EA CORNER ASSEMBLY CHAIN LINK; 346 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 429 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 23 EA DELINEATORS-TYPE D; 1387 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 2 EA REFERENCE MARKER-TYPE C; 6 EA RESET SIGN PANEL; 1140 LF EPOXY PVMT MK 6IN LINE-GROOVED; 2803 LF EPOXY PVMT MK 8IN LINE-GROOVED; 3275 LF EPOXY PVMT MK 12IN LINE-GROOVED; 480 LF EPOXY PVMT MK 24IN LINE-GROOVED; 940 SF EPOXY PVMT MK MESSAGE-GROOVED; 210800 LF SHORT TERM 4IN LINE-TYPE R; 2265 SF SHORT TERM MESSAGE-TYPE R; 2743 LF PREFORMED PATTERNED PVMT MK 4IN LINE-GROOVED; 16626 LF PREFORMED PATTERNED PVMT MK 6IN LINE-GROOVED; 39 LF REMOVE W-BEAM GUARDRAIL & POSTS; 1 EA MAILBOX-ALL TYPES; 1 EA LIGHTING SYSTEM; 1 EA REMOVE LIGHTING SYSTEM; 2 EA TRAFFIC SIGNALS SYSTEM; 1 EA INTERIM TRAFFIC SIGNALS; 1 EA IT SYSTEM; 1500 CF GROUT; 2 EA SETTLEMENT

10/20/25

North Dakota Department of Transportation

Notice To Bidders

PLATE; 1 EA VIDEO INSPECTION - UNDERGROUND PIPE; 194 CY CONTROLLED DENSITY BACKFILL; 1 EA LIFT STATION-SITE 1; 1 EA LIFT STATION-SITE 2; 1 EA LIFT STATION-SITE 3; 24 MO LIFT STATION PUMP LEASE; 1 L SUM GATE WELL; 1 L SUM HEALTH AND SAFETY PLAN; 1 L SUM DEWATERING; 1 L SUM DEWATERING - SITE 1; 1 L SUM DEWATERING - SITE 2; 1 L SUM HEADWALL; 2 EA SLIDE GATE; 1 L SUM INSTRUMENTATION-DATA LOGGING EQUIPMENT; 1 EA SHORING; 3 EA REPLANT TREES; 7 EA AMERICAN LINDEN.

\*\*\* END OF PROJECT 23278\*\*\*

**23283**

WITHDRAWN

\*\*\* END OF PROJECT 23283\*\*\*

**23575** FEDERAL AID

PROJECT NUMBER SS-1-031(022)000

PROPOSED WORK CONSISTS OF 35.1570 MILES OF MICRO MILLING, SEAL COAT

LOCATED ND 31, STATE LINE N TO JCT ND 21

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 517862 SY MICRO-MILL; 599903 SY SEAL COAT; 1 L SUM MOBILIZATION; 4987 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 1 SET RUMBLE STRIPS - INTERSECTION; 70.5 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 35.25 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 759335 LF SHORT TERM PAINTED LINE-SEAL JOBS; 522977 LF PVMT MK PAINTED 6IN LINE; 20 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 23575\*\*\*

**23644** FEDERAL AID

PROJECT NUMBER HEU-1-981(133)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF RECTANGULAR RAPID FLASHING BEACONS (RRFB), PEDESTRIAN REFUGE ISLAND, CURB & GUTTER, CURB RAMPS, SIDEWALK, SIGNING AND PAVEMENT MARKING

LOCATED CENTENNIAL ROAD, INTERSECTION WITH JERICHO ROAD - BISMARCK

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 80 SY REMOVAL OF CONCRETE PAVEMENT; 38 LF REMOVAL OF CURB & GUTTER; 965 SY SEEDING CLASS III; 965 SY HYDRAULIC MULCH; 210 LF FIBER ROLLS 12IN; 97 TON AGGREGATE BASE COURSE CL 5; 1 L SUM MOBILIZATION; 434 UNIT TRAFFIC CONTROL SIGNS; 3 EA SIDEWALK BARRICADE; 62 LF PEDESTRIAN WALKWAY; 16 EA DELINEATOR DRUMS; 44 EA TUBULAR MARKERS; 1 EA SEQUENCING ARROW PANEL-TYPE A; 20 SF OBLITERATION OF PAVEMENT MARKING; 1 EA TEMPORARY CURB RAMP; 2 EA INLET PROTECTION-SPECIAL; 114 LF CURB & GUTTER-TYPE I; 21 SY PIGMENTED IMPRINTED CONCRETE; 175 SY SIDEWALK CONCRETE 4IN; 35 SY SIDEWALK CONCRETE 6IN; 15 SY CONCRETE MEDIAN NOSE PAVING; 80 SF DETECTABLE WARNING PANELS; 24.6 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 6 EA FLEXIBLE DELINEATORS-TYPE D; 16.1 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 2 EA RESET SIGN SUPPORT; 72 LF PREFORMED THERMO PLASTIC PVMT MK 24IN LINE; 60 LF PREFORMED PATTERNED PVMT MK 4IN LINE-GROOVED; 1 EA FLASHING BEACON.

\*\*\* END OF PROJECT 23644\*\*\*

**23645** FEDERAL AID

PROJECT NUMBER HEU-1-981(134)

PROPOSED WORK CONSISTS OF 0.1500 MILES OF PCC PAVEMENT, CURB & GUTTER, CURB RAMPS, STREET LIGHTING, TRAFFIC SIGNAL, SIGNING AND PAVEMENT MARKING

LOCATED CENTURY AVE, INTERSECTION WITH 19TH ST N - BISMARCK

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM REMOVAL OF TREES & BRUSH; 859 SY REMOVAL OF CONCRETE PAVEMENT; 1343 LF REMOVAL OF CURB & GUTTER; 408 SY SOD; 1728 TON AGGREGATE BASE COURSE CL 5; 883 SY 8IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 1 L SUM MOBILIZATION; 15 MHR FLAGGING; 1343 UNIT TRAFFIC CONTROL SIGNS; 7 EA SIDEWALK BARRICADE; 362 LF PEDESTRIAN WALKWAY; 20 EA DELINEATOR DRUMS; 111 EA TUBULAR MARKERS; 2 EA SEQUENCING ARROW PANEL-TYPE A; 599 SF OBLITERATION OF PAVEMENT MARKING; 6 EA TEMPORARY CURB RAMP; 8 EA INLET PROTECTION-SPECIAL; 1289 SY GEOSYNTHETIC MATERIAL TYPE R1; 2 EA ADJUST GATE VALVE BOX; 2 EA ADJUST MANHOLE; 2 EA ADJUST UTILITY APPURTENANCE; 1 L SUM ADJUST SPRINKLER SYSTEM; 1394 LF CURB & GUTTER-TYPE I; 105 LF CURB-TYPE I; 37 SY PIGMENTED IMPRINTED CONCRETE; 115 SY SIDEWALK CONCRETE 4IN; 265 SY SIDEWALK CONCRETE 6IN; 137 SY CONCRETE MEDIAN PAVING; 21 SY CONCRETE MEDIAN NOSE PAVING; 134 SF DETECTABLE WARNING PANELS; 42 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 13 EA FLEXIBLE DELINEATORS-TYPE D; 56 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 6 EA RESET SIGN PANEL; 2 EA RESET SIGN SUPPORT; 128 SF PREFORMED PATTERNED PVMT MK-MESSAGE(GROOVED); 307 LF SHORT TERM 8IN LINE-TYPE R; 144 SF SHORT TERM MESSAGE-TYPE R; 626 LF PREFORMED THERMO PLASTIC PVMT MK 6IN LINE; 202 LF PREFORMED THERMO PLASTIC PVMT MK 24IN LINE; 1526 LF PREFORMED PATTERNED PVMT MK 8IN LINE-GROOVED; 1 EA REVISE LIGHTING SYSTEM; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 1.

\*\*\* END OF PROJECT 23645\*\*\*

**23653** FEDERAL AID

PROJECT NUMBER SS-6-018(081)239

AND SS-6-018(087)240

PROPOSED WORK CONSISTS OF 2.2590 MILES OF WIDENING, MILLING, HMA OVERLAY, APPROACH SLAB REMOVAL, BOX CULVERT, 7TH ST ALIGNMENT, END BARRIER MODIFICATION & PIPE EXTENSIONS

LOCATED ND 18, NEAR JCT CMC 3404 N TO NEAR CANADIAN BORDER

AND ND 18, 108TH ST NE & 7TH ST W (NECHE)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM REMOVAL OF CONCRETE; 833 SY REMOVAL OF BITUMINOUS SURFACING; 26 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 20 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 130 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 35 CY REMOVAL OF RIPRAP - LOOSE ROCK; 5938 CY COMMON EXCAVATION-TYPE C; 11893 CY TOPSOIL; 942 CY COMMON EXCAVATION-WASTE; 18221 CY BORROW-EXCAVATION; 1 EA BOX CULVERT EXCAVATION; 1247 CY FOUNDATION FILL; 197 CY BOX CULVERT FOUNDATION AGGREGATE; 1 EA FOUNDATION PREPARATION-BOX CULVERT; 480 M GAL WATER; 19.3 ACRE SEEDING CLASS II; 19.2 ACRE TEMPORARY COVER CROP; 38.6 ACRE STRAW MULCH; 1238 SY ECB TYPE 2; 48 CY REMOVE AND REPLACE RIPRAP; 6204 LF SILT FENCE UNSUPPORTED; 6204 LF REMOVE SILT FENCE UNSUPPORTED; 11877 LF FIBER ROLLS 12IN; 2970 LF REMOVE FIBER ROLLS 12IN; 96 LF FLOTATION SILT CURTAIN; 96 LF REMOVE FLOTATION SILT CURTAIN; 9346 TON SALVAGED BASE COURSE; 2441 GAL TACK COAT; 499 GAL PRIME COAT; 12 TON BLOTTER MATERIAL CL 44; 36856 SY MILLING PAVEMENT SURFACE - 2 INCH; 6751 TON SUPERPAVE FAA 43; 47 EA CORED SAMPLE; 425 TON PG 58S-34 ASPHALT CEMENT; 936 SY PENETRATING WATER REPELLENT TREATMENT; 66 LF 12FT X 4FT PRECAST RCB CULVERT; 66 LF DBL 12FT X 4FT PRECAST RCB CULVERT; 2 EA 12FT X 4FT PRECAST RCB END SECTION; 2 EA DBL 12FT X 4FT PRECAST RCB END SECTION; 1 L SUM MOBILIZATION; 900 MHR FLAGGING; 2793 UNIT TRAFFIC CONTROL SIGNS; 1 EA LANE CLOSURE-SIGNAL CONTROL/FLAGGING CONTROL; 2 EA ATTENUATION DEVICE-TYPE B-45; 2 EA PORTABLE RUMBLE STRIPS; 29 EA TYPE III BARRICADE; 175 EA DELINEATOR DRUMS; 18 EA STACKABLE VERTICAL PANELS; 200 HR PILOT CAR; 190 LF STATE FURNISHED MEDIAN BARRIER; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 788 SY GEOSYNTHETIC MATERIAL TYPE G; 12 LF PIPE CONC REINF 24IN CL III; 92 LF PIPE CONC REINF 30IN CL III; 22 EA END SECT-TRAVERSABLE REINF. CONC.24IN; 2 EA END SECT-TRAVERSABLE REINF. CONC.30IN; 28 LF PIPE CONDUIT 18IN-APPROACH; 236 LF PIPE CONDUIT 24IN-APPROACH; 22 LF PIPE CONDUIT 30IN-APPROACH; 375 LF PIPE CONDUIT 36IN-APPROACH; 44 LF PIPE METAL ARCH 49IN X 33IN; 20 LF PIPE METAL ARCH 64IN X 43IN; 2 EA END SECT-TRAVERSABLE METAL 18IN; 2 EA END SECT-TRAVERSABLE METAL 24IN; 2 EA END SECT-TRAVERSABLE METAL 30IN; 1 EA END SECT METAL ARCH 64IN X 43IN; 5 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 10 EA PLUG PIPE-ALL TYPES & SIZES; 2 EA REMOVE GATE VALVE & BOX; 1 EA REMOVE HYDRANT; 80 LF CURB & GUTTER-TYPE 1 SPECIAL; 267 LF TEMPORARY SAFETY FENCE; 122 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 81 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 580 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 60 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 3 EA REFERENCE MARKER-TYPE C; 9 EA RESET SIGN PANEL; 48 EA OBJECT MARKERS - CULVERTS; 2 EA REMOVE SIGN FOUNDATION; .74 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; .37 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 24 SF PVMT MK PAINTED-MESSAGE; 6060 LF SHORT TERM 6IN LINE-TYPE NR; 30520 LF PVMT MK PAINTED

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

6IN LINE; 622 LF PVMT MK PAINTED 12IN LINE; 882 LF PVMT MK PAINTED 24IN LINE; 158 LF W-BEAM GUARDRAIL; 4 EA W-BEAM GUARDRAIL END  
TERMINAL; 266 LF REMOVE BOX BEAM GUARDRAIL; 4 EA REMOVE END TREATMENT & TRANSITION; 3 EA MAILBOX-ALL TYPES; 120 LF CRACK  
SEALING; 1 SF SPALL REPAIR; 4 EA BARRIER END MODIFICATION.

\*\*\* END OF PROJECT 23653\*\*\*

**23735** FEDERAL AID

PROJECT NUMBER BRC-3027(056)

PROPOSED WORK CONSISTS OF 0.1480 MILES OF STRUCTURE REPLACEMENT, MINOR GRADING & INCIDENTALS  
LOCATED CMC 0327, 0.5 MILES SOUTH OF ALMONT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 1 L SUM REMOVAL OF STRUCTURE; 470 LF REMOVE EXISTING FENCE; 1 EA REMOVAL  
OF TEMPORARY BYPASS; 293 CY COMMON EXCAVATION-TYPE B; 1017 CY TOPSOIL; 137 CY TOPSOIL-WETLAND; 2875 CY BORROW-EXCAVATION; 1  
EA CLASS 2 EXCAVATION-BOX CULVERT; 1 L SUM CHANNEL EXCAVATION; 539 CY FOUNDATION FILL; 1 EA FOUNDATION PREPARATION-BOX  
CULVERT; 59 M GAL WATER; 1.2 ACRE SEEDING CLASS II; .4 ACRE WETLAND SEED; 1.2 ACRE TEMPORARY COVER CROP; 3.2 ACRE STRAW MULCH;  
120 CY RIPRAP GRADE II; 90 LF SILT FENCE SUPPORTED; 90 LF REMOVE SILT FENCE SUPPORTED; 980 LF FIBER ROLLS 12IN; 540 LF REMOVE FIBER  
ROLLS 12IN; 1195 TON AGGREGATE SURFACE COURSE CL 13; 60 LF DBL 12FT X 8FT PRECAST RCB CULVERT; 2 EA DBL 12FT X 8FT PRECAST RCB  
END SECTION; 1 L SUM MOBILIZATION; 963 UNIT TRAFFIC CONTROL SIGNS; 6 EA TYPE III BARRICADE; 8 EA DELINEATOR DRUMS; 44 EA VERTICAL  
PANELS-BACK TO BACK; 303 SY GEOSYNTHETIC MATERIAL TYPE G; 180 SY GEOSYNTHETIC MATERIAL TYPE RR; 303 SY GEOSYNTHETIC MATERIAL  
TYPE S1; 88 LF PIPE CONDUIT 48IN-APPROACH; 470 LF FENCE BARBED WIRE 4 STRAND-STEEL POST; 470 LF TEMPORARY FENCE; 2 EA DOUBLE  
BRACE ASSEMBLY BARBED WIRE-WOOD POST; 4 EA OBJECT MARKERS - TYPE III; 1 EA TEMPORARY STREAM DIVERSION.

\*\*\* END OF PROJECT 23735\*\*\*

**23740**

WITHDRAWN

\*\*\* END OF PROJECT 23740\*\*\*

**23742**

WITHDRAWN

\*\*\* END OF PROJECT 23742\*\*\*

**23746**

WITHDRAWN

\*\*\* END OF PROJECT 23746\*\*\*

**23773** FEDERAL AID

PROJECT NUMBER IM-TMA-SU-8-029(215)061

PROPOSED WORK CONSISTS OF 0.2350 MILES OF DECK OVERLAY, APPROACH SLAB REPLACEMENT, SPALL REPAIR, DECK DRAIN REPAIR,  
GUARDRAIL, RAIL RETROFIT & INCIDENTALS

LOCATED I-29, 40TH AVE S TO NEAR 38TH AVE S NB/SB - FARGO

AND INVOLVES APPROXIMATELY:

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

1 L SUM CONTRACT BOND; 36 SY REMOVAL OF CONCRETE PAVEMENT; 97 SY REMOVAL OF BITUMINOUS SURFACING; 1 EA GUARDRAIL EMBANKMENT; 139 TON AGGREGATE BASE COURSE CL 5; 38 TON COMMERCIAL GRADE HOT MIX ASPHALT; 364.4 SY BRIDGE APPROACH SLAB- REMOVE & REPLACE; 3067.3 SY PENETRATING WATER REPELLENT TREATMENT; 1079 LF BRIDGE DECK CRACK SEALING; 6365 SF SPECIAL SURFACE FINISH; 173.9 LF DOUBLE BOX BEAM RAIL RETROFIT - E-RAIL; 95.6 CY OVERLAY CONCRETE; 4.4 CY DECK CONCRETE; 1171.3 SY CLASS 1-H REMOVAL; 1171.3 SY CLASS 1 REMOVAL; 40 SY CLASS 3 REMOVAL; 6 SY CLASS 4 REMOVAL; 454 SF DECK SPALL REPAIR; 1 L SUM MOBILIZATION; 2838 UNIT TRAFFIC CONTROL SIGNS; 2 EA ATTENUATION DEVICE-TYPE B-65; 20 EA TYPE III BARRICADE; 68 EA DELINEATOR DRUMS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 1458 SF OBLITERATION OF PAVEMENT MARKING; 1480 LF STATE FURNISHED MEDIAN BARRIER; 2 EA PORTABLE CHANGEABLE MESSAGE SIGN; 47 LF CURB & GUTTER-TYPE 1 SPECIAL; 1543 LF EPOXY PVMT MK 4IN LINE; 4694 LF SHORT TERM 6IN LINE-TYPE R; 4279 LF PREFORMED PATTERNED PVMT MK 6IN LINE; 445 LF W-BEAM GUARDRAIL; 4 EA W-BEAM GUARDRAIL END TERMINAL; 133 LF REMOVE & RESET GUARDRAIL; 6 EA REMOVE END TREATMENT & TRANSITION; 1 EA REVISE LIGHTING SYSTEM; 170 LF SILICONE SEALANT; 24 EA MODIFY DECK DRAIN; 79 SF SPALL REPAIR - MINOR; 35 SF SPALL REPAIR; 179.2 LF APPROACH SLAB LIP REPAIR.

\*\*\* END OF PROJECT 23773\*\*\*

**23843**

WITHDRAWN

\*\*\* END OF PROJECT 23843\*\*\*

**23878** FEDERAL AID

PROJECT NUMBER SS-5-022(146)075

PROPOSED WORK CONSISTS OF 0.6150 MILES OF DRAINAGE IMPROVEMENTS  
LOCATED ND 22, JCT CMC 4527 N FOR 0.6 MI (GREEN RIVER)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 58 SY REMOVAL OF BITUMINOUS SURFACING; 458 CY COMMON EXCAVATION-WASTE; 1.2 MILE RESHAPING DITCH; 4.5 ACRE SEEDING CLASS II; 4.5 ACRE TEMPORARY COVER CROP; 9 ACRE SOIL STABILIZATION; 298 SY ECB TYPE 2; 1982 SY CONCRETE EROSION CONTROL BLANKET; 10 CY RIPRAP GRADE II; 100 CY RIPRAP GRADE III; 1 EA ROCK CHECK; 4616 LF FIBER ROLLS 12IN; 2616 LF REMOVE FIBER ROLLS 12IN; 49 TON AGGREGATE BASE COURSE CL 5; 19 TON COMMERCIAL GRADE HOT MIX ASPHALT; 1 L SUM MOBILIZATION; 300 MHR FLAGGING; 1030 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 22 EA DELINEATOR DRUMS; 48 EA TUBULAR MARKERS; 47 SY GEOSYNTHETIC MATERIAL TYPE G; 72 LF PIPE CONDUIT 36IN; 2 EA OBJECT MARKERS - CULVERTS; 8 EA PIPE CLEANOUT.

\*\*\* END OF PROJECT 23878\*\*\*

**23911**

WITHDRAWN

\*\*\* END OF PROJECT 23911\*\*\*

**23919** FEDERAL AID

PROJECT NUMBER SB-FTF-TAC-4-043(009)008

PROPOSED WORK CONSISTS OF 0.8040 MILES OF SHARED USE PATH  
LOCATED ND 43, FROM LAKE LOOP ROAD (CMC 0547) TO HIGHLAND ROAD

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 809 SY REMOVAL OF BITUMINOUS SURFACING; 94 LF REMOVAL OF CULVERTS-ALL TYPES & SIZES; 1503 CY COMMON EXCAVATION-TYPE B; 4015 CY TOPSOIL; 12243 CY BORROW-EXCAVATION; 178 M GAL WATER; 4.13 ACRE

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

SEEDING CLASS I; .05 ACRE WETLAND SEED; 3.89 ACRE TEMPORARY COVER CROP; 7.88 ACRE HYDRAULIC MULCH; 170 SY ECB TYPE 2; 1519 LF SILT FENCE SUPPORTED; 1519 LF REMOVE SILT FENCE SUPPORTED; 2883 LF FIBER ROLLS 12IN; 1030 LF REMOVE FIBER ROLLS 12IN; 998 LF FLOTATION SILT CURTAIN; 998 LF REMOVE FLOTATION SILT CURTAIN; 1720 TON AGGREGATE BASE COURSE CL 5; 1146 TON COMMERCIAL GRADE HOT MIX ASPHALT; 1 L SUM MOBILIZATION; 300 MHR FLAGGING; 1175 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 12 EA DELINEATOR DRUMS; 78 EA TUBULAR MARKERS; 490 SY GEOSYNTHETIC MATERIAL TYPE G; 10 LF PIPE CONC REINF 18IN CL III; 6 LF PIPE CONC REINF 24IN CL III; 4 LF PIPE CONC REINF 30IN CL III; 20 LF PIPE CONC REINF 84IN CL III; 100 LF PIPE CONDUIT 24IN-APPROACH; 100 LF PIPE CONDUIT 30IN-APPROACH; 4 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 49 SY SIDEWALK CONCRETE 5IN REINF; 60 SF DETECTABLE WARNING PANELS; 41 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 38 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 226 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 1 EA RESET SIGN PANEL; 10 EA OBJECT MARKERS - CULVERTS; 75 LF EPOXY PVMT MK 6IN LINE.

\*\*\* END OF PROJECT 23919\*\*\*

**24030** FEDERAL AID

PROJECT NUMBER SS-6-044(003)029

PROPOSED WORK CONSISTS OF 2.8430 MILES OF CPR, MILL & HMA, ADA CURB RAMP REVISIONS

LOCATED ND 44, JCT I-29 N TO JCT ND 66 (DRAYTON)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 119 SY REMOVAL OF CONCRETE PAVEMENT; 175 LF REMOVAL OF CURB & GUTTER; 221 TON AGGREGATE BASE COURSE CL 5; 2630 GAL TACK COAT; 35654 SY MILLING PAVEMENT SURFACE; 3991 TON RAP - SUPERPAVE FAA 43; 33 EA CORED SAMPLE; 208 TON PG 58S-34 ASPHALT CEMENT; 495 LF DOWELED CONTRACTION JOINT ASSEMBLY; 1674 SY 8IN CONCRETE PAVEMENT REPAIR-FULL DEPTH-DOWELED; 2189 SF SPALL REPAIR-PARTIAL DEPTH; 52 EA EPOXY COATED DEFORMED BARS; 1 L SUM MOBILIZATION; 528 MHR FLAGGING; 3520 UNIT TRAFFIC CONTROL SIGNS; 1 EA LANE CLOSURE-SIGNAL CONTROL/FLAGGING CONTROL; 2 EA PORTABLE RUMBLE STRIPS; 50 EA TYPE I BARRICADE; 63 EA TYPE III BARRICADE; 20 EA SIDEWALK BARRICADE; 350 LF PEDESTRIAN WALKWAY; 175 EA DELINEATOR DRUMS; 175 EA TUBULAR MARKERS; 100 EA STACKABLE VERTICAL PANELS; 84 HR PILOT CAR; 10 EA TEMPORARY CURB RAMP; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 22 EA INLET PROTECTION-SPECIAL; 175 LF CURB & GUTTER; 121.6 SY SIDEWALK CONCRETE 4IN; 90 SF DETECTABLE WARNING PANELS; 3.148 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 1.574 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 316 SF PVMT MK PAINTED-MESSAGE; 17300 LF SHORT TERM 6IN LINE-TYPE R; 276 LF SHORT TERM 24IN LINE-TYPE R; 14655 LF SHORT TERM 6IN LINE-TYPE NR; 35055 LF PVMT MK PAINTED 6IN LINE; 22 LF PVMT MK PAINTED 24IN LINE; 84 SY LANDSCAPE PREPARATION.

\*\*\* END OF PROJECT 24030\*\*\*

**24033**

WITHDRAWN

\*\*\* END OF PROJECT 24033\*\*\*

**24037** FEDERAL AID

PROJECT NUMBER NH-1-003(055)041

PROPOSED WORK CONSISTS OF 17.6540 MILES OF MICRO MILL AND SEAL COAT

LOCATED ND 3, W JCT ND 13 N TO JCT ND 34 (NAPOLEON)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 274657 SY MICRO-MILL; 325354 SY SEAL COAT; 1 L SUM MOBILIZATION; 4127 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 1 SET RUMBLE STRIPS - INTERSECTION; 31.07 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 15.535 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 265 SF PVMT MK PAINTED-MESSAGE; 369561 LF SHORT TERM PAINTED LINE-SEAL JOBS; 10206 LF PVMT MK PAINTED 4IN LINE; 248999 LF PVMT MK PAINTED 6IN LINE; 554 LF PVMT MK PAINTED 24IN LINE.

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

\*\*\* END OF PROJECT 24037\*\*\*

**24038**

WITHDRAWN

\*\*\* END OF PROJECT 24038\*\*\*

**24041**

FEDERAL AID

PROJECT NUMBER NH-2-052(054)244

AND NH-2-281(050)006

PROPOSED WORK CONSISTS OF 32.4010 MILES OF MILL AND OVERLAY

LOCATED US 52, JCT ND 36 (PINGREE) S TO NEAR CMC 4718 (BUCHANAN)

AND US 281, NEAR JCT ND 11 (ELLEDALE) N TO JCT ND 13 (EDGELEY)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 EA RAILWAY PROTECTION INSURANCE-SITE 1; 1 EA RAILWAY PROTECTION INSURANCE-SITE 2; 200 M GAL WATER; 781 TON AGGREGATE BASE COURSE CL 5; 35529 GAL TACK COAT; 35529 GAL FOG SEAL; 21441 TON MILLING PAVEMENT SURFACE; 80157 TON RAP - SUPERPAVE FAA 45; 552 EA CORED SAMPLE; 3769 TON PG 58H-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 900 MHR FLAGGING; 2839 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 2 EA TYPE III BARRICADE; 23 EA DELINEATOR DRUMS; 107 EA TUBULAR MARKERS; 1 EA SEQUENCING ARROW PANEL-TYPE C; 450 HR PILOT CAR; 2 EA BITUMINOUS LABORATORY; 2 EA CONTRACTOR'S LABORATORY; 63.079 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 31.539 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 329 SF PVMT MK PAINTED-MESSAGE; 215931 LF SHORT TERM 6IN LINE-TYPE NR; 410995 LF PVMT MK PAINTED 6IN LINE; 65 LF PVMT MK PAINTED 8IN LINE; 649 LF PVMT MK PAINTED 12IN LINE; 24 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24041\*\*\*

**24046**

FEDERAL AID

PROJECT NUMBER NH-3-002(177)199

AND NH-4-002(144)194

PROPOSED WORK CONSISTS OF 7.8190 MILES OF THIN LIFT OVERLAY

LOCATED US 2, MCHENRY/PIERCE CNTY LN E 1.5 MILES (BERWICK) WB

AND US 2, 1.5 MI E OF TOWNER E TO MCHENRY/PIERCE CNTY LN - WB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 15.638 MILE SHOULDER PREPARATION; 64 TON AGGREGATE SURFACE COURSE CL 13; 19507 GAL TACK COAT; 9392 GAL FOG SEAL; 856 SY MILLING PAVEMENT SURFACE; 21352 TON SUPERPAVE FAA 45; 137 EA CORED SAMPLE; 1282.1 TON PG 58H-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 140 MHR FLAGGING; 2028 UNIT TRAFFIC CONTROL SIGNS; 224 EA DELINEATOR DRUMS; 345 EA TUBULAR MARKERS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 15.638 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 449 LF EPOXY PVMT MK 12IN LINE; 48 SF EPOXY PVMT MK MESSAGE; 92892 LF EPOXY PVMT MK 6IN LINE; 10322 LF SHORT TERM 6IN LINE-TYPE NR.

\*\*\* END OF PROJECT 24046\*\*\*

**24048**

FEDERAL AID

PROJECT NUMBER NH-5-012(055)073

PROPOSED WORK CONSISTS OF 14.0810 MILES OF MICRO MILL & MICRO SURFACING

LOCATED US 12, JCT ND 8 (HETTINGER) E TO STATE LINE

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION; 1577 GAL FOG SEAL; 295518 SY MICRO-MILL; 2797 TON AGGREGATE FOR MICROSURFACING TYPE II; 91493 GAL ASPHALT EMULSION FOR MICROSURFACING; 1 L SUM MOBILIZATION; 340 MHR FLAGGING; 3558 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 14 EA TYPE III BARRICADE; 56 EA DELINEATOR DRUMS; 100 EA TUBULAR MARKERS; 85 HR PILOT CAR; 24.98 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 12.49 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 177064 LF SHORT TERM 6IN LINE-TYPE NR; 936 LF SHORT TERM 24IN LINE-TYPE NR; 185337 LF PVMT MK PAINTED 6IN LINE; 936 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24048\*\*\*

**24052** FEDERAL AID

PROJECT NUMBER HEU-8-992(049)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF SIGNAL, TURN LANE, LIGHTING, PAVEMENT MARKING MODIFICATIONS

LOCATED INTERSECTIONS OF 9TH ST E & 19TH AVE E, 32ND AVE E & 4TH ST E AND SHEYENNE ST & 38TH AVE W - WEST FARGO

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 587 SY REMOVAL OF CONCRETE PAVEMENT; 1558 LF REMOVAL OF CURB & GUTTER; 432 CY COMMON EXCAVATION-WASTE; 262 CY AGGREGATE BASE COURSE CL 5; 84 TON COMMERCIAL GRADE HOT MIX ASPHALT; 172 SY 8IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 644 SY 10IN NON REINF CONCRETE PVMT CL AE-DOWELED; 1 L SUM MOBILIZATION; 934 UNIT TRAFFIC CONTROL SIGNS; 12 EA TYPE III BARRICADE; 4 EA SIDEWALK BARRICADE; 145 EA DELINEATOR DRUMS; 333 SF OBLITERATION OF PAVEMENT MARKING; 10 EA INLET PROTECTION-SPECIAL; 1000 SY GEOSYNTHETIC MATERIAL TYPE R1; 42 SY CONCRETE MEDIAN NOSE PAVING; 75 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 4 EA RESET DELINEATOR; 3 EA RESET SIGN PANEL; 2 EA RESET SIGN SUPPORT; 2044 LF EPOXY PVMT MK 4IN LINE-GROOVED; 1816 LF EPOXY PVMT MK 8IN LINE-GROOVED; 132 LF EPOXY PVMT MK 24IN LINE-GROOVED; 112 SF EPOXY PVMT MK MESSAGE-GROOVED; 1 L SUM LIGHTING SYSTEM (ROADWAY); 1 EA TRAFFIC SIGNAL SYSTEM - SITE 1; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 2; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 3.

\*\*\* END OF PROJECT 24052\*\*\*

**24053** FEDERAL AID

PROJECT NUMBER HEU-8-984(179)

PROPOSED WORK CONSISTS OF 0.1000 MILES OF TURN LANE REALIGNMENT, ADA RAMP UPDATES, TRAFFIC SIGNALS, LIGHTING

LOCATED 19TH AVE N, INTERSECTION WITH UNIVERSITY DRIVE N - FARGO

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 6 EA POT HOLE UTILITY; 391 TON REMOVE AGGREGATE BASE; 974 LF REMOVAL OF CURB & GUTTER; 282 TON REMOVAL OF PAVEMENT; 15 TON AGGREGATE BASE COURSE CL 5; 859 SY 9IN REINF CONCRETE PAVEMENT CL AE; 1 L SUM MOBILIZATION; 684 UNIT TRAFFIC CONTROL SIGNS; 12 EA TYPE III BARRICADE; 2 EA SIDEWALK BARRICADE; 114 LF PEDESTRIAN WALKWAY; 85 EA DELINEATOR DRUMS; 22 EA TUBULAR MARKERS; 2 EA TEMPORARY CURB RAMP; 22.6 SY TEMPORARY PEDESTRIAN SURFACING; 6 EA INLET PROTECTION-SPECIAL; 126 LF CURB & GUTTER-TYPE I; 61 SY PIGMENTED IMPRINTED CONCRETE; 140 SY SIDEWALK CONCRETE 5IN; 5 SY CONCRETE MEDIAN NOSE PAVING; 76 SF DETECTABLE WARNING PANELS; 8 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 34 LF GALV STEEL POST-STANDARD PIPE; 64 SF EPOXY PVMT MK MESSAGE; 954 LF EPOXY PVMT MK 4IN LINE; 1009 LF EPOXY PVMT MK 8IN LINE; 48 LF EPOXY PVMT MK 16IN LINE; 314 LF EPOXY PVMT MK 24IN LINE; 1 EA LIGHTING SYSTEM; 1 EA PULL BOX; 1 EA REMOVE LIGHTING SYSTEM; 1 EA REMOVE PULL BOX; 1 EA TRAFFIC SIGNALS SYSTEM.

\*\*\* END OF PROJECT 24053\*\*\*

**24127**

WITHDRAWN

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

\*\*\* END OF PROJECT 24127\*\*\*

**24154** FEDERAL AID

PROJECT NUMBER SS-6-035(014)000

PROPOSED WORK CONSISTS OF 27.2640 MILES OF CHIP SEAL

LOCATED ND 35, JCT US 2 (MICHIGAN) N TO JCT ND 17 (ADAMS)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 EA RAILWAY PROTECTION INSURANCE-SITE 1; 1 EA RAILWAY PROTECTION INSURANCE-SITE 2; 1 L SUM RAILROAD COORDINATION - COMPANY A; 1 L SUM RAILROAD COORDINATION - COMPANY B; 1800 DAY RAILROAD FLAGGING; 394749 SY SEAL COAT; 1 L SUM MOBILIZATION; 4548 UNIT TRAFFIC CONTROL SIGNS; 3 EA PORTABLE RUMBLE STRIPS; 530 SF PVMT MK PAINTED-MESSAGE; 103561 LF SHORT TERM 6IN LINE-TYPE NR; 334485 LF PVMT MK PAINTED 6IN LINE; 108 LF PVMT MK PAINTED 8IN LINE; 60 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24154\*\*\*

**24210**

WITHDRAWN

\*\*\* END OF PROJECT 24210\*\*\*

**24230**

WITHDRAWN

\*\*\* END OF PROJECT 24230\*\*\*

**24333**

WITHDRAWN

\*\*\* END OF PROJECT 24333\*\*\*

**24402**

WITHDRAWN

\*\*\* END OF PROJECT 24402\*\*\*

**24404**

WITHDRAWN

\*\*\* END OF PROJECT 24404\*\*\*

**24405**

WITHDRAWN

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

\*\*\* END OF PROJECT 24405\*\*\*

**24409**

WITHDRAWN

\*\*\* END OF PROJECT 24409\*\*\*

**24569** FEDERAL AID

PROJECT NUMBER TMA-CRP-TA-8-992(056)

PROPOSED WORK CONSISTS OF 0.5400 MILES OF ADA CURB RAMP REVISIONS, CONCRETE MULTI USE PATH  
LOCATED 8TH ST W, FROM 12 1/2 AVE W TO 5TH AVE W - WEST FARGO

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 13 EA REMOVAL OF TREES 10IN; 350 LF REMOVAL OF CURB & GUTTER; 1237 TON  
REMOVAL OF PAVEMENT; 12 CY COMMON EXCAVATION-TYPE C; 366 CY TOPSOIL; 114 CY BORROW-EXCAVATION; 1.05 ACRE SEEDING CLASS III;  
1.05 ACRE TEMPORARY COVER CROP; 2.1 ACRE HYDRAULIC MULCH; 268 LF SILT FENCE; 223 CY AGGREGATE BASE COURSE CL 5; 1 L SUM  
MOBILIZATION; 580 UNIT TRAFFIC CONTROL SIGNS; 17 EA SIDEWALK BARRICADE; 76 EA DELINEATOR DRUMS; 12 EA INLET PROTECTION-SPECIAL;  
12 EA REMOVE INLET PROTECTION-SPECIAL; 7 EA ADJUST INLET; 350 LF CURB & GUTTER-TYPE I; 62 SY SIDEWALK CONCRETE 4IN; 2872 SY  
SIDEWALK CONCRETE 5IN; 288 SY SIDEWALK CONCRETE 6IN; 285 SF DETECTABLE WARNING PANELS; 14 EA RESET SIGN PANEL; 14 EA RESET  
SIGN SUPPORT; 1 EA REPLANT TREES.

\*\*\* END OF PROJECT 24569\*\*\*

**24618** FEDERAL AID

PROJECT NUMBER SC-SRF-0700(005)

PROPOSED WORK CONSISTS OF 9.2640 MILES OF MILL, HOT BITUMINOUS OVERLAY, & PAVEMENT MARKING

LOCATED CMC 0707, JCT ND 5 N 6.6 MI TO NEAR CANADIAN BORDER; CMC 0713, JCT ND 50 (POWERS LAKE) N TO NEAR  
83RD ST NW

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 560 TON AGGREGATE SURFACE COURSE CL 13; 15188 GAL TACK COAT; 142018 SY MILLING PAVEMENT SURFACE;  
22060 TON RAP - SUPERPAVE FAA 42; 1395 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 560 MHR FLAGGING; 1800 UNIT TRAFFIC  
CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 8 EA TYPE III BARRICADE; 210 EA TUBULAR MARKERS; 280 HR PILOT CAR; 1 EA BITUMINOUS  
LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 2 SET RUMBLE STRIPS - INTERSECTION; 18 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT  
SHOULDER; 10 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 30187 LF EPOXY PVMT MK 6IN LINE; 30187 LF SHORT TERM 4IN LINE-  
TYPE NR; 97832 LF PVMT MK PAINTED 6IN LINE; 80 LF PVMT MK PAINTED 8IN LINE; 28 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24618\*\*\*

**24653** FEDERAL AID

PROJECT NUMBER SC-3300(020)

PROPOSED WORK CONSISTS OF 19.8000 MILES OF SEAL COAT

LOCATED CMC 3327, JCT 24TH ST W N TO JCT ND 25; CMC 3304, JCT CMC 3331 E TO JCT CMC 3339; CMC 3331, JCT ND 25 N  
TO JCT ND 200; CMC 3339, JCT CMC 3304 N 2.1 MI (CROSS RANCH STATE PARK)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 311165 SY SEAL COAT; 1 L SUM MOBILIZATION; 4780 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS;  
104 SF PVMT MK PAINTED-MESSAGE; 199108 LF SHORT TERM PAINTED LINE-SEAL JOBS; 307222 LF PVMT MK PAINTED 4IN LINE.

10/20/25

North Dakota Department of Transportation  
Notice To Bidders

\*\*\* END OF PROJECT 24653\*\*\*

**24654** FEDERAL AID

PROJECT NUMBER SC-0500(022)

PROPOSED WORK CONSISTS OF 10.0700 MILES OF HMA REPAIR, HMA OVERLAY, & PAVEMENT MARKING  
LOCATED CMC 0520, 1 MI S OF GARDENIA N TO 91ST NE; CMC 0547, 91ST NE N TO JCT ND 5  
AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 700 TON AGGREGATE BASE COURSE CL 5; 17657 GAL TACK COAT; 2658 SY MILLING PAVEMENT SURFACE; 22329 TON SUPERPAVE FAA 42; 1392 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 600 MHR FLAGGING; 1484 UNIT TRAFFIC CONTROL SIGNS; 250 EA TUBULAR MARKERS; 300 HR PILOT CAR; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 52 SF PVMT MK PAINTED-MESSAGE; 37665 LF SHORT TERM 4IN LINE-TYPE NR; 144000 LF PVMT MK PAINTED 6IN LINE; 40 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24654\*\*\*

**24672** FEDERAL AID

PROJECT NUMBER SC-3026(055)

PROPOSED WORK CONSISTS OF 0.9400 MILES OF HMA OVERLAY  
LOCATED CMC 3026, JCT 24TH AVE SW E TO JCT ND 6 (SAINT ANTHONY)  
AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 250 SY REMOVAL OF BITUMINOUS SURFACING; 8 M GAL WATER; 1.88 MILE SHOULDER PREPARATION; 21 CY AGGREGATE BASE COURSE CL 5; 400 TON AGGREGATE SURFACE COURSE CL 13; 1546 GAL TACK COAT; 1514 SY MILLING PAVEMENT SURFACE; 2038 TON SUPERPAVE FAA 43; 10 EA CORED SAMPLE; 444 TON PATCHING; 132 TON PG 58H-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 100 MHR FLAGGING; 1674 UNIT TRAFFIC CONTROL SIGNS; 107 EA TUBULAR MARKERS; 50 HR PILOT CAR; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 1120 LF CURB & GUTTER MOUNTABLE-TYPE I; 52 SF PVMT MK PAINTED-MESSAGE; 7396 LF SHORT TERM 4IN LINE-TYPE NR; 17336 LF PVMT MK PAINTED 4IN LINE; 20 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24672\*\*\*

**24677** FEDERAL AID

PROJECT NUMBER SC-3008(059)  
AND SU-1-988(057)

PROPOSED WORK CONSISTS OF 6.3892 MILES OF MICROSURFACING AND INCIDENTALS  
LOCATED CMC 3008, 0.5 MI W OF 30TH AVE SW (CROWN BUTTE DAM) E TO 25TH AVE SW (MANDAN URBAN LIMITS)  
AND 38TH ST, 25TH AVE (MANDAN URBAN LIMITS) E TO 56TH AVE NW

AND INVOLVES APPROXIMATELY:  
1 L SUM CONTRACT BOND; 1423 TON AGGREGATE FOR MICROSURFACING TYPE III; 46999 GAL ASPHALT EMULSION FOR MICROSURFACING; 1 L SUM MOBILIZATION; 160 MHR FLAGGING; 1407 UNIT TRAFFIC CONTROL SIGNS; 80 HR PILOT CAR; 1 SET RUMBLE STRIPS - INTERSECTION; 34510 LF SHORT TERM 4IN LINE-TYPE NR; 101463 LF PVMT MK PAINTED 4IN LINE.

\*\*\* END OF PROJECT 24677\*\*\*

**24678** FEDERAL AID

PROJECT NUMBER SC-0341(001)

PROPOSED WORK CONSISTS OF 5.0230 MILES OF MILL & HMA OVERLAY, AND INCIDENTALS  
LOCATED CMC 0341, BENSON/EDDY COUNTY LINE N TO JCT CMC 0328

10/20/25

**North Dakota Department of Transportation  
Notice To Bidders**

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 195 TON AGGREGATE BASE COURSE CL 5; 7839 GAL TACK COAT; 79564 SY MILLING PAVEMENT SURFACE; 13039 TON RAP - SUPERPAVE FAA 42; 811 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 600 MHR FLAGGING; 1162 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 250 EA TUBULAR MARKERS; 300 HR PILOT CAR; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 44 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 31 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 199 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 7 EA RESET SIGN PANEL; 1 SET RUMBLE STRIPS - INTERSECTION; 52 SF PVMT MK PAINTED-MESSAGE; 27493 LF SHORT TERM 4IN LINE-TYPE NR; 80538 LF PVMT MK PAINTED 6IN LINE; 14 LF PVMT MK PAINTED 24IN LINE.

\*\*\* END OF PROJECT 24678\*\*\*

**24679** FEDERAL AID

PROJECT NUMBER SC-3000(015)

PROPOSED WORK CONSISTS OF 4.1700 MILES OF CHIP SEAL AND INCIDENTALS

LOCATED VARIOUS LOCATIONS IN MORTON COUNTY

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 3057 GAL FOG SEAL; 24467 GAL CRS2P EMULSIFIED ASPHALT; 764 TON COVER COAT MATERIAL CL 41-M; 1 L SUM MOBILIZATION; 80 MHR FLAGGING; 3560 UNIT TRAFFIC CONTROL SIGNS; 40 HR PILOT CAR; 12884 LF SHORT TERM 4IN LINE-TYPE NR; 64268 LF PVMT MK PAINTED 4IN LINE.

\*\*\* END OF PROJECT 24679\*\*\*