

NOTICE TO BIDDERS
BID OPENING OF February 27, 2026

North Dakota Department of Transportation
 Construction Services Division
 608 East Boulevard Avenue
 Bismarck, ND 58505-0700
 Telephone (701)328-2563
 Website <http://www.dot.nd.gov/>

The North Dakota Department of Transportation (NDDOT) will receive electronic bids for the project(s) listed in this notice until 09:30AM, February 27, 2026. Electronic bids will be received through the Bid Express online bid exchange service at www.bidx.com.

Bid documents such as the Bidder's Proposal, plans, AASHTOWare Project Bids files, cross-sections and other related bid documents are available for viewing and downloading on the NDDOT's website at the following web address;
<http://www.dot.nd.gov/dotnet/eplans/default.aspx>. The bid documents are also available for viewing at the Construction Services Division, NDDOT building in Bismarck, ND.

Job	Project Number	Length	Type	Location	Time	Bid Range
21870	Withdrawn					
21993	Withdrawn					
22605	NH-7-002(172)053	0.0000	ABUTMENT ENDWALL REPLACEMENT, APPROACH SLABS, CONCRETE SPALL REPAIR, BRIDGE DECK CRACK SEALING, SURFACE FINISH, ROADWAY PAVEMENT, GUARDRAIL	WILLIAMS CO; US 2, BNSF RAILROAD STRUCTURE (RAY) - EB/WB	October 03, 2026	\$2,500,001 to \$3,000,000
22958	BGR-IM-X-1-094(215)162	9.7660	GRADING, SALVAGED BASE COURSE, DOWELED PCC PAVEMENT, MILL AND HMA OVERLAY, BRIDGE APPROACH SLABS, CULVERTS, HIGH TENSION CABLE MEDIAN BARRIER, GUARDRAIL AND FENCING	BURLEIGH CO; I-94, BISMARCK E TO E OF MENOKEN - WB	October 10, 2026	\$24,000,001 to \$30,000,000
23112	Withdrawn					
23341	NH-9-999(477)	0.0000	BOX CULVERT JOINT REPAIRS, SPALL REPAIRS, WINGWALL REPLACEMENT, SCOUR REPAIR	DICKEY, LAMOURE & TRAILL COS; VARIOUS US/STATE HIGHWAYS - STATEWIDE	October 17, 2026	\$1,500,001 to \$2,000,000
23344	Withdrawn					
23695	NHU-CRP-IM-5-094(160)903, HEN-5-022(144)069 & HEN-5-094(159)904	1.7730	MILL AND OVERLAY, ROADWAY RECONSTRUCTION, ROUNDABOUT, LIGHTING, STORM SEWER & SHARED USE PATH	STARK CO; 94 BUSINESS, I-94 TO NEAR STATE AVE - DICKINSON & ND 22, JCT 8TH ST S - DICKINSON & 94 BUSINESS, JCT 23RD AVE W AND COUNTY RD 10 - DICKINSON	June 12, 2027	\$19,000,001 to \$20,500,000

Job	Project Number	Length	Type	Location	Time	Bid Range
23710	BRJ-0019(025)	0.6300	STRUCTURE REPLACEMENT, GRADING, & INCIDENTALS	GRANT CO; 72ND AVE SW, 2 MI S AND 2 MI E OF NEW LEIPZIG	June 17, 2026	\$5,000,001 to \$5,500,000
23748	Withdrawn					
23759	HEC-0004(202)	0.5270	GUARDRAIL EMBANKMENT, W-BEAM GUARDRAIL, BRIDGE RAIL RETROFIT, & INCIDENTALS	BILLINGS CO; MULTIPLE LOCATIONS IN BILLINGS COUNTY	October 02, 2026	\$1,000,001 to \$1,500,000
23770	SS-2-999(069)	0.0440	STRUCTURE REPLACEMENT, GRADING, HOT MIX ASPHALT, AGGREGATE BASE, REMOVE AND RESET GUARDRAIL, SIGNING, PAVEMENT MARKING, & INCIDENTALS	BARNES CO; I-94 BUSINESS LOOP, .5 MI N OF EAST I-94 INTERCHANGE- VALLEY CITY	30 Calendar Days	\$600,001 to \$800,000
23772	SS-5-085(086)012	0.2400	STRUCTURE REPLACEMENT	BOWMAN CO; US 85, 4 MI S OF JCT US 12 (BOWMAN)	October 17, 2026	\$4,000,001 to \$4,500,000
23774	Withdrawn					
23928	Withdrawn					
23929	Withdrawn					
23957	Withdrawn					
23958	Withdrawn					
23962	BRC-BRJ-3400(051)	0.0520	STRUCTURE REMOVAL & REPLACEMENT, BITUMINOUS PAVEMENT, & INCIDENTALS	PEMBINA CO; CMC 3424, 3 MI W OF HENSEL	August 29, 2026	\$600,001 to \$800,000
24083	Withdrawn					
24086	Withdrawn					
24090	Withdrawn					
24102	NH-4-083(157)181	15.6740	MILL AND OVERLAY	WARD CO; US 83, S OF JCT ND 23 N TO NEAR 40TH AVE SW (MINOT) - SB	October 17, 2026	\$4,500,001 to \$5,000,000
24115	RCE-FTF-NHU-SU-6-297(014)000	0.4840	PCC RECONSTRUCTION, STRUCTURES, GRADING, AGGREGATE BASE, PCC PAVING, SIGNALS, LIGHTING, STORM SEWER, LIFT STATION, WATERMAIN RELOCATION, RAILROAD SHOOFLY TEMPORARY TRACK, AND RAILROAD PERMANENT TRACK	GRAND FORKS CO; ND 297, DEMERS AVE & 42ND STREET GRADE SEPARATION	November 30, 2027	\$60,000,001 to \$70,000,000

Job	Project Number	Length	Type	Location	Time	Bid Range
24136	UGP-1-988(052)	0.3600	GRADING, AGGREGATE BASE, PCC PAVEMENT, STORM SEWER, WATERMAIN, SANITARY SEWER, CURB & GUTTER, SIDEWALK, SIGNING, MARKING, LIGHTING, LANDSCAPING	MORTON CO; 1ST ST NW, 6TH AVE NW TO 4TH AVE NW; 5TH AVE NW, 1ST ST NW TO 2ND ST NW; 4TH AVE NW, MAIN ST TO 2ND ST NW - MANDAN	October 23, 2026	\$5,500,001 to \$6,000,000
24168	NH-2-013(072)232	1.1630	MILL & OVERLAY, ADA RAMPS, SIDEWALK, & LIGHTING	MCINTOSH CO; ND 13, NEAR JCT ND 3 E TO 40TH AVE SE (WISHEK)	November 21, 2026	\$3,000,001 to \$3,500,000
24291	H-8-010(049)002 & H-8-010(044)000	11.3170	SEAL COAT	CASS CO; ND10, JCT ND 18 (CASSELTON) E TO E OF MAPLETON (CMC 0941) & ND 10, W OF CASSELTON E TO JCT ND 18 (CASSELTON)	August 15, 2026	\$400,001 to \$600,000
24333	NHU-6-297(015)002	0.5370	CPR, GRINDING, ADA IMPROVEMENTS, MILL & OVERLAY, SEAL COAT	GRAND FORKS CO; ND 297, NEAR 5TH AVE S TO KITTSON AVE - GRAND FORKS	September 15, 2026	\$1,500,001 to \$2,000,000
24398	Withdrawn					
24408	TAU-4-989(137)	0.4400	NEW SIDEWALK, CURB RAMPS, AND DRIVEWAYS	WARD CO; 7TH AVE NW, 24TH ST NW TO 23RD ST NW; 24TH AVE NW, 8TH ST NW TO NEAR 11TH ST NW; 25TH AVE NW, 8TH ST NW TO NEAR 11TH ST NW - MINOT	August 14, 2026	\$800,001 to \$1,000,000
24415	TAC-0434(059)	1.3900	GRADING, SIDEWALK CONCRETE, PEDESTRIAN BRIDGE, INCIDENTALS	BILLINGS CO; CMC 0434 (EAST RIVER ROAD), NEAR 36TH ST SW TO NEAR 35TH ST SW (MEDORA)	October 31, 2026	\$2,000,001 to \$2,500,000
24461	IM-2-094(210)237	1.2970	MEDIAN CROSSOVERS, GRADE RAISE, PIPE EMBANKMENT, AGGREGATE BASE, HMA	STUTSMAN CO; I-94, 1.3 MI W OF CLEVELAND EB/WB	October 17, 2026	\$11,500,001 to \$13,000,000
24674	Withdrawn					
24675	Withdrawn					
24676	Withdrawn					
24691	NH-5-012(058)020 & NH-5-085(093)000	32.1660	SEAL COAT	BOWMAN CO; US 12, RHAME TO BOWMAN & US 85, SOUTH DAKOTA STATE LINE N TO BOWMAN	September 15, 2026	\$1,500,001 to \$2,000,000
24705	NH-6-005(056)288	11.1410	CHIP SEAL	CAVALIER & PEMBINA COS; ND 5, JCT CMC 1039 E TO JCT ND 89	September 15, 2026	\$600,001 to \$800,000
24707	SS-6-066(038)112	10.0780	CHIP SEAL	PEMBINA CO; ND 66, 2 MI W OF ND 18 (CRYSTAL) E TO JCT US 81 (ST THOMAS)	September 15, 2026	\$400,001 to \$600,000

Job	Project Number	Length	Type	Location	Time	Bid Range
24711	SS-6-018(094)198 & SS-6-018(093)207	18.1501	MILL AND HMA	PEMBINA & WALSH COS; ND 18, JCT ND 17 N TO WALSH / PEMBINA CNTY LN (HOOPLE) & ND 18, WALSH / PEMBINA CNTY LINE N TO 87TH ST NE	October 10, 2026	\$3,500,001 to \$4,000,000
24718	H-6-002(157)342, H-6-002(158)317 & H-6-029(186)152	23.3890	CHIP SEAL	GRAND FORKS CO; US 2, EMERADO TO GRAND FORKS AIR FORCE BASE & US 2, ND 32 (NIAGARA) E TO CMC 1819 (ARVILLA) - WB & I-29, MANVEL (EXIT 152) AND JOHNSTOWN (EXIT 157) INTERCHANGES	September 15, 2026	\$1,000,001 to \$1,500,000
24750	H-2-999(076)	0.0000	MILL AND OVERLAY	BARNES & STUTSMAN COS; NDDOT JAMESTOWN SECTION YARD AND VALLEY CITY DISTRICT YARD	October 17, 2026	\$200,001 to \$400,000
24753	H-3-017(039)008	38.4760	INTERMITTENT CONTRACT PATCH	PIERCE & TOWNER COS; ND 17, JCT ND 3 E TO JCT US 281 (CANDO)	October 10, 2026	\$800,001 to \$1,000,000
24754	Withdrawn					
24760	Withdrawn					
24761	Withdrawn					
24762	Withdrawn					
24763	Withdrawn					
24765	Withdrawn					
24767	Withdrawn					
24768	Withdrawn					
24789	HES-2-999(079)	0.0000	PAVEMENT MARKING	BARNES, CASS, DICKEY, KIDDER, LAMOURE, LOGAN, MCINTOSH, RANSOM, STEELE & STUTSMAN COS; VARIOUS US/STATE HIGHWAYS - VALLEY CITY DISTRICT	August 01, 2026	\$1,500,001 to \$2,000,000
24792	HES-5-999(038)	0.0000	PAVEMENT MARKING	ADAMS, BILLINGS, BOWMAN, DUNN, GOLDEN VALLEY, HETTINGER, MCKENZIE, MERCER, SLOPE & STARK COS; VARIOUS US/STATE HIGHWAYS - DICKINSON DISTRICT	August 01, 2026	\$800,001 to \$1,000,000
24794	HES-7-999(029)	0.0000	PAVEMENT MARKING	BURKE, DIVIDE, MCKENZIE, MOUNTRAIL & WILLIAMS COS; VARIOUS US/STATE HIGHWAYS - WILLISTON DISTRICT	August 01, 2026	\$1,000,001 to \$1,500,000

Job	Project Number	Length	Type	Location	Time	Bid Range
24795	HES-8-999(063)	0.0000	PAVEMENT MARKING	CASS, RANSOM, RICHLAND, SARGENT & TRAILL COS; VARIOUS US/STATE HIGHWAYS - FARGO DISTRICT	August 01, 2026	\$1,500,001 to \$2,000,000
24799	Withdrawn					
24800	Withdrawn					
24801	Withdrawn					

NOTICE TO BIDDERS (continued)

1. Prequalification is required for all bidders submitting a bidding proposal form. Prequalification is required annually. Prequalified contractors who wish to renew their prequalification must submit a complete "Contractor's Prequalification Statement" by July 1 of each calendar year. Bidders who are not currently prequalified must submit a complete "Contractor's Prequalification Statement" at least 10 business days prior to the date of the bid opening. Information is available from the Construction Services Division of the North Dakota Department of Transportation.
2. Contractor's License--A contractor is not required to have a license from the state of North Dakota before bidding on any project, however, no contract will be awarded unless said contractor holds a current North Dakota license in the class within which the value of the contract falls.
3. A bid guarantee is required by Section 24-02-20, NDCC. The bid guarantee may be a bid bond equal to 10 percent of the full amount of the bid or a cashier's check of the bidder on a solvent bank equal to 5 percent of the bid. Bid bond shall be on the department form SFN 14196. Prior arrangements may be made with the department to file bid guarantees in advance.
4. Foreign corporation bidders are required, by Section 10-22-01, NDCC, to file, with the secretary of state, a notice of intention to do business in the state.
5. In-State Contractor Preference--Section 44-08-01 of the NDCC provides a preference for in-state bidders, which is equal to the preference given or required by the state of the nonresident bidder. This preference is given only on non-federal aid projects.
6. The Plan Holders List can be obtained from the NDDOT website at www.dot.nd.gov/.
7. The Department of Transportation and all bidders are obligated to affirmatively ensure that in any contract entered into pursuant to this advertisement, minority or women's business enterprises will be afforded a full opportunity to participate and to submit bids in response to this invitation and will not be discriminated against on the grounds of race, religion, color, sex, age, or national origin in consideration for an award. Where applicable the contractor must fulfill all special provision requirements for utilization of Disadvantaged Business Enterprises.
8. Contractors are required to meet the provisions of the Contract Work Hours and Safety Standards Act on the federal aid projects, are required to meet the Fair Labor Standards Act on all projects, and are required to pay any minimum wage rates set forth in the proposal form.
9. The right is reserved to reject any and all proposals, to waive technicalities, or to accept such as may be determined to be for the best interests of the state.
10. Bidders are advised that signature on this Proposal Form or on a Request to Sublet Form certifies that the company or any person associated therewith is not currently under suspension, debarment, voluntary exclusion, or determination of ineligibility by any federal agency; has not been suspended, debarred, voluntarily excluded, or determined ineligible by any federal agency within the past three years; and has not been indicted, convicted, or had a civil judgment rendered against it by a court of competent jurisdiction in any matter involving fraud or official misconduct within the past three years.

NORTH DAKOTA
DEPARTMENT OF TRANSPORTATION



Ronald J. Henke, P.E., Director

02/02/26

North Dakota Department of Transportation
Notice To Bidders

21870

WITHDRAWN

*** END OF PROJECT 21870***

21993

WITHDRAWN

*** END OF PROJECT 21993***

22605 FEDERAL AID

PROJECT NUMBER NH-7-002(172)053

PROPOSED WORK CONSISTS OF 0.0000 MILES OF ABUTMENT ENDWALL REPLACEMENT, APPROACH SLABS, CONCRETE SPALL REPAIR, BRIDGE DECK CRACK SEALING, SURFACE FINISH, ROADWAY PAVEMENT, GUARDRAIL

LOCATED US 2, BNSF RAILROAD STRUCTURE (RAY) - EB/WB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION; 1 L SUM REMOVAL OF CONCRETE; 14 CY REMOVAL OF CONCRETE; 145 SY REMOVAL OF CONCRETE PAVEMENT; 80 SY REMOVAL OF BITUMINOUS SURFACING; 1 EA REMOVAL OF TEMPORARY BYPASS; 1 L SUM CLASS 1 EXCAVATION; 167 TON AGGREGATE BASE COURSE CL 5; 142 TON COMMERCIAL GRADE HOT MIX ASPHALT; 112 LF 3IN EXPANSION JOINT; 65 SY CONCRETE SLEEPER SLAB; 192 LF DOWELED CONTRACTION JOINT ASSEMBLY; 585 SY 13.5IN CONCRETE PAVEMENT REPAIR-FULL DEPTH-DOWELED; 79.9 CY CLASS AAE-3 CONCRETE; 291.4 SY CONCRETE BRIDGE APPROACH SLAB; 328 SY PILE SUPPORTED APPROACH SLAB; 3035 SY PENETRATING WATER REPELLENT TREATMENT; 1950 LF BRIDGE DECK CRACK SEALING; 4976 SF SPECIAL SURFACE FINISH; 1788 LBS REINFORCING STEEL-GRADE 60; 11768 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 15.7 LF PEDESTRIAN CANOPY; 67 SF DECK SPALL REPAIR; 1 L SUM MOBILIZATION; 200 MHR FLAGGING; 2009 UNIT TRAFFIC CONTROL SIGNS; 14 EA TYPE III BARRICADE; 98 EA DELINEATOR DRUMS; 112 EA TUBULAR MARKERS; 144 EA FLEXIBLE DELINEATORS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA SEQUENCING ARROW PANEL-TYPE C-CROSSOVER; 5624 SF OBLITERATION OF PAVEMENT MARKING; 18 LF CURB & GUTTER MOUNTABLE-TYPE I; 75 LF CURB & GUTTER-TYPE I; 1450 LF EPOXY PVMT MK 12IN LINE; 240 SF EPOXY PVMT MK MESSAGE; 17234 LF EPOXY PVMT MK 6IN LINE; 160 LF EPOXY PVMT MK 24IN LINE; 42 LF EPOXY PVMT MK 6IN LINE-GROOVED; 16946 LF SHORT TERM 6IN LINE-TYPE R; 160 LF SHORT TERM 24IN LINE-TYPE R; 2 EA W-BEAM GUARDRAIL END TERMINAL; 129 LF REMOVE & RESET GUARDRAIL; 2 EA SHORING; 1243 LF SILICONE SEALANT; 4 EA ABUTMENT UNDERDRAIN SYSTEM; 48 LF PRESSURE RELIEF JOINT; 19 SF SPALL REPAIR; 1 L SUM ABUTMENT REPAIR.

*** END OF PROJECT 22605***

22958 FEDERAL AID

PROJECT NUMBER BGR-IM-X-1-094(215)162

PROPOSED WORK CONSISTS OF 9.7660 MILES OF GRADING, SALVAGED BASE COURSE, DOWELED PCC PAVEMENT, MILL AND HMA OVERLAY, BRIDGE APPROACH SLABS, CULVERTS, HIGH TENSION CABLE MEDIAN BARRIER, GUARDRAIL AND FENCING

LOCATED I-94, BISMARCK E TO E OF MENOKEN - WB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 1 L SUM CLEARING & GRUBBING; 97247 TON REMOVE AGGREGATE BASE & SURFACING; 1 L SUM REMOVAL OF STRUCTURE-SITE 1; 1 L SUM REMOVAL OF STRUCTURE-SITE 2; 1 L SUM REMOVAL OF STRUCTURE-SITE 3; 1 L SUM REMOVAL OF CONCRETE; 47 LF REMOVAL OF CURB & GUTTER; 63204 TON REMOVAL OF PAVEMENT; 4020 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 5 EA REMOVAL OF MEDIAN DRAIN PRECAST CONCRETE; 50677 LF REMOVE EXISTING FENCE; 4 EA REMOVAL OF TEMPORARY BYPASS; 88282 CY COMMON EXCAVATION-TYPE A; 58430 CY TOPSOIL; 1 L SUM CHANNEL EXCAVATION; 3855 M GAL WATER; 1 L SUM PREPARE STOCKPILE SITE; 1 L

02/02/26

North Dakota Department of Transportation
Notice To Bidders

SUM RESTORE STOCKPILE SITE; 115.3 ACRE SEEDING CLASS II; 115.3 ACRE TEMPORARY COVER CROP; 230.6 ACRE SOIL STABILIZATION; 4408 SY ECB TYPE 3; 58 CY RIPRAP GRADE I; 1660 CY RIPRAP GRADE II; 4241 LF SILT FENCE UNSUPPORTED; 4241 LF REMOVE SILT FENCE UNSUPPORTED; 33417 LF FIBER ROLLS 12IN; 15998 LF REMOVE FIBER ROLLS 12IN; 137839 TON SALVAGED BASE COURSE; 3292 GAL TACK COAT; 11599 GAL PRIME COAT; 10798 SY MILLING PAVEMENT SURFACE - 2 INCH; 10763 TON RAP - SUPERPAVE FAA 43; 123 EA CORED SAMPLE; 50 TON PATCHING; 377 TON PG 58S-34 ASPHALT CEMENT; 185676 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 74 LF 3IN EXPANSION JOINT; 50 SY CONCRETE SLEEPER SLAB; 164.4 SY BRIDGE APPROACH SLAB-REMOVE & REPLACE; 941 SY PENETRATING WATER REPELLENT TREATMENT; 150 SF CURB REPAIR; 1051 SF SPECIAL SURFACE FINISH; 392 LF DOUBLE BOX BEAM RAIL RETROFIT-FREE STANDING; 1 L SUM MOBILIZATION; 3400 MHR FLAGGING; 7345 UNIT TRAFFIC CONTROL SIGNS; 10 EA ATTENUATION DEVICE-TYPE B-65; 2 EA PORTABLE RUMBLE STRIPS; 52 EA TYPE III BARRICADE; 240 EA DELINEATOR DRUMS; 368 EA TUBULAR MARKERS; 228 EA DELINEATOR; 630 EA FLEXIBLE DELINEATORS; 6 EA VERTICAL PANELS-BACK TO BACK; 4 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA SEQUENCING ARROW PANEL-TYPE C-CROSSOVER; 2 EA FLASHING BEACON; 8033 SF OBLITERATION OF PAVEMENT MARKING; 3560 LF STATE FURNISHED MEDIAN BARRIER; 2 EA VEHICLE SPEED FEEDBACK SIGN; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 320937 SY GEOSYNTHETIC MATERIAL TYPE G; 2250 SY GEOSYNTHETIC MATERIAL TYPE RR; 2 EA TEMPORARY BYPASS; 76 EA HEADWALL-PRECAST CONCRETE 4IN; 381 LF PIPE CONDUIT 24IN; 1503 LF PIPE CONDUIT 30IN; 1284 LF PIPE CONDUIT 36IN; 228 LF PIPE CONDUIT 42IN; 148 LF PIPE CONDUIT 66IN; 172 LF PIPE CONDUIT 84IN; 100 LF PIPE CONDUIT 90IN; 163 LF PIPE CONDUIT 108IN; 203 LF PIPE CONDUIT ARCH 58IN X 36IN; 21284 LF EDGEDRAIN NON PERMEABLE BASE; 4 EA RIGHT OF WAY MARKERS; 34 EA ALIGNMENT MONUMENTS; 4 EA IRON PIN R/W MONUMENTS; 7 EA IRON PIN REFERENCE MONUMENTS; 5 EA MEDIAN DRAIN PRECAST CONCRETE-TYPE A; 47 LF CURB & GUTTER-TYPE I; 20 LF CURB & GUTTER-TYPE 1 SPECIAL; 39 SY SIDEWALK CONCRETE 4IN; 24 SF DETECTABLE WARNING PANELS; 50690 LF FENCE BARBED WIRE 4 STRAND-WOOD POST; 1462 LF FENCE CHAIN LINK; 2 EA FENCE TERMINAL; 6 EA VEHICLE GATE; 4 EA REMOVE VEHICLE GATE; 33 EA CORNER ASSEMBLY-WOOD POST; 6 EA CORNER ASSEMBLY CHAIN LINK; 44 EA DOUBLE BRACE ASSEMBLY-WOOD POST; 113 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 25 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 100 EA DELINEATORS-TYPE A-SINGLE SIDED; 37 EA DELINEATORS-TYPE B; 12 EA DELINEATORS-TYPE E; 9 EA DELINEATORS-TYPE D; 219 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 88 LF GALV STEEL POST-STANDARD PIPE; 642 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 62 SF PANEL FOR SIGNS-TYPE XI REFLECTIVE SHEETING; 894 SF PANEL FOR SIGNS-TYPE IV REFLECTIVE SHEETING; 10 EA INTERSTATE MILE POSTS-TYPE C; 6 EA RESET SIGN PANEL; 63 EA OBJECT MARKERS - CULVERTS; 3 CY CLASS AE CONCRETE-SIGN FOUNDATIONS; 26 EA REMOVE SIGN FOUNDATION; 19.512 MILE SINUSOIDAL RUMBLE STRIP - CONCRETE SHOULDER; 6337 LF EPOXY PVMT MK 4IN LINE; 4255 LF EPOXY PVMT MK 6IN LINE; 239273 LF EPOXY PVMT MK 6IN LINE-GROOVED; 3210 LF EPOXY PVMT MK 12IN LINE-GROOVED; 23246 EA RAISED PAVEMENT MARKERS; 7210 LF SHORT TERM 6IN LINE-TYPE R; 52126 LF SHORT TERM 6IN LINE-TYPE NR; 32 LF PVMT MK PAINTED CURB TOP & FACE; 51110 LF HIGH TENSION CABLE GUARDRAIL; 18 EA HIGH TENSION CABLE ANCHOR ASSEMBLY; 655 LF W-BEAM GUARDRAIL; 6 EA W-BEAM GUARDRAIL END TERMINAL; 581 LF REMOVE W-BEAM GUARDRAIL & POSTS; 3 EA REMOVE END TREATMENT & TRANSITION; 6 EA REMOVE BARREL ATTENUATION DEVICE; 3 EA MODIFY BARREL ATTENUATION DEVICE; 1 EA FEED POINT-FLASHING BEACON; 1 EA FLASHING BEACON; 2 EA REVISE VIRTUAL WEIGH IN MOTION SYSTEM; 4 EA TEMPORARY STREAM DIVERSION; 3 EA SHORING; 3 EA REMOVAL OF SHORING; 7750 LF CRACK SEALING; 44.6 LF APPROACH SLAB LIP REPAIR.

*** END OF PROJECT 22958***

23112

WITHDRAWN

*** END OF PROJECT 23112***

23341 FEDERAL AID

PROJECT NUMBER NH-9-999(477)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF BOX CULVERT JOINT REPAIRS, SPALL REPAIRS, WINGWALL REPLACEMENT, SCOUR REPAIR LOCATED VARIOUS US/STATE HIGHWAYS - STATEWIDE

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 EA REMOVAL OF CONCRETE; 34 CY TOPSOIL-IMPORTED; 80 CY BORROW-EXCAVATION; 185 CY FOUNDATION FILL; 293 CY RIPRAP GRADE II; 22 CY CLASS AE-3 CONCRETE-BOX CULVERT; 3475 LBS REINFORCING STEEL-GRADE 60-BOX CULVERT; 1 L SUM

02/02/26

North Dakota Department of Transportation
Notice To Bidders

MOBILIZATION; 1016 UNIT TRAFFIC CONTROL SIGNS; 2 EA ATTENUATION DEVICE-TYPE B-40; 88 EA DELINEATOR DRUMS; 48 EA TUBULAR MARKERS; 1038 LF STATE FURNISHED MEDIAN BARRIER; 267 SY GEOSYNTHETIC MATERIAL TYPE RR; 122 SET INSTALL CONCRETE PIPE TIES; 4 EA TEMPORARY STREAM DIVERSION - SITE 3; 1480 GAL HIGH EXPANSION POLYURETHANE FOAM; 1 EA SHORING; 367 SF SPALL REPAIR; 41 EA BOX CULVERT JOINT REPAIR; 23 EA BOX CULVERT JOINT REPAIR - FLOOR.

*** END OF PROJECT 23341***

23344

WITHDRAWN

*** END OF PROJECT 23344***

23695 FEDERAL AID

PROJECT NUMBER NHU-CRP-IM-5-094(160)903,

AND HEN-5-022(144)069,

AND HEN-5-094(159)904

PROPOSED WORK CONSISTS OF 1.7730 MILES OF MILL AND OVERLAY, ROADWAY RECONSTRUCTION, ROUNDABOUT, LIGHTING, STORM SEWER & SHARED USE PATH

LOCATED 94 BUSINESS, I-94 TO NEAR STATE AVE - DICKINSON
AND ND 22, JCT 8TH ST S - DICKINSON
AND 94 BUSINESS, JCT 23RD AVE W AND COUNTY RD 10 - DICKINSON

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 3 DAY CONTAMINATED SOIL MONITORING AND MITIGATION; 1 L SUM CRITICAL PATH METHOD SCHEDULE; 1 L SUM E-TICKETING; 1 L SUM CLEARING & GRUBBING-SITE 1; 1 L SUM CLEARING & GRUBBING-SITE 2; 5 EA REMOVAL OF TREES 10IN; 4 EA REMOVAL OF TREES 18IN; 35820 TON REMOVAL OF PAVEMENT; 4 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 1184 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 2 EA REMOVAL OF MANHOLES; 6 EA REMOVAL OF INLETS; 250 LF ACP WATERMAIN REMOVAL; 92112 CY COMMON EXCAVATION-TYPE A; 15387 CY TOPSOIL; 62294 CY COMMON EXCAVATION-WASTE; 28238 CY BORROW-EXCAVATION; 1777 M GAL WATER; 89 STA SUBGRADE PREPARATION-TYPE C-12IN; 21.02 ACRE SEEDING CLASS II; 24.52 ACRE TEMPORARY COVER CROP; 45.54 ACRE HYDRAULIC MULCH; 1133 SY ECB TYPE 3; 118 CY RIPRAP GRADE II; 572 LF SILT FENCE SUPPORTED; 572 LF REMOVE SILT FENCE SUPPORTED; 14618 LF FIBER ROLLS 12IN; 7497 LF REMOVE FIBER ROLLS 12IN; 46267 TON SALVAGED BASE COURSE; 11040 TON AGGREGATE BASE COURSE CL 5; 4014 GAL TACK COAT; 12127 GAL PRIME COAT; 293 TON BLOTTER MATERIAL CL 44; 7493 SY MILLING PAVEMENT SURFACE; 18516 TON SUPERPAVE FAA 45; 66 EA CORED SAMPLE; 1101 TON PG 58H-34 ASPHALT CEMENT; 128 SY 6IN NON-REINF CONCRETE PAVEMENT CL AE; 4584 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 4909 SY 9.5IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 802 SY NON-REINF CONCRETE PVMT CL AE-DOWELED-COLORED; 884 SY NON-REINF CONCRETE PVMT CL AE-DOWELED-COLORED-TEXT; 50.5 LF PEDESTRIAN RAILING; 1 L SUM MOBILIZATION; 5000 MHR FLAGGING; 8444 UNIT TRAFFIC CONTROL SIGNS; 22 EA ATTENUATION DEVICE SPECIAL; 83 EA TYPE III BARRICADE; 10 EA SIDEWALK BARRICADE; 1735 LF PEDESTRIAN WALKWAY; 303 EA DELINEATOR DRUMS; 206 EA TUBULAR MARKERS; 295 EA STACKABLE VERTICAL PANELS; 3470 SF OBLITERATION OF PAVEMENT MARKING; 12 EA TEMPORARY CURB RAMP; 4500 LF PORTABLE PRECAST CONCRETE MED BARRIER; 230 LF STATE FURNISHED MEDIAN BARRIER; 15 EA COVER OVERHEAD SIGNS; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 60 EA INLET PROTECTION-SPECIAL; 60 EA REMOVE INLET PROTECTION-SPECIAL; 62864 SY GEOSYNTHETIC MATERIAL TYPE G; 79 SY GEOSYNTHETIC MATERIAL TYPE RR; 9 LF PIPE CONC REINF 12IN CL III-STORM DRAIN; 10 LF PIPE CONC REINF 15IN CL III-STORM DRAIN; 20 LF PIPE CONC REINF 30IN CL III-STORM DRAIN; 1 EA END SECT-CONC REINF 18IN; 1317 LF PIPE CONDUIT 15IN-STORM DRAIN; 1188 LF PIPE CONDUIT 18IN-STORM DRAIN; 1212 LF PIPE CONDUIT 24IN-STORM DRAIN; 858 LF PIPE CONDUIT 30IN-STORM DRAIN; 123 LF PIPE CONDUIT 30IN-APPROACH; 155 LF PIPE CONDUIT 36IN; 1479 LF PIPE CONDUIT 42IN-STORM DRAIN; 743 LF PIPE CONDUIT 48IN-STORM DRAIN; 258 LF PIPE CONDUIT 54IN-STORM DRAIN; 58 LF REMOVAL OF CATTLE PASS; 2 EA PLUG PIPE-ALL TYPES & SIZES; 18 EA RIGHT OF WAY MARKERS; 10 EA ALIGNMENT MONUMENTS; 11 EA IRON PIN R/W MONUMENTS; 11 EA IRON PIN REFERENCE MONUMENTS; 2 EA MANHOLE 48IN; 6 EA MANHOLE 60IN; 12 EA MANHOLE 72IN; 4 EA MANHOLE 84IN; 1 EA MANHOLE 108IN; 8.4 LF MANHOLE RISER 48IN; 32.23 LF MANHOLE RISER 60IN; 102.53 LF MANHOLE RISER 72IN; 35.68 LF MANHOLE RISER 84IN; 12.51 LF MANHOLE RISER 108IN; 13 EA INLET-TYPE 2; 31 EA INLET-TYPE 2 DOUBLE; 2 EA INLET SPECIAL

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

CATCH BASIN 6IN BEEHIVE 48IN; 1 EA INLET SPECIAL-TYPE 2 72IN; 1 EA INLET SPECIAL CATCH BASIN 6IN BEEHIVE 60IN; 1 EA INLET SPECIAL CATCH BASIN 6IN BEEHIVE 72IN; 20 LF INLET SLOTTED DRAIN 15IN; 4 EA INLET CATCH BASIN 6IN BEEHIVE; 2 EA INLET MOUNTABLE CURB-TYPE B; 18 EA ADJUST GATE VALVE BOX; 2 EA ADJUST INLET; 16 EA ADJUST MANHOLE; 2 EA ADJUST MANHOLE SPECIAL; 1 L SUM ADJUST SPRINKLER SYSTEM; 2220 LBS FITTINGS-DUCTILE IRON; 2 EA REMOVE GATE VALVE & BOX; 1 EA GATE VALVE & BOX 6IN; 3 EA GATE VALVE & BOX 8IN; 1 EA GATE VALVE & BOX 12IN; 2 EA RELOCATE GATE VALVE & BOX; 2 EA SALVAGE 6IN HYDRANT; 1 EA 6IN HYDRANT; 2 EA RESET HYDRANT; 1 EA REMOVE HYDRANT; 2 EA SLEEVE 6IN; 1 EA SLEEVE 12IN; 33 LF WATERMAIN 6IN PVC; 84 LF WATERMAIN 8IN; 374 LF WATERMAIN 8IN PVC; 166 LF WATERMAIN 12IN PVC; 6 EA CONNECTION TO EXISTING MAIN; 1 EA WATER SERVICE CONNECTION 1IN; 1 L SUM SPRINKLER REPAIR; 1 EA 1IN CORPORATION-NEW SERVICE; 179 CF INSULATION BOARD; 4104 LF CURB & GUTTER MOUNTABLE-TYPE I; 17116 LF CURB & GUTTER-TYPE I; 354 SY VALLEY GUTTER 72IN; 993 SY PIGMENTED IMPRINTED CONCRETE; 11 SY SIDEWALK CONCRETE REINF; 6709 SY SIDEWALK CONCRETE 4IN; 92 SY SIDEWALK CONCRETE 6IN; 121 SY CONCRETE MEDIAN NOSE PAVING; 756 SY DRIVEWAY CONCRETE; 550 SF DETECTABLE WARNING PANELS; 6419 LF ORNAMENTAL FENCE; 691 LF TEMPORARY SAFETY FENCE; 483 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 496 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 79 EA FLEXIBLE DELINEATORS; 1508 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 60 LF GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 67 SF PANEL FOR SIGNS-TYPE IV REFLECTIVE SHEETING; 2 EA REFERENCE MARKER-TYPE C; 3 EA RESET SIGN PANEL; 1 EA RESET SIGN SUPPORT; 10 EA OBJECT MARKERS - CULVERTS; 2 EA REMOVE SIGN FOUNDATION; 44222 LF EPOXY PVMT MK 4IN LINE-GROOVED; 144 SF PREFORMED PATTERNED PVMT MK-MESSAGE(GROOVED); 1093 LF EPOXY PVMT MK 6IN LINE-GROOVED; 2287 LF EPOXY PVMT MK 8IN LINE-GROOVED; 650 LF EPOXY PVMT MK 24IN LINE-GROOVED; 460 SF EPOXY PVMT MK MESSAGE-GROOVED; 275 LF SHORT TERM 4IN LINE-TYPE R; 127 LF SHORT TERM 6IN LINE-TYPE R; 40168 LF SHORT TERM 4IN LINE-TYPE NR; 310 LF SHORT TERM 8IN LINE-TYPE NR; 167 SF SHORT TERM MESSAGE-TYPE R; 2688 LF PREFORMED PATTERNED PVMT MK 4IN LINE-GROOVED; 129 LF PREFORMED PATTERNED PVMT MK 8IN LINE-GROOVED; 340 LF PREFORMED PATTERNED PVMT MK 24IN LINE-GROOVED; 1 EA LIGHTING SYSTEM A; 1 EA LIGHTING SYSTEM B; 380 LF 2IN DIAMETER RIGID CONDUIT; 1 EA TEMPORARY LIGHTING SYSTEM; 1 EA REVISE TRAFFIC SIGNAL SYSTEM-SITE 1; 108 SF MECHANICALLY STABILIZED EARTH WALL; 1 L SUM LANDSCAPING APPURTENANCES; 3 EA BENCH; 69 EA TREES; 1 L SUM LANDSCAPE PLANTINGS.

*** END OF PROJECT 23695***

23710 FEDERAL AID

PROJECT NUMBER BRJ-0019(025)

PROPOSED WORK CONSISTS OF 0.6300 MILES OF STRUCTURE REPLACEMENT, GRADING, & INCIDENTALS

LOCATED 72ND AVE SW, 2 MI S AND 2 MI E OF NEW LEIPZIG

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 1 EA REMOVAL OF STRUCTURE; 2154 LF REMOVE EXISTING FENCE; 16303 CY COMMON EXCAVATION-TYPE A; 4679 CY TOPSOIL; 22650 CY BORROW-EXCAVATION; 2100 LF ROADWAY OBLITERATION; 1 L SUM CLASS 1 EXCAVATION; 1 L SUM CLASS 2 EXCAVATION; 1 L SUM CHANNEL EXCAVATION; 1 EA FOUNDATION PREPARATION; 367 M GAL WATER; 8.5 ACRE SEEDING CLASS II; 8.5 ACRE TEMPORARY COVER CROP; 17 ACRE STRAW MULCH; 66 SY ECB TYPE 2; 2907.4 CY RIPRAP GRADE II; 4794 LF FIBER ROLLS 12IN; 2397 LF REMOVE FIBER ROLLS 12IN; 160 LF FLOTATION SILT CURTAIN; 160 LF REMOVE FLOTATION SILT CURTAIN; 17.4 TON AGGREGATE BASE COURSE CL 5; 3867 TON AGGREGATE SURFACE COURSE CL 13; 612 CY SALVAGE & RELAY AGGREGATE SURFACE COURSE; 240 CY CLASS AAE-3 CONCRETE; 319 CY CLASS AE-3 CONCRETE; 750 SY PENETRATING WATER REPELLENT TREATMENT; 1038.8 LF PRESTRESSED I-BEAM-36IN; 44625 LBS REINFORCING STEEL-GRADE 60; 35197 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 4879 LBS STRUCTURAL STEEL M270-GRADE 36; 54 EA STEEL H-PILING POINTS 12 X 53; 3000 LF STEEL PILING HP 12 X 53; 260 LF STEEL TEST PILING HP 12 X 53; 422 LF TRAFFIC RAIL-STEEL; 1 L SUM MOBILIZATION; 506 UNIT TRAFFIC CONTROL SIGNS; 4 EA TYPE III BARRICADE; 12 EA DELINEATOR DRUMS; 3481 SY GEOSYNTHETIC MATERIAL TYPE RR; 52 SY PERFORATED GEOCELL; 202 LF PIPE CONDUIT 18IN-APPROACH; 2160 LF FENCE BARBED WIRE 4 STRAND-STEEL POST; 3158 LF TEMPORARY FENCE; 880 LF TEMPORARY SAFETY FENCE; 1094 LF FENCE REMOVE & RESET; 1 EA VEHICLE GATE; 9 EA CORNER ASSEMBLY BARBED WIRE-WOOD POST; 30 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 10 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 84 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 172 LF W-BEAM GUARDRAIL; 4 EA W-BEAM GUARDRAIL END TERMINAL; .84 ACRE WETLAND MITIGATION SITE 1; 2 EA ABUTMENT UNDERDRAIN SYSTEM.

*** END OF PROJECT 23710***

02/02/26

North Dakota Department of Transportation
Notice To Bidders

23748

WITHDRAWN

*** END OF PROJECT 23748***

23759 FEDERAL AID

PROJECT NUMBER HEC-0004(202)

PROPOSED WORK CONSISTS OF 0.5270 MILES OF GUARDRAIL EMBANKMENT, W-BEAM GUARDRAIL, BRIDGE RAIL RETROFIT, & INCIDENTALS
LOCATED MULTIPLE LOCATIONS IN BILLINGS COUNTY

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 28 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 1183 LF REMOVE EXISTING FENCE; 28 EA GUARDRAIL EMBANKMENT; 6 CY FOUNDATION FILL; 2780 LF FIBER ROLLS 12IN; 1390 LF REMOVE FIBER ROLLS 12IN; 284.9 LF DOUBLE BOX BEAM RAIL RETROFIT - E-RAIL; 1 L SUM MOBILIZATION; 701 UNIT TRAFFIC CONTROL SIGNS; 26 EA TYPE III BARRICADE; 62 LF PIPE CORR STEEL .064IN 18IN; 4 LF PIPE CORR STEEL .079IN 24IN POLYMERIC COATED; 2 EA END SECT CORR STEEL .064IN 18IN; 1 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 1172 LF FENCE BARBED WIRE 4 STRAND; 2 EA VEHICLE GATE; 5 EA CORNER ASSEMBLY-WOOD POST; 13 EA DOUBLE BRACE ASSEMBLY-WOOD POST; 1359 LF W-BEAM GUARDRAIL; 27 EA W-BEAM GUARDRAIL END TERMINAL; 4 EA REMOVE END TREATMENT & TRANSITION.

*** END OF PROJECT 23759***

23770 FEDERAL AID

PROJECT NUMBER SS-2-999(069)

PROPOSED WORK CONSISTS OF 0.0440 MILES OF STRUCTURE REPLACEMENT, GRADING, HOT MIX ASPHALT, AGGREGATE BASE, REMOVE AND RESET GUARDRAIL, SIGNING, PAVEMENT MARKING, & INCIDENTALS

LOCATED I-94 BUSINESS LOOP, .5 MI N OF EAST I-94 INTERCHANGE- VALLEY CITY

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 1 EA REMOVAL OF STRUCTURE; 1140 SY REMOVAL OF BITUMINOUS SURFACING; 18 CY REMOVAL OF RIPRAP - LOOSE ROCK; 223 CY COMMON EXCAVATION-TYPE A; 194 CY TOPSOIL; 1 EA BOX CULVERT EXCAVATION; 282 CY FOUNDATION FILL; 97 CY BOX CULVERT FOUNDATION AGGREGATE; 1 EA FOUNDATION PREPARATION-BOX CULVERT; 21 M GAL WATER; .41 ACRE SEEDING CLASS II; .42 ACRE HYDRAULIC MULCH; 994 SY ECB TYPE 3; 99 CY RIPRAP GRADE II; 21 LF SILT FENCE SUPPORTED; 21 LF REMOVE SILT FENCE SUPPORTED; 833 LF FIBER ROLLS 12IN; 409 LF REMOVE FIBER ROLLS 12IN; 80 LF FLOTATION SILT CURTAIN; 80 LF REMOVE FLOTATION SILT CURTAIN; 581 TON AGGREGATE BASE COURSE CL 5; 437 TON COMMERCIAL GRADE HOT MIX ASPHALT; 82 LF DBL 5FT X 5FT PRECAST RCB CULVERT; 2 EA DBL 5FT X 5FT PRECAST RCB END SECTION; 1 L SUM MOBILIZATION; 40 MHR FLAGGING; 1098 UNIT TRAFFIC CONTROL SIGNS; 8 EA TYPE III BARRICADE; 47 EA STACKABLE VERTICAL PANELS; 1 EA AGGREGATE LABORATORY; 155 SY GEOSYNTHETIC MATERIAL TYPE G; 146 SY GEOSYNTHETIC MATERIAL TYPE RR; 234 LF TEMPORARY FENCE; .21 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; .11 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 519 LF PVMT MK PAINTED 4IN LINE; 238 LF REMOVE W-BEAM GUARDRAIL & POSTS; 231 LF RESET 3-CABLE GUARDRAIL; 238 LF RESET W-BEAM GUARDRAIL; 231 LF REMOVE 3-CABLE GUARDRAIL & POSTS; 1 EA TEMPORARY STREAM DIVERSION.

*** END OF PROJECT 23770***

23772 FEDERAL AID

PROJECT NUMBER SS-5-085(086)012

PROPOSED WORK CONSISTS OF 0.2400 MILES OF STRUCTURE REPLACEMENT

LOCATED US 85, 4 MI S OF JCT US 12 (BOWMAN)

AND INVOLVES APPROXIMATELY:

02/02/26

North Dakota Department of Transportation
Notice To Bidders

1 L SUM CONTRACT BOND; 1 L SUM REMOVAL OF STRUCTURE; 354 TON REMOVAL OF PAVEMENT; 1630 LF REMOVE EXISTING FENCE; 1 EA REMOVAL OF TEMPORARY BYPASS; 93 CY COMMON EXCAVATION-TYPE B; 2854 CY TOPSOIL; 9249 CY BORROW-EXCAVATION; 1 L SUM CLASS 1 EXCAVATION; 1 L SUM CLASS 2 EXCAVATION; 1 L SUM CHANNEL EXCAVATION; 1 EA FOUNDATION PREPARATION; 195 M GAL WATER; 1 EA RESHAPING CONNECTION; 4.5 ACRE SEEDING CLASS II; 3.6 ACRE TEMPORARY COVER CROP; 3.6 ACRE SOIL STABILIZER; 4.4 ACRE HYDRAULIC MULCH; 516 SY ECB TYPE 2; 128 SY TRM TYPE 1; 1405 CY RIPRAP GRADE II; 129 CY REMOVE AND REPLACE RIPRAP; 1248 LF SILT FENCE; 1248 LF REMOVE SILT FENCE; 4035 LF FIBER ROLLS 12IN; 1027 LF REMOVE FIBER ROLLS 12IN; 60 LF FLOTATION SILT CURTAIN; 60 LF REMOVE FLOTATION SILT CURTAIN; 240 CY SALVAGED BASE COURSE; 969 TON AGGREGATE BASE COURSE CL 5; 2854 TON AGGREGATE BASE COURSE CL 13; 792 TON CLEAN ROCK; 2823 SY FULL DEPTH RECLAMATION; 409 GAL TACK COAT; 612 GAL PRIME COAT; 2140 SY MILLING PAVEMENT SURFACE; 1246 TON SUPERPAVE FAA 45; 19 EA CORED SAMPLE; 74 TON PG 58H-34 ASPHALT CEMENT; 200.4 CY BRIDGE SUBSTRUCTURE CONCRETE; 225.4 CY BRIDGE DECK CONCRETE; 45.2 CY BRIDGE BARRIER CONCRETE; 191.2 SY CONCRETE BRIDGE APPROACH SLAB; 612 SY PENETRATING WATER REPELLENT TREATMENT; 825 LF PRESTRESSED BOX BEAM-21IN; 59206 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 1016 LBS STRUCTURAL STEEL; 360 LF STEEL PILING HP 10 X 42; 540 LF STEEL PILING HP 14 X 73; 4 EA DYNAMIC PILE TEST; 1 L SUM MOBILIZATION; 300 MHR FLAGGING; 1674 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 8 EA TYPE III BARRICADE; 31 EA DELINEATOR DRUMS; 12 EA TUBULAR MARKERS; 73 EA VERTICAL PANELS-BACK TO BACK; 1349 SF OBLITERATION OF PAVEMENT MARKING; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 1815 SY GEOSYNTHETIC MATERIAL TYPE RR; 435 SY GEOSYNTHETIC MATERIAL TYPE S1; 290 LF PIPE CONDUIT 24IN-APPROACH; 380 LF PIPE CONDUIT ARCH 66IN X 51IN-APPROACH; 3 EA RIGHT OF WAY MARKERS; 3 EA IRON PIN R/W MONUMENTS; 52 LF CURB & GUTTER-TYPE 1 SPECIAL; 1530 LF FENCE WOVEN WIRE; 2036 LF TEMPORARY FENCE; 5 EA CORNER ASSEMBLY-WOOD POST; .466 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; .233 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 452 LF SHORT TERM 6IN LINE-TYPE R; 4684 LF PVMT MK PAINTED 6IN LINE; 333 LF W-BEAM GUARDRAIL; 4 EA W-BEAM GUARDRAIL END TERMINAL; 433 LF REMOVE W-BEAM GUARDRAIL & POSTS; 4 EA REMOVE END TREATMENT & TRANSITION; 1 EA TEMPORARY STREAM DIVERSION; 1 SET BRIDGE BENCH MARKS; 68 SF ELASTOMERIC BEARING PAD; 2 EA CONCRETE SLEEPER SLAB; 82 LF POLYURETHANE FOAM JOINT SEAL; 2 EA ABUTMENT UNDERDRAIN SYSTEM.

*** END OF PROJECT 23772***

23774

WITHDRAWN

*** END OF PROJECT 23774***

23928

WITHDRAWN

*** END OF PROJECT 23928***

23929

WITHDRAWN

*** END OF PROJECT 23929***

23957

WITHDRAWN

*** END OF PROJECT 23957***

02/02/26

North Dakota Department of Transportation
Notice To Bidders

23958

WITHDRAWN

*** END OF PROJECT 23958***

23962 FEDERAL AID

PROJECT NUMBER BRC-BRJ-3400(051)

PROPOSED WORK CONSISTS OF 0.0520 MILES OF STRUCTURE REMOVAL & REPLACEMENT, BITUMINOUS PAVEMENT, & INCIDENTALS
LOCATED CMC 3424, 3 MI W OF HENSEL

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM REMOVAL OF STRUCTURE; 633 SY REMOVAL OF BITUMINOUS SURFACING; 125 LF REMOVE EXISTING FENCE; 245 CY COMMON EXCAVATION-TYPE B; 81 CY TOPSOIL; 240 CY COMMON EXCAVATION-WASTE; 1 EA BOX CULVERT EXCAVATION; 1524 CY FOUNDATION FILL; 1 EA FOUNDATION PREPARATION-BOX CULVERT; 48 M GAL WATER; .28 ACRE SEEDING CLASS II; .08 ACRE TEMPORARY COVER CROP; .36 ACRE STRAW MULCH; 128 CY RIPRAP GRADE II; 50 LF SILT FENCE SUPPORTED; 50 LF REMOVE SILT FENCE SUPPORTED; 1215 LF FIBER ROLLS 12IN; 520 LF REMOVE FIBER ROLLS 12IN; 75 LF FLOTATION SILT CURTAIN; 75 LF REMOVE FLOTATION SILT CURTAIN; 611 TON AGGREGATE BASE COURSE CL 5; 177 TON COMMERCIAL GRADE HOT MIX ASPHALT; 72 LF DBL 16FT X 8FT PRECAST RCB CULVERT; 2 EA DBL 16FT X 8FT PRECAST RCB END SECTION; 1 L SUM MOBILIZATION; 209 UNIT TRAFFIC CONTROL SIGNS; 8 EA TYPE III BARRICADE; 457 SY GEOSYNTHETIC MATERIAL TYPE G; 191 SY GEOSYNTHETIC MATERIAL TYPE RR; 168 LF FENCE BARBED WIRE 3 STRAND; 4 EA CORNER ASSEMBLY BARBED WIRE; 4 EA OBJECT MARKERS - TYPE III; 69 LF SHORT TERM 4IN LINE-TYPE NR; 619 LF PVMT MK PAINTED 4IN LINE; 1 EA TEMPORARY STREAM DIVERSION; .079 ACRE WETLAND MITIGATION SITE 1.

*** END OF PROJECT 23962***

24083

WITHDRAWN

*** END OF PROJECT 24083***

24086

WITHDRAWN

*** END OF PROJECT 24086***

24090

WITHDRAWN

*** END OF PROJECT 24090***

24102 FEDERAL AID

PROJECT NUMBER NH-4-083(157)181

PROPOSED WORK CONSISTS OF 15.6740 MILES OF MILL AND OVERLAY
LOCATED US 83, S OF JCT ND 23 N TO NEAR 40TH AVE SW (MINOT) - SB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 31.348 MILE SHOULDER PREPARATION; 80 TON AGGREGATE SURFACE COURSE CL 13; 37977

02/02/26

North Dakota Department of Transportation
Notice To Bidders

GAL TACK COAT; 41189 TON MILLING PAVEMENT SURFACE; 39583 TON RAP - SUPERPAVE FAA 45; 264 EA CORED SAMPLE; 1781 TON PG 58H-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 316 MHR FLAGGING; 4218 UNIT TRAFFIC CONTROL SIGNS; 6 EA PORTABLE RUMBLE STRIPS; 6 EA TYPE III BARRICADE; 228 EA DELINEATOR DRUMS; 795 EA TUBULAR MARKERS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 2 SET RUMBLE STRIPS - INTERSECTION; 29.868 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 1466 SF PVMT MK PAINTED-MESSAGE; 66029 LF SHORT TERM 6IN LINE-TYPE NR; 202976 LF PVMT MK PAINTED 6IN LINE; 671 LF PVMT MK PAINTED 8IN LINE; 9335 LF PVMT MK PAINTED 12IN LINE; 60 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24102***

24115 FEDERAL AID

PROJECT NUMBER RCE-FTF-NHU-SU-6-
297(014)000

PROPOSED WORK CONSISTS OF 0.4840 MILES OF PCC RECONSTRUCTION, STRUCTURES, GRADING, AGGREGATE BASE, PCC PAVING, SIGNALS, LIGHTING, STORM SEWER, LIFT STATION, WATERMAIN RELOCATION, RAILROAD SHOOFLY TEMPORARY TRACK, AND RAILROAD PERMANENT TRACK

LOCATED ND 297, DEMERS AVE & 42ND STREET GRADE SEPARATION

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION; 1600 DAY RAILROAD FLAGGING; 1 L SUM CRITICAL PATH METHOD SCHEDULE; 1 L SUM E-TICKETING; 1 L SUM CLEARING & GRUBBING; 42 EA REMOVAL OF TREES 10IN; 67 EA REMOVAL OF TREES 18IN; 3 EA REMOVAL OF TREES 30IN; 13036 TON REMOVE AGGREGATE BASE; 72146 TON REMOVAL OF PAVEMENT; 11 EA REMOVAL OF END SECTION-ALL TYPES & SIZES; 13072 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 16 EA REMOVAL OF MANHOLES; 32 EA REMOVAL OF INLETS; 2 EA REMOVE & RESET INLETS; 1 L SUM REMOVAL OF FOUNDATIONS-ALL SIZES; 1361 CY EXCAVATION & DISPOSAL OF CONTAMINATED SOIL; 56 LF REMOVE EXISTING FENCE; 1794 LF ACP WATERMAIN REMOVAL; 29888 CY COMMON EXCAVATION-TYPE A; 12125 CY TOPSOIL; 95659 CY COMMON EXCAVATION-WASTE; 400 CY MUCK EXCAVATION; 1 L SUM CLASS 1 EXCAVATION-SITE 1; 1 L SUM CLASS 1 EXCAVATION-SITE 2; 1 L SUM FOUNDATION PREPARATION-SITE 1; 1 L SUM FOUNDATION PREPARATION-SITE 2; 7260 CY FOUNDATION FILL; 1143 M GAL WATER; 48 STA SUBGRADE PREPARATION-TYPE A-12IN; 22.72 ACRE SEEDING CLASS III; .59 ACRE WETLAND SEED; 59.35 ACRE TEMPORARY COVER CROP; 59.35 ACRE HYDRAULIC MULCH; 645 SY ECB TYPE 2; 42 SY CONCRETE EROSION CONTROL BLANKET; 1300 SY CONCRETE SLOPE PROTECTION; 79295 LF FIBER ROLLS 12IN; 37964 LF REMOVE FIBER ROLLS 12IN; 4 EA STABILIZED CONSTRUCTION ACCESS; 4 EA REMOVE STABILIZED CONSTRUCTION ACCESS; 37823 TON SALVAGED BASE COURSE; 7366 TON AGGREGATE BASE COURSE CL 5; 6243 TON SALVAGE & RELAY AGGREGATE SURFACE COURSE; 3288 TON COMMERCIAL GRADE HOT MIX ASPHALT; 43133 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 2764 CY BRIDGE SUBSTRUCTURE CONCRETE; 633 CY BRIDGE DECK CONCRETE; 88 CY BRIDGE BARRIER CONCRETE; 421 CY SUPERSTRUCTURE CONCRETE; 424 SY CONCRETE BRIDGE APPROACH SLAB; 420 SY PILE SUPPORTED APPROACH SLAB; 2927 SY PENETRATING WATER REPELLENT TREATMENT; 1923 LF PRESTRESSED I-BEAM - MN45IN; 192 LF PRESTRESSED CONCRETE FASCIA GIRDER; 144636 LBS REINFORCING STEEL-GRADE 60; 526032 LBS REINFORCING STEEL-GRADE 60-EPOXY COATED; 5805 LBS STRUCTURAL STEEL; 1 L SUM STRUCTURAL STEEL; 9605 LBS A36 STEEL-ROLLED; 2880 LF STEEL PILING HP 10 X 42; 5850 LF STEEL PILING HP 12 X 53; 12480 LF STEEL PILING HP 14 X 73; 24071 LF STEEL PILING HP 14 X 89; 10920 LF STEEL PILING HP 14 X 117; 4620 LF GROUND STABILIZATION PILING 14 X 73; 3976 LF GROUND STABILIZATION PILING 14 X 89; 5 EA DYNAMIC PILE TEST; 251 LF PEDESTRIAN RAILING; 187 LF PEDESTRIAN FENCE; 1 L SUM MOBILIZATION; 562 MHR FLAGGING; 8344 UNIT TRAFFIC CONTROL SIGNS; 20 EA TYPE III BARRICADE; 7 EA SIDEWALK BARRICADE; 524 LF PEDESTRIAN WALKWAY; 282 EA DELINEATOR DRUMS; 146 EA TUBULAR MARKERS; 3 EA SEQUENCING ARROW PANEL-TYPE A; 3 EA TEMPORARY TRAFFIC SIGNALS; 576 SF OBLITERATION OF PAVEMENT MARKING; 2 EA TEMPORARY CURB RAMP; 4 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA COVER SIGN; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 86 EA INLET PROTECTION-SPECIAL; 86 EA REMOVE INLET PROTECTION-SPECIAL; 53234 SY GEOSYNTHETIC MATERIAL TYPE G; 9283 SY GEOSYNTHETIC MATERIAL TYPE RG; 156 SY GEOSYNTHETIC MATERIAL TYPE R1; 15130 SY GEOSYNTHETIC MATERIAL TYPE R2; 42 SY GEOSYNTHETIC MATERIAL TYPE RR; 1485 LF PIPE CONC REINF 15IN CL III-STORM DRAIN; 1466 LF PIPE CONC REINF 18IN CL III-STORM DRAIN; 94 LF PIPE CONC REINF 18IN CL V; 1113 LF PIPE CONC REINF 24IN CL III-STORM DRAIN; 280 LF PIPE CONC REINF 30IN CL III-STORM DRAIN; 148 LF PIPE CONC REINF 30IN CL V; 64 LF PIPE CONC REINF 36IN CL III-STORM DRAIN; 116 LF PIPE CONC REINF 36IN CL V; 10 LF PIPE CONC REINF 54IN CL V; 52 LF PIPE CONC REINF ARCH 22IN X 13IN CL III; 610 LF PIPE CONC REINF ARCH 51IN X 31IN CL III-S DRAIN; 158 LF PIPE CONC REINF ARCH 44IN X 27IN CL III; 139 LF PIPE CONDUIT 12IN-STORM DRAIN; 964 LF PIPE CONDUIT 15IN-STORM DRAIN; 128 LF PIPE CONDUIT 18IN-STORM DRAIN; 1603 LF PIPE CONDUIT 24IN-STORM DRAIN; 6 LF PIPE CONDUIT 30IN-STORM DRAIN; 800 LF PIPE CONDUIT 36IN-STORM DRAIN; 66 LF PIPE CORR STEEL .064IN 15IN; 180 LF PIPE STEEL SMOOTH WALL .469IN 36IN; 1 L SUM PIPE BORING PIT BRACING; 288 LF REMOVE & RELAY PIPE-ALL TYPES & SIZES; 14608 LF UNDERDRAIN PIPE

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

PVC PERFORATED 4IN; 10 EA RIGHT OF WAY MARKERS; 9 EA ALIGNMENT MONUMENTS; 20 EA IRON PIN R/W MONUMENTS; 7 EA IRON PIN REFERENCE MONUMENTS; 9 EA MANHOLE 48IN; 17 EA MANHOLE 60IN; 2 EA MANHOLE 72IN; 3 EA MANHOLE 84IN; 1 EA MANHOLE 96IN; 63 LF MANHOLE RISER 48IN; 120 LF MANHOLE RISER 60IN; 17 LF MANHOLE RISER 72IN; 23 LF MANHOLE RISER 84IN; 36 LF MANHOLE RISER 96IN; 7 EA MANHOLE STORM CONNECTION; 46 EA INLET-TYPE 2; 19 EA INLET-TYPE 2 DOUBLE; 5 EA INLET SPECIAL-TYPE 2 48IN; 2 EA INLET SPECIAL MOUNTABLE-TYPE B 48IN; 3 EA INLET SPECIAL-TYPE 2 60IN; 1 EA INLET SPECIAL-TYPE 2 72IN; 1 EA INLET SPECIAL MOUNTABLE-TYPE B 72IN; 3 EA ADJUST GATE VALVE BOX; 2 EA ADJUST MANHOLE; 1 EA ADJUST MANHOLE SPECIAL; 3 EA BUTTERFLY VALVE & BOX 20IN; 4 EA BUTTERFLY VALVE & BOX 30IN; 29071 LBS FITTINGS-DUCTILE IRON; 10 EA REMOVE GATE VALVE & BOX; 1 EA GATE VALVE & BOX 6IN; 1 EA GATE VALVE & BOX 8IN; 2 EA GATE VALVE & BOX 14IN; 3 EA HYDRANT-INSTALL 6IN; 3 EA REMOVE HYDRANT; 1 L SUM TEMPORARY WATER SERVICE; 15 LF WATERMAIN 6IN PVC; 20 LF WATERMAIN 8IN PVC; 2553 LF WATERMAIN 20IN PVC; 791 LF WATERMAIN 14IN; 1583 LF WATERMAIN 30IN; 11 EA CONNECTION TO EXISTING MAIN; 133 LF PIPE PVC 12IN SEWER; 124 LF ABANDON WATER MAIN/SERVICE LINE; 1086 CF INSULATION BOARD; 9034 LF CURB & GUTTER-TYPE I; 833 LF CURB & GUTTER-TYPE 1 SPECIAL; 12191 LF CURB & GUTTER-TYPE I 30IN; 333 LF VALLEY GUTTER 36IN; 4543 SY PIGMENTED CONCRETE; 416 SY SIDEWALK CONCRETE 4IN; 7048 SY SIDEWALK CONCRETE 5IN; 114 SY CONCRETE MEDIAN NOSE PAVING; 792 SY DRIVEWAY CONCRETE; 156 SY DRIVEWAY CONCRETE 8IN REINFORCED; 374 SF DETECTABLE WARNING PANELS; 711 LF FENCE CHAIN LINK; 644 LF ORNAMENTAL FENCE; 3742 LF TEMPORARY SAFETY FENCE; 468 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 322 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 724 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 30 LF GALV STEEL POST-STANDARD PIPE; 5 EA RESET SIGN PANEL; 1 EA RESET SIGN SUPPORT; 1 CY CLASS AE CONCRETE-SIGN FOUNDATIONS; 3 EA REMOVE SIGN FOUNDATION; 5132 LF EPOXY PVMT MK 4IN LINE-GROOVED; 6754 LF EPOXY PVMT MK 8IN LINE-GROOVED; 696 LF EPOXY PVMT MK 24IN LINE-GROOVED; 876 SF EPOXY PVMT MK MESSAGE-GROOVED; 6740 LF SHORT TERM 4IN LINE-TYPE R; 210 LF SHORT TERM 6IN LINE-TYPE R; 57 LF SHORT TERM 24IN LINE-TYPE R; 8124 LF SHORT TERM 4IN LINE-TYPE NR; 195 LF SHORT TERM 6IN LINE-TYPE NR; 68 LF SHORT TERM 8IN LINE-TYPE NR; 51 LF SHORT TERM 24IN LINE-TYPE NR; 178 LF W-BEAM GUARDRAIL; 2 EA W-BEAM GUARDRAIL END TERMINAL; 3 EA ATTENUATING CRASH CUSHION TL-2; 1 EA LIGHTING SYSTEM A; 1 EA LIGHTING SYSTEM B; 1 EA LIGHTING SYSTEM C; 1 EA LIGHTING SYSTEM D; 1 EA LIGHTING SYSTEM E; 18 EA ORNAMENTAL LIGHT STANDARD; 1 EA TEMPORARY LIGHTING SYSTEM; 1 EA REMOVE LIGHTING SYSTEM; 1 L SUM LIGHTING SYSTEM (AESTHETIC); 1 EA INTERIM TRAFFIC SIGNALS; 1 EA REMOVE TRAFFIC SIGNAL SYSTEM; 1 EA IT SYSTEM; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 1; 1 EA TRAFFIC SIGNAL SYSTEM - SITE 2; 1 EA TEMPORARY STREAM DIVERSION; 1 EA LIFT STATION; 1 L SUM PUMPING EQUIPMENT; 1 EA PUMP HOUSE; 1 EA OUTLET STRUCTURE; 1 SET BRIDGE BENCH MARKS; 20 EA BEARINGS (EXPANSION); 44 EA BEARINGS - TYPE I; 44 EA BEARINGS - TYPE II; 59 SF ELASTOMERIC BEARING PAD; 188 LF 3 IN EXPANSION JOINT; 1 L SUM DECK DRAINAGE SYSTEM; 4 EA ABUTMENT UNDERDRAIN SYSTEM; 456 SY LANDSCAPE PREPARATION; 228 CY PLANTING SOIL; 38 CY WOOD MULCH; 8 EA TREES; 233 EA SHRUBS GROUP A; 13707 TON RAILROAD SUB-BALLAST.

*** END OF PROJECT 24115***

24136 FEDERAL AID

PROJECT NUMBER UGP-1-988(052)

PROPOSED WORK CONSISTS OF 0.3600 MILES OF GRADING, AGGREGATE BASE, PCC PAVEMENT, STORM SEWER, WATERMAIN, SANITARY SEWER, CURB & GUTTER, SIDEWALK, SIGNING, MARKING, LIGHTING, LANDSCAPING

LOCATED 1ST ST NW, 6TH AVE NW TO 4TH AVE NW; 5TH AVE NW, 1ST ST NW TO 2ND ST NW; 4TH AVE NW, MAIN ST TO 2ND ST NW - MANDAN

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 6 EA REMOVAL OF TREES 10IN; 1 EA REMOVAL OF TREES 18IN; 9074 SY REMOVAL OF CONCRETE PAVEMENT; 2697 LF REMOVAL OF CURB & GUTTER; 5013 SY REMOVAL OF BITUMINOUS SURFACING; 2455 LF REMOVAL OF SEWER PIPE; 2091 LF REMOVAL OF PIPE ALL TYPES AND SIZES; 6 EA REMOVAL OF MANHOLES; 8 EA REMOVAL OF INLETS; 10 EA REMOVAL OF CATCH BASIN; 1238 CY COMMON EXCAVATION-TYPE A; 311 CY TOPSOIL; 48 CY TOPSOIL-IMPORTED; 442 CY BORROW-EXCAVATION; 173 M GAL WATER; 17.8 STA SUBGRADE PREPARATION-TYPE A-12IN; .45 ACRE SEEDING CLASS II; .9 ACRE HYDRAULIC MULCH; 3406 CY AGGREGATE BASE COURSE CL 5; 8198 SY 8IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 375 SY NON-REINF CONCRETE PVMT CL AE-DOWELED-COLORED; 1 L SUM MOBILIZATION; 1081 UNIT TRAFFIC CONTROL SIGNS; 21 EA TYPE III BARRICADE; 8 EA SIDEWALK BARRICADE; 2151 LF PEDESTRIAN WALKWAY; 30 EA DELINEATOR DRUMS; 19 EA TUBULAR MARKERS; 254 SF OBLITERATION OF PAVEMENT MARKING; 12 EA TEMPORARY CURB RAMP; 19 EA INLET PROTECTION-SPECIAL; 19 EA REMOVE INLET PROTECTION-SPECIAL; 10107 SY GEOSYNTHETIC MATERIAL TYPE G; 1 EA TEMPORARY BYPASS-SITE I; 1 EA TEMPORARY BYPASS-SITE II; 836 LF PIPE CONC REINF 15IN CL III-STORM DRAIN; 199 LF PIPE CONC REINF 18IN CL III-STORM DRAIN; 251 LF PIPE CONC REINF 24IN CL III-STORM DRAIN; 741 LF PIPE CONC REINF 30IN CL III-STORM DRAIN; 46 LF PIPE PVC 8IN; 1 LF STORM SEWER CLEANOUT; 2 EA MANHOLE 48IN; 5 EA

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

MANHOLE 60IN; 1 EA MANHOLE SANITARY; 2 EA MANHOLE REPAIR; 3 EA INLET-TYPE 2; 9 EA INLET-TYPE 2 DOUBLE; 4 EA INLET MOUNTABLE CURB-TYPE B; 2 EA ADJUST MANHOLE; 7 EA REMOVE GATE VALVE & BOX; 6 EA GATE VALVE & BOX 4IN; 12 EA GATE VALVE & BOX 6IN; 7 EA GATE VALVE & BOX 8IN; 5 EA GATE VALVE & BOX 12IN; 3 EA 8IN HYDRANT; 2 EA REMOVE HYDRANT; 651 LF WATER SERVICE LINE 1IN; 107 LF WATER SERVICE LINE 2IN; 189 LF WATER SERVICE LINE 4IN; 413 LF WATER SERVICE LINE 6IN; 1101 LF WATERMAIN 8IN PVC; 865 LF WATERMAIN 12IN PVC; 15 EA CURB STOP & BOX 1IN; 11 EA CURB STOP & BOX 2IN; 11 EA CONNECTION TO EXISTING MAIN; 16 EA WATER SERVICE CONNECTION 1IN; 11 EA WATER SERVICE CONNECTION 2IN; 1 EA WATER SERVICE CONNECTION 2 1/2IN; 1 EA WATER LINE CONNECTION 4IN; 2 EA WATER LINE CONNECTION 6IN; 1 L SUM SPRINKLER RELOCATION; 13 LF 8IN SANITARY SEWER PIPE; 80 LF 12IN SANITARY SEWER PIPE; 79 LF 6IN SEWER SERVICE PIPE; 1829 LF ABANDON WATER MAIN/SERVICE LINE; 7 EA REMOVE GATE VALVE BOX; 30 EA REMOVE CURB BOX RISER; 2 EA SANITARY SEWER CLEANOUT; 5664 BD FT POLYSTYRENE INSULATION BOARD; 3642 LF CURB & GUTTER-TYPE I; 185 LF CURB-TYPE I; 133 LF CURB; 315 SY VALLEY GUTTER 36IN; 2717 SY SIDEWALK CONCRETE 4IN; 542 SY SIDEWALK CONCRETE 6IN; 4 EA SIDEWALK TRENCH DRAIN; 1 L SUM STEPS CONCRETE; 673 SY DRIVEWAY CONCRETE 6IN REINFORCED; 305 SY DRIVEWAY CONCRETE 8IN REINFORCED; 348 SF DETECTABLE WARNING PANELS; 119 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 85 SF FLAT SHEET FOR SIGNS-TYPE IV REFL SHEETING; 386 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 60 SF PVMT MK PAINTED-MESSAGE; 3372 LF EPOXY PVMT MK 4IN LINE-GROOVED; 922 LF EPOXY PVMT MK 6IN LINE-GROOVED; 116 LF EPOXY PVMT MK 24IN LINE-GROOVED; 650 LF PVMT MK PAINTED 4IN LINE; 80 LF PVMT MK PAINTED CURB TOP & FACE; 2 EA RESET MAILBOX; 23 EA CONCRETE FOUNDATION-HIGHWAY LIGHTING; 2 EA PULL BOX; 2585 LF 2IN DIAMETER RIGID CONDUIT; 12672 LF UNDERGROUND CONDUCTOR NO6-TYPE RH; 2807 LF UNDERGROUND CONDUCTOR NO6-TYPE THW; 6 EA LT STD 6FT MA 30FT MT HT; 17 EA ORNAMENTAL LT STD 12FT MT HT; 17 EA LED LUMINAIRE; 6 EA RELOCATE LUMINAIRE; 13 EA REMOVE LIGHT STANDARD; 13 EA REMOVE CONCRETE FOUNDATION; 1 EA MODIFY EXISTING FEED POINT; 89 SY LANDSCAPE PREPARATION; 7 EA DECORATIVE CONCRETE PLANTER; 3 EA BENCH; 2 EA TRASH RECEPTACLE; 4 EA TREE GRATE; 28 EA TREES; 12 EA GUARD POST-PERMANENT.

*** END OF PROJECT 24136***

24168 FEDERAL AID

PROJECT NUMBER NH-2-013(072)232

PROPOSED WORK CONSISTS OF 1.1630 MILES OF MILL & OVERLAY, ADA RAMPS, SIDEWALK, & LIGHTING

LOCATED ND 13, NEAR JCT ND 3 E TO 40TH AVE SE (WISHEK)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 1629 SY REMOVAL OF CONCRETE PAVEMENT; 1828 LF REMOVAL OF CURB & GUTTER; 10 TON REMOVAL OF PAVEMENT; 71 CY FOUNDATION FILL; 2803 GAL TACK COAT; 3116 TON MILLING PAVEMENT SURFACE; 3125 TON RAP - SUPERPAVE FAA 42; 22 EA CORED SAMPLE; 140.1 TON PG 58S-34 ASPHALT CEMENT; 25 CY CLASS AE-3 CONCRETE; 3125 LBS REINFORCING STEEL-GRADE 60; 64 LF PEDESTRIAN RAILING; 1 L SUM MOBILIZATION; 1000 MHR FLAGGING; 1517 UNIT TRAFFIC CONTROL SIGNS; 2 EA TYPE III BARRICADE; 14 EA SIDEWALK BARRICADE; 111 EA DELINEATOR DRUMS; 162 EA TUBULAR MARKERS; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 24 EA IRON PIN R/W MONUMENTS; 1 EA ADJUST UTILITY APPURTENANCE; 1806 LF CURB & GUTTER-TYPE I; 84 LF CURB-TYPE I; 1535 SY SIDEWALK CONCRETE; 514 SY DRIVEWAY CONCRETE; 749 SF DETECTABLE WARNING PANELS; 170 LF TEMPORARY SAFETY FENCE; 15 EA RESET SIGN SUPPORT; 16708 LF SHORT TERM 6IN LINE-TYPE NR; 528 LF SHORT TERM 24IN LINE-TYPE NR; 16708 LF PVMT MK PAINTED 6IN LINE; 528 LF PVMT MK PAINTED 24IN LINE; 762 LF PVMT MK PAINTED CURB TOP & FACE; 3 EA RESET MAILBOX; 1 EA LIGHTING SYSTEM; 1 EA REMOVE WOOD POLE; 35 EA DECORATIVE PLANTER.

*** END OF PROJECT 24168***

24291 STATE AID

PROJECT NUMBER H-8-010(049)002

AND H-8-010(044)000

PROPOSED WORK CONSISTS OF 11.3170 MILES OF SEAL COAT

LOCATED ND10, JCT ND 18 (CASSELTON) E TO E OF MAPLETON (CMC 0941)

AND ND 10, W OF CASSELTON E TO JCT ND 18 (CASSELTON)

AND INVOLVES APPROXIMATELY:

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

1 L SUM CONTRACT BOND; 164936 SY SEAL COAT; 1 L SUM MOBILIZATION; 2762 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 22949 LF SHORT TERM PAINTED LINE-SEAL JOBS; 145963 LF PVMT MK PAINTED 6IN LINE; 107 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24291***

24333 FEDERAL AID

PROJECT NUMBER NHU-6-297(015)002

PROPOSED WORK CONSISTS OF 0.5370 MILES OF CPR, GRINDING, ADA IMPROVEMENTS, MILL & OVERLAY, SEAL COAT
LOCATED ND 297, NEAR 5TH AVE S TO KITTSON AVE - GRAND FORKS

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 664 SY REMOVAL OF CONCRETE PAVEMENT; 590 LF REMOVAL OF CURB & GUTTER; 57 SY REMOVAL OF SLOPE PROTECTION; 551 SY SOD; 409 TON AGGREGATE BASE COURSE CL 5; 392 GAL TACK COAT; 5217 SY MILLING PAVEMENT SURFACE; 5217 SY SEAL COAT; 580 TON RAP - SUPERPAVE FAA 45; 18 TON COMMERCIAL GRADE HOT MIX ASPHALT; 5 EA CORED SAMPLE; 31 TON PG 58H-34 ASPHALT CEMENT; 254 SY 9IN NON-REINF CONCRETE PVMT CL AE-DOWELED; 15800 SY PCC PAVEMENT GRINDING; 1919 LF DOWELED CONTRACTION JOINT ASSEMBLY; 3394 SY 9IN CONCRETE PAVEMENT REPAIR-FULL DEPTH-DOWELED; 3130 SF SPALL REPAIR-PARTIAL DEPTH; 1 L SUM MOBILIZATION; 624 MHR FLAGGING; 2670 UNIT TRAFFIC CONTROL SIGNS; 40 EA TYPE I BARRICADE; 42 EA TYPE III BARRICADE; 6 EA SIDEWALK BARRICADE; 250 LF PEDESTRIAN CHANNELIZATION; 290 EA DELINEATOR DRUMS; 10 EA TUBULAR MARKERS; 160 EA FLEXIBLE DELINEATORS; 80 EA STACKABLE VERTICAL PANELS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 569 SF OBLITERATION OF PAVEMENT MARKING; 4 EA TEMPORARY CURB RAMP; 3 EA PORTABLE CHANGEABLE MESSAGE SIGN; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 31 EA INLET PROTECTION-SPECIAL; 4 EA ADJUST INLET; 470 LF CURB & GUTTER-TYPE I; 186 LF CURB & GUTTER-TYPE 1 SPECIAL; 41 SY VALLEY GUTTER 36IN; 4 SY PIGMENTED CONCRETE; 138 SY SIDEWALK CONCRETE 4IN; 4 SY CONCRETE MEDIAN NOSE PAVING; 122 SF DETECTABLE WARNING PANELS; 213 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 212 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 4 EA RESET SIGN PANEL; 2 EA RESET SIGN SUPPORT; 9809 LF EPOXY PVMT MK 4IN LINE-GROOVED; 17 SF EPOXY PVMT MK MESSAGE; 35 LF EPOXY PVMT MK CURB TOP & FACE; 1246 LF EPOXY PVMT MK 8IN LINE-GROOVED; 149 LF EPOXY PVMT MK 24IN LINE-GROOVED; 320 SF EPOXY PVMT MK MESSAGE-GROOVED; 4063 LF SHORT TERM 4IN LINE-TYPE R; 6030 LF PVMT MK PAINTED 4IN LINE; 100 LF W-BEAM GUARDRAIL; 2 EA W-BEAM GUARDRAIL END TERMINAL; 163 LF REMOVE W-BEAM GUARDRAIL & POSTS; 1 EA REVISE LIGHTING SYSTEM; 551 SY LANDSCAPE PREPARATION.

*** END OF PROJECT 24333***

24398

WITHDRAWN

*** END OF PROJECT 24398***

24408 FEDERAL AID

PROJECT NUMBER TAU-4-989(137)

PROPOSED WORK CONSISTS OF 0.4400 MILES OF NEW SIDEWALK, CURB RAMPS, AND DRIVEWAYS

LOCATED 7TH AVE NW, 24TH ST NW TO 23RD ST NW; 24TH AVE NW, 8TH ST NW TO NEAR 11TH ST NW; 25TH AVE NW, 8TH ST NW TO NEAR 11TH ST NW - MINOT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 1966 SY REMOVAL OF CONCRETE PAVEMENT; 1268 LF REMOVAL OF CURB & GUTTER; 501 SY REMOVAL OF BITUMINOUS SURFACING; 376 CY COMMON EXCAVATION-TYPE C; 629 CY TOPSOIL-IMPORTED; .78 ACRE SEEDING CLASS III; 3775 SY HYDRAULIC MULCH; 200 LF FIBER ROLLS 12IN; 200 LF REMOVE FIBER ROLLS 12IN; 1143 TON AGGREGATE BASE COURSE CL 5; 180 TON COMMERCIAL GRADE HOT MIX ASPHALT; 1 L SUM MOBILIZATION; 485 UNIT TRAFFIC CONTROL SIGNS; 10 EA TYPE II BARRICADE; 9 EA TYPE III BARRICADE; 300 LF PEDESTRIAN WALKWAY; 12 EA TEMPORARY CURB RAMP; 3 EA ADJUST GATE VALVE BOX; 1 EA REMOVE & REPLACE GATE VALVE BOX; 1 L SUM SPRINKLER RELOCATION; 813 LF CURB & GUTTER; 176 LF CURB-TYPE I; 64 SY VALLEY GUTTER 72IN; 82.2 SY PIGMENTED

02/02/26

North Dakota Department of Transportation
Notice To Bidders

IMPRINTED CONCRETE; 1600 SY SIDEWALK CONCRETE 4IN; 589 SY SIDEWALK CONCRETE 6IN; 1454 SY DRIVEWAY CONCRETE; 140 SF DETECTABLE WARNING PANELS; 13 SF FLAT SHEET FOR SIGNS-TYPE XI REFL SHEETING; 14 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 6 EA RESET SIGN SUPPORT; 54 LF PREFORMED THERMO PLASTIC PVMT MK 24IN LINE; 116 SF RETAINING WALL.
*** END OF PROJECT 24408***

24415 FEDERAL AID

PROJECT NUMBER TAC-0434(059)

PROPOSED WORK CONSISTS OF 1.3900 MILES OF GRADING, SIDEWALK CONCRETE, PEDESTRIAN BRIDGE, INCIDENTALS

LOCATED CMC 0434 (EAST RIVER ROAD), NEAR 36TH ST SW TO NEAR 35TH ST SW (MEDORA)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM CLEARING & GRUBBING; 65 LF REMOVAL OF CURB & GUTTER; 1130 LF REMOVE EXISTING FENCE; 57 CY COMMON EXCAVATION-TYPE B; 3058 CY TOPSOIL; 19577 CY BORROW-EXCAVATION; 1 L SUM CLASS 1 EXCAVATION; 1 L SUM CHANNEL EXCAVATION; 1 EA FOUNDATION PREPARATION; 232 M GAL WATER; 3.3 ACRE SEEDING CLASS II; 2.5 ACRE SEEDING CLASS III; 5.8 ACRE TEMPORARY COVER CROP; 11.6 ACRE STRAW MULCH; 4266 LF FIBER ROLLS 12IN; 2133 LF REMOVE FIBER ROLLS 12IN; 1794 TON AGGREGATE BASE COURSE CL 5; 27.6 CY CLASS AE-3 CONCRETE; 127 SY PENETRATING WATER REPELLENT TREATMENT; 3514 LBS REINFORCING STEEL-GRADE 60; 4 EA STEEL H-PILE TIPS 10 X 42; 80 LF STEEL PILING HP 10 X 42; 90 LF STEEL TEST PILING HP 10 X 42; 35 LF PEDESTRIAN RAILING; 1 L SUM MOBILIZATION; 1500 MHR FLAGGING; 929 UNIT TRAFFIC CONTROL SIGNS; 120 EA DELINEATOR DRUMS; 111 EA TUBULAR MARKERS; 14 SY GEOSYNTHETIC MATERIAL TYPE RR; 15 SY PERFORATED GEOCELL; 8 LF PIPE CONC REINF 72IN CL III; 56 LF PIPE CONDUIT 24IN-APPROACH; 50 LF PIPE CORR STEEL .064IN 18IN; 112 LF PIPE CORR STEEL .064IN 24IN; 10 EA REMOVE & RELAY END SECTION-ALL TYPE & SIZES; 7553 SY SIDEWALK CONCRETE 4IN; 82 SY SIDEWALK CONCRETE 6IN; 151 SF DETECTABLE WARNING PANELS; 293 LF STEEL GALV POSTS-TELESCOPING PERFORATED TUBE; 21 EA RESET SIGN PANEL; 171 LF EPOXY PVMT MK 6IN LINE; 1 EA MAILBOX-ALL TYPES; 2 EA ABUTMENT UNDERDRAIN SYSTEM; 1 EA PEDESTRIAN BRIDGE - PRE-FAB.

*** END OF PROJECT 24415***

24461 FEDERAL AID

PROJECT NUMBER IM-2-094(210)237

PROPOSED WORK CONSISTS OF 1.2970 MILES OF MEDIAN CROSSOVERS, GRADE RAISE, PIPE EMBANKMENT, AGGREGATE BASE, HMA

LOCATED I-94, 1.3 MI W OF CLEVELAND EB/WB

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM ESCROW OF BID DOCUMENTATION; 1 L SUM E-TICKETING; 13285 SY REMOVAL OF CONCRETE PAVEMENT; 1328 SY REMOVAL OF BITUMINOUS SURFACING; 1865 LF REMOVE PRECAST CONCRETE BARRIER; 6 EA REMOVAL OF CATCH BASIN; 968 LF REMOVE EXISTING FENCE; 2 EA REMOVAL OF TEMPORARY BYPASS; 48981 CY COMMON EXCAVATION-TYPE A; 27303 CY TOPSOIL; 390781 CY BORROW-EXCAVATION; 1208 M GAL WATER; 30.24 STA SUBGRADE PREPARATION-TYPE A-12IN; 28.7 ACRE SEEDING CLASS II; 56.21 ACRE TEMPORARY COVER CROP; 56.21 ACRE STRAW MULCH; 188 SY ECB TYPE 3; 7048 CY RIPRAP GRADE II; 812 LF SILT FENCE; 812 LF REMOVE SILT FENCE; 24401 LF FIBER ROLLS 12IN; 12802 LF REMOVE FIBER ROLLS 12IN; 3640 LF FLOTATION SILT CURTAIN; 3640 LF REMOVE FLOTATION SILT CURTAIN; 57712 TON AGGREGATE BASE COURSE CL 5; 4790 GAL TACK COAT; 19469 GAL PRIME COAT; 2179 GAL FOG SEAL; 23417 TON SUPERPAVE FAA 45; 90 TON COMMERCIAL GRADE HOT MIX ASPHALT; 130 EA CORED SAMPLE; 1054 TON PG 58H-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 400 MHR FLAGGING; 2612 UNIT TRAFFIC CONTROL SIGNS; 2 EA ATTENUATION DEVICE-TYPE B-80; 6 EA TYPE III BARRICADE; 91 EA DELINEATOR DRUMS; 338 EA TUBULAR MARKERS; 136 EA FLEXIBLE DELINEATORS; 2 EA SEQUENCING ARROW PANEL-TYPE C; 2 EA SEQUENCING ARROW PANEL-TYPE C-CROSSOVER; 984 SF OBLITERATION OF PAVEMENT MARKING; 1700 LF STATE FURNISHED MEDIAN BARRIER; 4 EA PORTABLE CHANGEABLE MESSAGE SIGN; 2 EA VEHICLE SPEED FEEDBACK SIGN; 1 EA FIELD OFFICE; 1 EA AGGREGATE LABORATORY; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 1486 SY GEOSYNTHETIC MATERIAL TYPE G; 13930 SY GEOSYNTHETIC MATERIAL TYPE RR; 24 LF PIPE CONDUIT 24IN; 381 LF PIPE CONDUIT 30IN; 520 LF PIPE CONDUIT 78IN; 4 EA PLUG PIPE-ALL TYPES & SIZES; 3 EA RIGHT OF WAY MARKERS; 4 EA ALIGNMENT MONUMENTS; 3 EA IRON PIN R/W MONUMENTS; 3 EA MEDIAN DRAIN PRECAST CONCRETE-TYPE A; 725 LF FENCE BARBED WIRE 4 STRAND; 500 LF TEMPORARY SAFETY FENCE; 3 EA FENCE TERMINAL; 26 EA DELINEATORS-TYPE A-SINGLE SIDED; 14 LF GALV STEEL POST-STANDARD PIPE; 79 LF

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

GALV STEEL POSTS-W-SHAPE POSTS(TWO OR MORE); 149 SF PANEL FOR SIGNS-TYPE IV REFLECTIVE SHEETING; 1 EA RESET SIGN PANEL; 2 EA RESET MILE POST; 10 EA OBJECT MARKERS - CULVERTS; .4 CY CLASS AE CONCRETE-SIGN FOUNDATIONS; 5 EA REMOVE SIGN FOUNDATION; 3.86 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 11520 EA RAISED PAVEMENT MARKERS; 20376 LF SHORT TERM 6IN LINE-TYPE R; 36000 LF SHORT TERM 6IN LINE-TYPE NR; 43920 LF PVMT MK PAINTED 6IN LINE; 177 LF W-BEAM GUARDRAIL; 3 EA W-BEAM GUARDRAIL END TERMINAL; 177 LF REMOVE W-BEAM GUARDRAIL & POSTS; 1 EA REMOVE END TREATMENT & TRANSITION; 6 EA MODIFY BARREL ATTENUATION DEVICE; 2 EA FLASHING BEACON-POST MOUNTED; 7 EA SHORING.

*** END OF PROJECT 24461***

24674

WITHDRAWN

*** END OF PROJECT 24674***

24675

WITHDRAWN

*** END OF PROJECT 24675***

24676

WITHDRAWN

*** END OF PROJECT 24676***

24691 FEDERAL AID

PROJECT NUMBER NH-5-012(058)020

AND NH-5-085(093)000

PROPOSED WORK CONSISTS OF 32.1660 MILES OF SEAL COAT

LOCATED US 12, RHAME TO BOWMAN

AND US 85, SOUTH DAKOTA STATE LINE N TO BOWMAN

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION; 785658 SY SEAL COAT; 1 L SUM MOBILIZATION; 7288 UNIT TRAFFIC CONTROL SIGNS; 4 EA PORTABLE RUMBLE STRIPS; 772 SF PVMT MK PAINTED-MESSAGE; 102042 LF SHORT TERM 6IN LINE-TYPE NR; 2310 LF SHORT TERM 12IN LINE-TYPE NR; 437969 LF PVMT MK PAINTED 6IN LINE; 303 LF PVMT MK PAINTED 8IN LINE; 2310 LF PVMT MK PAINTED 12IN LINE; 1262 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24691***

24705 FEDERAL AID

PROJECT NUMBER NH-6-005(056)288

PROPOSED WORK CONSISTS OF 11.1410 MILES OF CHIP SEAL

LOCATED ND 5, JCT CMC 1039 E TO JCT ND 89

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 185640 SY SEAL COAT; 63013 SY SHOULDER SEAL; 1 L SUM MOBILIZATION; 2260 UNIT TRAFFIC CONTROL SIGNS; 3 EA PORTABLE RUMBLE STRIPS; 76385 LF SHORT TERM 6IN LINE-TYPE NR; 157323 LF PVMT MK PAINTED 6IN LINE; 180 LF PVMT MK PAINTED 24IN LINE.

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**

*** END OF PROJECT 24705***

24707 FEDERAL AID

PROJECT NUMBER SS-6-066(038)112

PROPOSED WORK CONSISTS OF 10.0780 MILES OF CHIP SEAL

LOCATED ND 66, 2 MI W OF ND 18 (CRYSTAL) E TO JCT US 81 (ST THOMAS)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 153903 SY SEAL COAT; 37453 SY SHOULDER SEAL; 1 L SUM MOBILIZATION; 2336 UNIT TRAFFIC CONTROL SIGNS; 3 EA PORTABLE RUMBLE STRIPS; 337 SF PVMT MK PAINTED-MESSAGE; 36440 LF SHORT TERM 6IN LINE-TYPE NR; 124645 LF PVMT MK PAINTED 6IN LINE; 472 LF PVMT MK PAINTED 12IN LINE; 137 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24707***

24711 FEDERAL AID

PROJECT NUMBER SS-6-018(094)198

AND SS-6-018(093)207

PROPOSED WORK CONSISTS OF 18.1501 MILES OF MILL AND HMA

LOCATED ND 18, JCT ND 17 N TO WALSH / PEMBINA CNTY LN (HOOPLE)

AND ND 18, WALSH / PEMBINA CNTY LINE N TO 87TH ST NE

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE; 1 L SUM RAILROAD COORDINATION - COMPANY A; 1 L SUM E-TICKETING; 262 CY SALVAGED BASE COURSE; 8401 TON AGGREGATE BASE COURSE CL 5; 23947 GAL TACK COAT; 319086 SY MILLING PAVEMENT SURFACE; 35052 TON RAP - SUPERPAVE FAA 43; 310 EA CORED SAMPLE; 419 TON PATCHING; 1626 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 1296 MHR FLAGGING; 4979 UNIT TRAFFIC CONTROL SIGNS; 6 EA PORTABLE RUMBLE STRIPS; 480 EA TUBULAR MARKERS; 40 EA STACKABLE VERTICAL PANELS; 360 HR PILOT CAR; 1 EA BITUMINOUS LABORATORY; 1 EA CONTRACTOR'S LABORATORY; 1879 SY GEOSYNTHETIC MATERIAL TYPE G; 35.218 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT SHOULDER; 17.609 MILE SINUSOIDAL RUMBLE STRIP - ASPHALT CENTERLINE; 265 SF PVMT MK PAINTED-MESSAGE; 124588 LF SHORT TERM 6IN LINE-TYPE NR; 229080 LF PVMT MK PAINTED 6IN LINE; 358 LF PVMT MK PAINTED 12IN LINE; 102 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24711***

24718 STATE AID

PROJECT NUMBER H-6-002(157)342,

AND H-6-002(158)317,

AND H-6-029(186)152

PROPOSED WORK CONSISTS OF 23.3890 MILES OF CHIP SEAL

LOCATED US 2, EMERADO TO GRAND FORKS AIR FORCE BASE

AND US 2, ND 32 (NIAGARA) E TO CMC 1819 (ARVILLA) - WB

AND I-29, MANVEL (EXIT 152) AND JOHNSTOWN (EXIT 157) INTERCHANGES

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 370146 SY SEAL COAT; 115366 SY SHOULDER SEAL; 1 L SUM MOBILIZATION; 10656 UNIT TRAFFIC CONTROL SIGNS; 6 EA PORTABLE RUMBLE STRIPS; 41 EA TYPE III BARRICADE; 253 EA DELINEATOR DRUMS; 900 EA TUBULAR MARKERS; 1 EA SEQUENCING ARROW PANEL-TYPE C; 484 SF PVMT MK PAINTED-MESSAGE; 92700 LF SHORT TERM 6IN LINE-TYPE NR; 297481 LF PVMT MK PAINTED 6IN LINE; 8300 LF PVMT MK PAINTED 12IN LINE; 572 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24718***

02/02/26

North Dakota Department of Transportation
Notice To Bidders

24750 STATE AID

PROJECT NUMBER H-2-999(076)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF MILL AND OVERLAY

LOCATED NDDOT JAMESTOWN SECTION YARD AND VALLEY CITY DISTRICT YARD

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1716 SY MILLING PAVEMENT SURFACE; 1109 TON COMMERCIAL GRADE HOT MIX ASPHALT; 1 L SUM MOBILIZATION.

*** END OF PROJECT 24750***

24753 STATE AID

PROJECT NUMBER H-3-017(039)008

PROPOSED WORK CONSISTS OF 38.4760 MILES OF INTERMITTENT CONTRACT PATCH

LOCATED ND 17, JCT ND 3 E TO JCT US 281 (CANDO)

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM E-TICKETING; 247 TON AGGREGATE BASE COURSE CL 5; 4215 GAL TACK COAT; 7231 TON SUPERPAVE FAA 42; 434 TON PG 58S-34 ASPHALT CEMENT; 1 L SUM MOBILIZATION; 100 MHR FLAGGING; 716 UNIT TRAFFIC CONTROL SIGNS; 2 EA PORTABLE RUMBLE STRIPS; 100 EA TUBULAR MARKERS; 50 HR PILOT CAR; 1 EA CONTRACTOR'S LABORATORY; 7.48 MILE RUMBLE STRIPS - ASPHALT SHOULDER; 3.74 MILE RUMBLE STRIPS - ASPHALT CENTERLINE; 10133 LF SHORT TERM 4IN LINE-TYPE NR; 49627 LF PVMT MK PAINTED 6IN LINE.

*** END OF PROJECT 24753***

24754

WITHDRAWN

*** END OF PROJECT 24754***

24760

WITHDRAWN

*** END OF PROJECT 24760***

24761

WITHDRAWN

*** END OF PROJECT 24761***

24762

WITHDRAWN

*** END OF PROJECT 24762***

02/02/26

North Dakota Department of Transportation
Notice To Bidders

24763

WITHDRAWN

*** END OF PROJECT 24763***

24765

WITHDRAWN

*** END OF PROJECT 24765***

24767

WITHDRAWN

*** END OF PROJECT 24767***

24768

WITHDRAWN

*** END OF PROJECT 24768***

24789 FEDERAL AID

PROJECT NUMBER HES-2-999(079)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF PAVEMENT MARKING

LOCATED VARIOUS US/STATE HIGHWAYS - VALLEY CITY DISTRICT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY A; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY B; 1 L SUM MOBILIZATION; 70 EA TRAFFIC CONES; 8623 SF PVMT MK PAINTED-MESSAGE; 2041 MILE PVMT MK INSTALLATION - 6IN; 6787 LF PVMT MK PAINTED 6IN LINE; 5314 LF PVMT MK PAINTED 8IN LINE; 105726 LF PVMT MK PAINTED 12IN LINE; 4293 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24789***

24792 FEDERAL AID

PROJECT NUMBER HES-5-999(038)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF PAVEMENT MARKING

LOCATED VARIOUS US/STATE HIGHWAYS - DICKINSON DISTRICT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY A; 1 L SUM RAILROAD COORDINATION; 1 L SUM MOBILIZATION; 4780 SF PVMT MK PAINTED-MESSAGE; 1447 MILE PVMT MK INSTALLATION - 6IN; 4457 LF PVMT MK PAINTED 4IN LINE; 339 LF PVMT MK PAINTED 6IN LINE; 867 LF PVMT MK PAINTED 8IN LINE; 41896 LF PVMT MK PAINTED 12IN LINE; 3818 LF PVMT MK PAINTED 24IN LINE; 54 LF PVMT MK PAINTED CURB TOP & FACE.

*** END OF PROJECT 24792***

02/02/26

North Dakota Department of Transportation
Notice To Bidders

24794 FEDERAL AID

PROJECT NUMBER HES-7-999(029)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF PAVEMENT MARKING
LOCATED VARIOUS US/STATE HIGHWAYS - WILLISTON DISTRICT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY A; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY B;
1 L SUM MOBILIZATION; 26842 SF PVMT MK PAINTED-MESSAGE; 1863.936 MILE PVMT MK INSTALLATION - 6IN; 218459 LF PVMT MK PAINTED 12IN
LINE; 4930 LF PVMT MK PAINTED 24IN LINE.

*** END OF PROJECT 24794***

24795 FEDERAL AID

PROJECT NUMBER HES-8-999(063)

PROPOSED WORK CONSISTS OF 0.0000 MILES OF PAVEMENT MARKING
LOCATED VARIOUS US/STATE HIGHWAYS - FARGO DISTRICT

AND INVOLVES APPROXIMATELY:

1 L SUM CONTRACT BOND; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY A; 1 L SUM RAILWAY PROTECTION INSURANCE - COMPANY B;
1 L SUM MOBILIZATION; 29 SF PVMT MK PAINTED-MESSAGE; 1495 MILE PVMT MK INSTALLATION - 6IN; 1670 LF EPOXY PVMT MK 12IN LINE; 3505 SF
EPOXY PVMT MK MESSAGE; 3791 LF EPOXY PVMT MK 4IN LINE; 230 LF EPOXY PVMT MK 8IN LINE; 1283 LF EPOXY PVMT MK 24IN LINE; 150 LF EPOXY
PVMT MK CURB TOP & FACE; 1084 SF PREFORMED PATTERNED PVMT MK-MESSAGE(GROOVED); 301 LF METHYL METHACRYLATE PVMT MK 6IN
LINE; 30 LF METHYL METHACRYLATE PVMT MK 8IN LINE; 182 LF METHYL METHACRYLATE PVMT MK 24IN LINE; 32 SF METHYL METHACRYLATE PVMT
MK MESSAGE; 2006 LF PVMT MK PAINTED 4IN LINE; 32 LF PVMT MK PAINTED 8IN LINE; 50440 LF PVMT MK PAINTED 12IN LINE; 3120 LF PVMT MK
PAINTED 24IN LINE; 62 LF PVMT MK PAINTED CURB TOP & FACE; 1101 LF PREFORMED PATTERNED PVMT MK 4IN LINE-GROOVED; 3549 LF
PREFORMED PATTERNED PVMT MK 6IN LINE-GROOVED; 1560 LF PREFORMED PATTERNED PVMT MK 8IN LINE-GROOVED; 3856 LF PREFORMED
PATTERNED PVMT MK 12IN LINE-GROOVED; 622.5 LF PREFORMED PATTERNED PVMT MK 24IN LINE-GROOVED; 200 LF PREF PATT PVMT MK 7IN
LINE CONTRAST-GROOVED.

*** END OF PROJECT 24795***

24799

WITHDRAWN

*** END OF PROJECT 24799***

24800

WITHDRAWN

*** END OF PROJECT 24800***

24801

WITHDRAWN

*** END OF PROJECT 24801***

02/02/26

**North Dakota Department of Transportation
Notice To Bidders**