




STANDARD BARBED WIRE FENCE




VEHICLE GATE




NOTES



- No deduction in measured pay length of cable fence made for gates, corner assemblies, double brace assemblies, fence terminals, or depression fencing. Include all costs for abutment fencing in the price bid for fencing bid items.
- Install double brace assemblies at locations shown on the plans or established by the Engineer. Place adjacent fence terminals, corner assemblies, or double brace assemblies at a maximum spacing of 1,320 feet.
- Include all costs of furnishing and installing inserts and eyebolts in the unit price bid for fencing bid items. Use eyebolts galvanized according to AASHTO designation M-30; inserts of corrosion resistant material do not require galvanization. Use concrete inserts capable of developing the full strength of the 5/8" diameter threaded eyebolt, when installed in concrete.
- Determine post type used, either wood or steel, unless otherwise specified in the plans.





FENCE TERMINAL




DETAIL FOR TYING FENCE TO WINGS OF ABUTMENTS





FASTENING TO POSTS




DOUBLE BRACE ASSEMBLY




CORNER ASSEMBLY



FENCE TERMINAL STEEL POSTS




BREAK-AWAY FENCE FOR NARROW DEPRESSIONS SUBJECT TO FLOODING



DETAIL FOR ANCHORING FENCES IN DEPRESSIONS*

*Determine locations in the field and include in price bid for fencing. Use other methods of anchoring fence if approved by the Engineer.



FENCING FOR WIDE DEPRESSIONS

NORTH DAKOTA DEPARTMENT OF TRANSPORTATION	
2-2-10	
REVISIONS	
DATE	CHANGE
10-02-12	Notes, steel assemblies/posts.
11-25-13	Revised Vehicle Gate.
10-17-17	Updated to active voice.

This document was originally issued and sealed by Roger Weigel, Registration Number PE-2930, on 10-17-2017 and the original document is stored at the North Dakota Department of Transportation

On opposite side of depression, use same installation as shown